

Art.Nr.100 1162/010 1160

Hinweis:
Die max. Höhe der Armatur kann durch die variable Montagehöhe variieren.
Note:
The max. height of the mixer can vary due to the variable mounting depth.

1 ↓
2 ↑

3a ↓
festdrehen
tighten

3b ↻
ausrichten
adjust

4 ↻
5 ↑

6 ↓

010 1160

Technical drawing of a water meter assembly, showing two views: a front view (left) and a side view (right).

Front View (Left):

- Shows the meter body with two vertical pipes (inlet and outlet) and a central vertical pipe (likely for the float valve).
- The meter is mounted on a base with two circular mounting holes.
- The distance between the mounting holes is dimensioned as **150**.

Side View (Right):

- Shows the meter body with a curved pipe (likely for the float valve) and a vertical pipe (likely for the float valve).
- The distance from the top of the meter body to the center of the mounting hole is dimensioned as **925**.
- The distance from the center of the mounting hole to the center of the float valve is dimensioned as **155**.
- The distance from the center of the mounting hole to the center of the float valve is dimensioned as **25~45**.
- The distance from the center of the mounting hole to the center of the float valve is dimensioned as **2-G 1/2"**.



Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller



Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller