




Art.Nr.100 1824 3

The diagrams illustrate the operation of a three-way valve. The left diagram shows the valve in the 'open' position, where the central piston is shifted to the left, allowing flow from the 'Warm hot' inlet (bottom) to the 'Kalt cold' outlet (top). The right diagram shows the valve in the 'closed' position, where the central piston is shifted to the right, blocking the flow from the 'Warm hot' inlet and allowing flow from the 'Kalt cold' inlet (top) to the 'Warm hot' outlet (bottom).



Technical drawing of the 229 series gas valve assembly, showing front and side views with dimensions.


Front View Dimensions:

- Overall width: 229
- Port diameter (left): $\varnothing 80$
- Port diameter (right): $\varnothing 80$
- Distance between port centers: 125
- Height from base to top of valve body: 100
- Height from base to top of gas inlet: $G\frac{1}{2}"$

Side View Dimensions:

- Distance from front face to gas inlet: 64~89
- Gas inlet diameter: 6
- Distance from front face to valve body: 54
- Height from base to top of valve body: 86
- Height from base to top of gas inlet: $G\frac{1}{2}"$
- Distance from front face to end of gas pipe: 35~60
- Maximum length of gas pipe: MAX245

Explosionszeichnung





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller



Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller