Installation Instructions / Cleaning Croma ljet 28574000 Croma 2jet / Croma 3jet 28575000 / 28576000 hansgrohe






Ihr Online-Fachhändler für:


hansgrohe

- Kostenlose und individuelle Beratung
- Hochwertige Produkte
- Kostenloser und schneller Versand
- TOP Bewertungen
- Exzelenter Kundenservice
- Über 20 Jahre Erfahrung



E-Mail: info@unidomo.de | Tel.: 04621 - 30 60 89 0 | www.unidomo.de







Technical Data

Operating pressure: Hot water temperature: max. 6 bar max. 60 °C


Croma 1jet



Croma 2jet





Croma 3jet













Assembly

The mesh washer must be insert to protect the hand shower against incoming dirt by pipework. Incoming dirt leads to defects or/and can damage parts of the hand shower; such caused faults voids all liability and guarantee claims.

Hansgrohe hand showers can be used together with hydraulically and thermically controlled continuous flow heaters if the flow pressure is at least 1,5 bar in front of the shower fitting.



The Rubit cleaning function only needs a small manual rubover to remove the lime scale from the spray channels.



Cleaning Recommendation for Hansgrohe Products

Modern sanitary tapware, kitchen mixers and showers consist of very different materials to comply with the needs of the market with regard to design and functionality.

To avoid damage and reclamations, it is necessary to consider certain criteria when cleaning.

Cleaning Materials for Mixers and Showers

Acids are necessary ingredients of cleaning materials for removing lime, however please pay attention to the following points when cleaning mixers and showers:

- Only use cleaning material which is explicitly provided for this type of application, such as Hansgrohe's Decalcifying Agent, which is available through the specialist sanitary trade.
- Never use cleaning materials, which contain hydrochloric, formic or acetic acid, as they cause considerable damage.
- Phósphoric acid is also restricted as it can cause damage.
- Never mix any cleaning material with another.
- Never use cleaning materials or appliances with an abrasive effect, such as unsuitable cleaning powders, sponge pads or micro fibre cloths.

Cleaning Instructions for Mixers and Showers

Please follow the cleaning material manufacturer's instructions. In addition pay attention to the following points:

- Clean the mixers and showers as and when required
- The cleaning dosage and time the cleaner needs to take effect should be adjusted according to the product and the cleaner should not be left longer than necessary.
- When using spray cleaner, spray first into a cloth or sponge never directly onto the sanitary tapware, as drops could enter openings and gaps and cause damage.
- After cleaning rinse thoroughly with clean water to remove any cleaner residue.

Important

Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using.

If the surface is already damaged, the effect of cleaning materials will cause further damage.

Damage caused by improper treatment will not be covered by our guarantee.



Hansgrohe Postfach 8.5 2355 Wr. Neudorf Telefon: 0 22 36 / 6 28 30 Telefax: 0 22 36 / 62 83 019



Hansgrohe Rue Vanderschrick Straat 91 1060 Bruxelles/Brussel Téléphone: 02 / 5 43 01 40 Telefax: 02 / 5 37 94 86



Hansgrohe Industriestr. 9 5432 Neuenhof Telefon: 056/416 26 26 Telefax: 056/416 26 27



Moravanská 85 CZ-619 00 Brno Telefon: +420/547 212 334 Telefax: +420/547 212 521



Hansgrohe D-77757 Schiltach / Schwarzwald Telefon: 0 78 36 / 51-0 Telefax: 0 78 36 / 51 13 00



Hansgrohe Jegstrupvej 6 8361 Hasselager Telefon: 86 28 74 00 Telefax: 86 28 74 01



Hansgrohe Riera Can Pahissa 26 B 08750 Molins de Rei Telefon: 93 680 39 00 Telefax: 93 680 39 09



OÜ Dreesis Laki 16-407 10621 Tallinn Estonia Tel.: 00372 61 29 811 Fax: 00372 65 63 310



Hansgrohe 6/8 rue Henri-Poincaré Z. A. 92167 Antony Cedex Téléphone: 01 40 96 40 00 Télécopie: 01 46 66 49 89



Hansgrohe Juhani Niemi Oy Mäntytie 11 00270 Helsinki Puh: (09) 47 77 030 Telefax: (09) 24 17 554



Nikitas Vlachos Niveco SA Posidonus Ave 46 17561 P. Faliro Telefon: (01) 9880180 Telefax: (01) 9883847



Hansgrohe Kft. Forgách utca 11-13 1139 Budapest Telefon: 0036 /1 236 9090 Telefax: 0036 /1 236 9098







Hansgrohe

S S 10 KM 24 4

14019 Villanova d'Asti 0 141 / 93 11 11 0 141 / 94 65 94



Jaquar Mercanti**l**e D-26, SMA Co-operative Industrial Estate G.T. Karnal Road Delhi-110033 Tel: +91-11-27464808-17 Fax:+91-11-27240388, 27466808



Santoza Pašilaičiř 1-28 LT-06115 Vilnius Tel.: +37(0) 5 2407666 Fax: +37(0) 5 2407666





Hansgrohe B.V. Handelsweg 45 NL - 1525 RG Westknollendam Telefoon: 075 6461400 Telefax: 075 6461700



Telefono:

Telefax:

HGAxorPharo SA R. Antoine de Saint-Exupéry Alapraia 2765-043 Estori Telefone: 21 466 71 10 Fax: 21 466 71 19



Hansgrohe UL Sowia 12 PL-62-080 Tarnowo Podgórne Telefon: (061) 8168600 Telefax: (061) 8168609



上海市松江工业区俞塘路512号 天威工业城底层 郎编: 201600

电话: 0086-21-57741239 传真: 0086-21-57741233



Representative Office Apsa Sasori Bd.O.Goga nr.4(106),bl M26,sc.3,ap.68 7000 Bucuresti Romania Tel./Fax: (0040) 0 21 326 10 01



Hansgrohe Усачева 33/1 119048 Россия Москва Tel.: 095 / 9333170 Fax: 095 / 9333171



Ridspögatan 10 S-21377 Malmö Telefon: +46/(0)40/51 91 50 Telefon: +46/(0)40/13 05 92



Hans Grohe Pte Ltd 60B Martin Road #11-03/04 Trade Mart Singapore SINGAPORE 239067 Tel.: 0065-7322002 Fax: 0065-7320030



Riharjeva 2 1000 Ljubljana Slovenia Tel.:00386 1 429 23 32 Fax:00386 1 429 23 33



Dizayn Ev Gerecleri San. ve Tic. Ltd. Sti. Ortaklar Cad. No. 1 Mecidiyekoey-Istanbul 80290 Tel.: 0090-212-266 50 80 Fax: 0090-212-275 75 12



Hansgrohe Ukrainian office Vasilkovskaya St., 1, office 301 03040 Kiev Tel./Fax: 0038 (044) 56 85 012



Hansgrohe Units D1 & D2 Sandown Park Trading Estate Royal Mills Esher Surrey KT10 8BL Telephone: 0 13 72 46 56 55 Telefax: 0 13 72 47 06 70



1490 Bluegrass Lakes Parkway Alpharetta, GA 30004/USA Tel.: 770-360-9880 Fax: 770-360-9887