




Operating Guide




AB-PM/AB PM HP (DN 10-32)



TWA-Z/ABN A5



IP 41/IP 54





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung




Markenhersteller

AB-PM/AB-PM HP (DN 10-32)


Manual Shut-off-plastic

Included with all AB-PM valves
 $\Delta p_{max} = 1 \text{ bar}$


Code No.:
003Z0250




P.S.059.1/01




Mounting actuator



Flow Direction




Assembly



DN							
	To pipe	L (mm)	Code No.	Weld.c. L (mm)	Code No.	Solder.c. L (mm)	Code No.
10*	R ¾	26	003Z0231			17	065Z7016
15	R ½	27.5	003Z0232	37	003Z0226	22	065Z7017
20	R ¾	30.5	003Z0233	42	003Z0227		
25	R 1	35	003Z0234	42	003Z0228		
32	R 1 ¼	38.5	003Z0235	42	003Z0229		

* M_{max} for DN 10 is 35 Nm

Locking



Setting

