




Operating Guide


AMV 25 SU, AMV 25 SD




AMV 25 SD / SU +
Adapter (065Z0311) +
VRB 2, VRG 2 (DN 15-50)




AMV 25 SD / SU +
Adapter (065Z0311) +
VRB 3, VRG 3 (DN 15-50)



AMV 25 SD / SU +
Adapter (065Z0311) +
VF 2, VL 2 (DN 15-50)




AMV 25 SD / SU +
Adapter (065Z0311) +
VF 3, VL 3 (DN 15-50)




AMV 25 SD / SU +
VFS 2 (DN 15-50)



MAINTENANCE
FREE





5-95 % RH
no condensing







1

UNIDOMO®



AMV 25 SD





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group




-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller


AMV 25 SU, AMV 25 SD

2


$T_{max} \leq 150^{\circ}\text{C}$ AMV 25 SD/SU & VRB, VRG, VF and VL




$T_{max} \leq 150^{\circ}\text{C}$ AMV 25 SD/SU & VFS




$T_{max} = 200^{\circ}\text{C}$ AMV 25 SD/SU &



3



24 VAC,
230 VAC





M.E.071.1/01

N	0 V	Neutral
1	Input power supply	082H3036 082H3039 24 V
3		082H3037 082H3040 230 V
4, 5	Output	

AMV 25 SU, AMV 25 SD

4





AMV 25 SU, AMV 25 SD



Part Name 部件名称	Hazardous Substances Table/有害物质含量表					
	Lead (Pb) 铅 (Pb)	Mercury (Hg) 汞 (Hg)	Cadmium (Cd) 镉 (Cd)	Hexavalent Chromium (Cr(VI)) 六价铬 (Cr(VI))	Polybrominated biphenyls (PBB) 多溴联苯 (PBB)	Polybrominated diphenyl ethers (PBDE) 多溴二苯醚 (PBDE)
Bush/衬套	X	O	O	O	O	O
Electromagnet/电磁体	X	O	O	O	O	O
Housings/外壳	X	O	O	O	O	O
Brake Weights/制动配重	X	O	O	O	O	O
Clamp/压板	X	O	O	O	O	O
Yoke/连接架	X	O	O	O	O	O
O: Indicates that this hazardous substance contained in all of the homogeneous material for this part is below the limit requirement in GB/T 26572; O: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。						
X: Indicates that this hazardous substance contained in at least one of the homogeneous material for this part is above the limit requirementw in GB/T 26572; X: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。						

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.