






Installation Guide

ECL Comfort 310, A376 (code no. 087H3810)



A376.1, ex. a:





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete




Über 15 Jahre Erfahrung




Markenhersteller


A376.1, ex. b:



A376.2, ex. a:




A376.2, ex. b:




UNIDOMO®


A376.3, ex. a:




A376.3, ex. b:




A376.4, ex. a:





A376.9, ex. a:



A376.9, ex. b:



A376.10, ex. a:




ECL Comfort 310:
230 V a.c.


R	4 (2) A / 230 V a.c.
R	
Tr	0,2 A / 230 V a.c.

Installation Guide, ECL Comfort 310, A376


230 V a.c. - A376.1, A376.2, A376.4




230 V a.c. - A376.3



230 V a.c. - A376.9, A376.10



A376.3 - ECA 32





Danfoss
87H1180.12





230 V a.c. / 24 V a.c. safety thermostat

1-step closing





UNIDOMO®



Installation Guide, ECL Comfort 310, A376

230 V a.c. / 24 V a.c. safety thermostat

2-step closing




ECL Comfort 310:


24 V a.c.

R		4 (2) A / 24 V a.c.
R		
Tr		1 A / 24 V a.c.


24 V a.c. - A376.1, A376.2, A376.4




24 V a.c. - A376.3



24 V a.c. - A376.9, A376.10




A376.3 - ECA 32




Installation Guide, ECL Comfort 310, A376

ECL 310

 **Pt 1000** (1000 Ω / 0 °C)




	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10
A376.1	✓	✓	✓	✓	✓	✓	✓		✓	✓
A376.2	✓	✓	✓	✓	✓	✓	✓		✓	✓
A376.3	✓	✓	✓	✓	✓	✓	✓		✓	✓
A376.4	✓	✓	✓	✓	✓	✓	✓		✓	✓
A376.9	✓	✓	✓	✓	✓	✓			✓	✓
A376.10	✓	✓	✓	✓	✓	✓			✓	✓



ECL 310




	S8
A376.1	
A376.2	✓
A376.3	
A376.4	✓
A376.9	✓
A376.10	✓




ECL 310



	S7
A376.1	
A376.2	
A376.3	
A376.4	
A376.9	✓
A376.10	✓



V d.c. = 12 - 24 V d.c.




V d.c. = 12 - 24 V d.c.

ECA 32

Pt 1000 (1000 Ω / 0 °C)


	S11	S12	S13
A376.1			
A376.2			
A376.3			
A376.4			
A376.9	✓	✓	✓
A376.10			✓



ECA32




	S15	S16
A376.1		
A376.2		
A376.3		
A376.4		
A376.9	✓	✓
A376.10	✓	✓




ECA32




	S11	S12	S13	S14
A376.1				
A376.2				
A376.3				
A376.4				
A376.9				✓
A376.10	✓	✓		✓




V d.c. = 12 - 24 V d.c.




A376.9, A376.10




ECA 30 / 31




ECA 30 / 31




Master / slave




Modbus




M-bus




M-bus



Pt 1000 (IEC 751B, 1000 Ω / 0 °C)




Heat curves




ECA 30


1




2




3




4




5




6



7



8



UNIDOMO®







Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group




-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte


-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller

Installation Guide, ECL Comfort 310, A376


Danfoss
87H1021.11




Danfoss
87H1017.11



Danfoss
87H1073.11



Danfoss
87H1074.11



?  **ECL Comfort 310, A376: www.heating.danfoss.com**



Danfoss A/S

Heating Segment • heating.danfoss.com • +45 7488 2222 • E-Mail: heating@danfoss.com

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and all Danfoss logotypes are trademarks of Danfoss A/S. All rights reserved.