






Installation Guide

ECL Comfort 310, A377 (code no. 087H3817)



A377.1 (ex. a):





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**


ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte


-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller

A377.1 (ex. b):




UNIDOMO®


A377.1 (ex. c):




A377.1, ex. d:




A377.2 (ex. a):




A377.2 (ex. b):



A377.2 (ex. c):




A377.3, ex. a:



UNIDOMO®

A377.3, ex. b:




Installation Guide, ECL Comfort 310, A377

ECL Comfort 210 / 310:

230 V a.c.


R 	4 (2) A / 230 V a.c.
R 	
Tr 	0,2 A / 230 V a.c.



230 V a.c.

	P1	P2	P3	P4	P5
A377.1, ex. a		✓	✓	✓	✓
A377.1, ex. b		✓	✓	✓	✓
A377.1, ex. c	✓	✓	✓	✓	✓
A377.1, ex. d	✓	✓	✓	✓	✓
A377.2, ex. a	✓	✓	✓	✓	✓
A377.2, ex. b	✓	✓	✓	✓	✓
A377.2, ex. c	✓		✓	✓	✓
A377.3, ex. a	✓	✓	✓	✓	✓
A377.3, ex. b	✓	✓	✓	✓	✓

ECL 310/230 V a.c.




ECL Comfort 210 / 310:

24 V a.c.

R 	4 (2) A / 24 V a.c.
Tr 	1 A / 24 V a.c.

24 V a.c.




	P1	P2	P3	P4	P5
A377.1, ex. a		✓	✓	✓	✓
A377.1, ex. b		✓	✓	✓	✓
A377.1, ex. c	✓	✓	✓	✓	✓
A377.1, ex. d	✓	✓	✓	✓	✓
A377.2, ex. a	✓	✓	✓	✓	✓
A377.2, ex. b	✓	✓	✓	✓	✓
A377.2, ex. c	✓		✓	✓	✓
A377.3, ex. a	✓	✓	✓	✓	✓
A377.3, ex. b	✓	✓	✓	✓	✓



Installation Guide, ECL Comfort 310, A377


24 V a.c. / 230 V a.c. safety thermostat

1-step closing





24 V a.c. / 230 V a.c. safety thermostat

1-step closing




24 V a.c. / 230 V a.c. safety thermostat

2-step closing




Installation Guide, ECL Comfort 310, A377


 **Pt 1000** (1000 Ω / 0 °C)





Danfoss
87H1487.11




S7:0 - 10V




ECA 30 / 31




Master / slave




Modbus




M-bus




M-bus



Pt 1000 (IEC 751B, 1000 Ω / 0 °C)




Heat curves




ECA 30


1




2




3




4




5




6



7



8



UNIDOMO®



Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete







Über 15 Jahre Erfahrung



Markenhersteller

Installation Guide, ECL Comfort 310, A377



? **ECL Comfort 310, A377: www.heating.danfoss.com**



Danfoss A/S
Heating Segment • heating.danfoss.com • +45 7488 2222 • E-Mail: heating@danfoss.com

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without consequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and all Danfoss logotypes are trademarks of Danfoss A/S. All rights reserved.