


## Geberit PE Abzweig 88,5°



Beispielbild



### Verwendungszwecke

- Zur Gebäudeentwässerung

### Technische Daten

Werkstoff

PE-HD

| Art.-Nr.     | DN      | d, Ø  | d1, Ø | arc    | H       | X1      | X2     | X3     | K1     | K2     | K3     | V<br>E1 | VE2    | VE3     | VE4     |
|--------------|---------|-------|-------|--------|---------|---------|--------|--------|--------|--------|--------|---------|--------|---------|---------|
| 379.158.16.1 | 30 / 30 | 32 mm | 32 mm | 88.5 ° | 8.5 cm  | 5 cm    | 3.5 cm | 3.5 cm | 2.5 cm | 1 cm   | 1 cm   | 1 St.   | 10 St. |         |         |
| 360.158.16.1 | 40 / 30 | 40 mm | 32 mm | 88.5 ° | 13 cm   | 7.5 cm  | 5.5 cm | 5.5 cm | 5 cm   | 2.5 cm | 2 cm   | 1 St.   | 10 St. |         |         |
| 360.159.16.1 | 40 / 40 | 40 mm | 40 mm | 88.5 ° | 13 cm   | 7.5 cm  | 5.5 cm | 5.5 cm | 4.5 cm | 2.5 cm | 2.5 cm | 1 St.   | 10 St. | 50 St.  |         |
| 362.160.16.1 | 40      | 48 mm | 48 mm | 88.5 ° | 23.5 cm | 20 cm   | 3.5 cm | 3.5 cm | 16 cm  | 0 cm   | 0 cm   | 1 St.   | 10 St. | 40 St.  | 640 St. |
| 361.159.16.1 | 50 / 40 | 50 mm | 40 mm | 88.5 ° | 15 cm   | 9 cm    | 6 cm   | 6 cm   | 6 cm   | 2.5 cm | 3 cm   | 1 St.   | 10 St. |         |         |
| 361.162.16.1 | 50 / 50 | 50 mm | 50 mm | 88.5 ° | 15 cm   | 9 cm    | 6 cm   | 6 cm   | 5.5 cm | 2.5 cm | 2.5 cm | 1 St.   | 10 St. | 50 St.  | 800 St. |
| 363.162.16.1 | 56 / 50 | 56 mm | 50 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 7 cm   | 3 cm   | 3.5 cm | 1 St.   | 10 St. |         |         |
| 363.165.16.1 | 56 / 56 | 56 mm | 56 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 6.5 cm | 3 cm   | 3 cm   | 1 St.   | 10 St. | 30 St.  |         |
| 364.159.16.1 | 60 / 40 | 63 mm | 40 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 7 cm   | 3 cm   | 3 cm   | 1 St.   |        |         |         |
| 364.162.16.1 | 60 / 50 | 63 mm | 50 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 7 cm   | 3 cm   | 3.5 cm | 1 St.   | 10 St. |         |         |
| 364.165.16.1 | 60 / 56 | 63 mm | 56 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 6.5 cm | 3 cm   | 3 cm   | 1 St.   | 10 St. | 120 St. |         |
| 364.170.16.1 | 60 / 60 | 63 mm | 63 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 6 cm   | 3 cm   | 3 cm   | 1 St.   | 10 St. | 120 St. |         |
| 365.159.16.1 | 70 / 40 | 75 mm | 40 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 7.5 cm | 2.5 cm | 4 cm   | 1 St.   | 10 St. |         |         |
| 365.162.16.1 | 70 / 50 | 75 mm | 50 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 7 cm   | 2.5 cm | 3.5 cm | 1 St.   | 10 St. | 90 St.  | 360 St. |
| 365.165.16.1 | 70 / 56 | 75 mm | 56 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 6.5 cm | 2.5 cm | 3 cm   | 1 St.   | 10 St. | 90 St.  |         |
| 365.170.16.1 | 70 / 60 | 75 mm | 63 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 6 cm   | 2.5 cm | 2.5 cm | 1 St.   | 10 St. | 100 St. |         |
| 365.175.16.1 | 70 / 70 | 75 mm | 75 mm | 88.5 ° | 17.5 cm | 10.5 cm | 7 cm   | 7 cm   | 5.5 cm | 2.5 cm | 2.5 cm | 1 St.   | 10 St. | 80 St.  |         |
| 366.159.16.1 | 90 / 40 | 90 mm | 40 mm | 88.5 ° | 20 cm   | 12 cm   | 8 cm   | 8 cm   | 8.5 cm | 2.5 cm | 4.5 cm | 1 St.   | 60 St. |         |         |
| 366.162.16.1 | 90 / 50 | 90 mm | 50 mm | 88.5 ° | 20 cm   | 12 cm   | 8 cm   | 8 cm   | 8.5 cm | 2.5 cm | 4.5 cm | 1 St.   | 10 St. |         |         |



**Web:** [www.unidomo.de](http://www.unidomo.de)

**Telefon:** 04621- 30 60 89 0

**Mail:** [info@unidomo.com](mailto:info@unidomo.com)

**Öffnungszeiten:** Mo.-Fr. 8:00-17:00 Uhr

**VIESSMANN**



 **Vaillant**

**WOLF**



**JUNKERS**



**BOSCH**

**OR remeha**

**DAIKIN**

**ROTEX**

a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller

| Art.-Nr.     | DN           | d, ø      | d1, ø     | arc       | H          | X1         | X2       | X3       | K1         | K2        | K3        | V<br>E1  | VE2       | VE3        | VE4        |
|--------------|--------------|-----------|-----------|-----------|------------|------------|----------|----------|------------|-----------|-----------|----------|-----------|------------|------------|
| 366.165.16.1 | 90 / 56      | 90<br>mm  | 56<br>mm  | 88.5<br>° | 20 cm      | 12 cm      | 8 cm     | 8 cm     | 8 cm       | 2.5<br>cm | 4 cm      | 1<br>St. | 10<br>St. |            |            |
| 366.170.16.1 | 90 / 60      | 90<br>mm  | 63<br>mm  | 88.5<br>° | 20 cm      | 12 cm      | 8 cm     | 8 cm     | 7.5<br>cm  | 2.5<br>cm | 3.5<br>cm | 1<br>St. | 60<br>St. |            |            |
| 366.175.16.1 | 90 / 70      | 90<br>mm  | 75<br>mm  | 88.5<br>° | 20 cm      | 12 cm      | 8 cm     | 8 cm     | 7 cm       | 2.5<br>cm | 3 cm      | 1<br>St. | 10<br>St. |            |            |
| 366.180.16.1 | 90 / 90      | 90<br>mm  | 90<br>mm  | 88.5<br>° | 20 cm      | 12 cm      | 8 cm     | 8 cm     | 6.5<br>cm  | 2.5<br>cm | 2.5<br>cm | 1<br>St. | 10<br>St. | 160<br>St. |            |
| 367.159.16.1 | 100 /<br>40  | 110<br>mm | 40<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 10 cm      | 2.5<br>cm | 6 cm      | 1<br>St. | 40<br>St. |            |            |
| 367.162.16.1 | 100 /<br>50  | 110<br>mm | 50<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 9.5<br>cm  | 2.5<br>cm | 5 cm      | 1<br>St. | 10<br>St. | 160<br>St. | 480<br>St. |
| 367.165.16.1 | 100 /<br>56  | 110<br>mm | 56<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 9 cm       | 2.5<br>cm | 4.5<br>cm | 1<br>St. | 35<br>St. | 140<br>St. | 420<br>St. |
| 367.170.16.1 | 100 /<br>60  | 110<br>mm | 63<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 9 cm       | 2.5<br>cm | 4 cm      | 1<br>St. | 40<br>St. |            |            |
| 367.175.16.1 | 100 /<br>70  | 110<br>mm | 75<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 8.5<br>cm  | 2.5<br>cm | 3.5<br>cm | 1<br>St. | 35<br>St. | 140<br>St. |            |
| 367.180.16.1 | 100 /<br>90  | 110<br>mm | 90<br>mm  | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 7.5<br>cm  | 2.5<br>cm | 3 cm      | 1<br>St. | 10<br>St. | 30 St.     |            |
| 367.185.16.1 | 100 /<br>100 | 110<br>mm | 110<br>mm | 88.5<br>° | 22.5<br>cm | 13.5<br>cm | 9 cm     | 9 cm     | 6.5<br>cm  | 2 cm      | 2 cm      | 1<br>St. | 30<br>St. | 120<br>St. | 480<br>St. |
| 368.162.16.1 | 125 /<br>50  | 125<br>mm | 50<br>mm  | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 11 cm      | 2.5<br>cm | 6 cm      | 1<br>St. | 5 St.     |            |            |
| 368.165.16.1 | 125 /<br>56  | 125<br>mm | 56<br>mm  | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 10.5<br>cm | 2.5<br>cm | 5.5<br>cm | 1<br>St. | 5 St.     |            |            |
| 368.170.16.1 | 125 /<br>60  | 125<br>mm | 63<br>mm  | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 10.5<br>cm | 2.5<br>cm | 5 cm      | 1<br>St. | 5 St.     |            |            |
| 368.175.16.1 | 125 /<br>70  | 125<br>mm | 75<br>mm  | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 10 cm      | 2.5<br>cm | 4.5<br>cm | 1<br>St. | 5 St.     |            |            |
| 368.180.16.1 | 125 /<br>90  | 125<br>mm | 90<br>mm  | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 9 cm       | 2.5<br>cm | 4 cm      | 1<br>St. | 5 St.     |            |            |
| 368.185.16.1 | 125 /<br>100 | 125<br>mm | 110<br>mm | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 8 cm       | 2 cm      | 3 cm      | 1<br>St. | 25<br>St. |            |            |
| 368.189.16.1 | 125 /<br>125 | 125<br>mm | 125<br>mm | 88.5<br>° | 25 cm      | 15 cm      | 10<br>cm | 10<br>cm | 7 cm       | 2 cm      | 2 cm      | 1<br>St. | 20<br>St. |            |            |
| 369.175.16.1 | 150 /<br>70  | 160<br>mm | 75<br>mm  | 88.5<br>° | 35 cm      | 21 cm      | 14<br>cm | 14<br>cm | 15 cm      | 4.5<br>cm | 8 cm      | 1<br>St. |           |            |            |
| 369.185.16.1 | 150 /<br>100 | 160<br>mm | 110<br>mm | 88.5<br>° | 35 cm      | 21 cm      | 14<br>cm | 14<br>cm | 13.5<br>cm | 4.5<br>cm | 6 cm      | 1<br>St. | 5 St.     |            |            |
| 369.189.16.1 | 150 /<br>125 | 160<br>mm | 125<br>mm | 88.5<br>° | 35 cm      | 21 cm      | 14<br>cm | 14<br>cm | 12.5<br>cm | 4.5<br>cm | 5 cm      | 1<br>St. |           |            |            |
| 369.195.16.1 | 150 /<br>150 | 160<br>mm | 160<br>mm | 88.5<br>° | 35 cm      | 21 cm      | 14<br>cm | 14<br>cm | 10.5<br>cm | 3.5<br>cm | 3 cm      | 1<br>St. | 5 St.     |            |            |
| 370.180.16.1 | 200 /<br>90  | 200<br>mm | 90<br>mm  | 88.5<br>° | 36 cm      | 18 cm      | 18<br>cm | 18<br>cm | 0 cm       | 3 cm      | 0 cm      |          |           |            |            |
| 370.185.16.1 | 200 /<br>100 | 200<br>mm | 110<br>mm | 88.5<br>° | 36 cm      | 18 cm      | 18<br>cm | 18<br>cm | 0 cm       | 3 cm      | 0 cm      | 1<br>St. |           |            |            |
| 370.189.16.1 | 200 /<br>125 | 200<br>mm | 125<br>mm | 88.5<br>° | 36 cm      | 18 cm      | 18<br>cm | 18<br>cm | 0 cm       | 3 cm      | 0 cm      | 1<br>St. |           |            |            |
| 370.195.16.1 | 200 /<br>150 | 200<br>mm | 160<br>mm | 88.5<br>° | 36 cm      | 18 cm      | 18<br>cm | 18<br>cm | 0 cm       | 2 cm      | 0 cm      | 1<br>St. |           |            |            |

| Art.-Nr.     | DN           | d, ø      | d1, ø     | arc       | H     | X1    | X2       | X3       | K1        | K2        | K3        | V<br>E1  | VE2 | VE3 | VE4 |
|--------------|--------------|-----------|-----------|-----------|-------|-------|----------|----------|-----------|-----------|-----------|----------|-----|-----|-----|
| 370.196.16.1 | 200 /<br>200 | 200<br>mm | 200<br>mm | 88.5<br>° | 40 cm | 20 cm | 20<br>cm | 20<br>cm | 0 cm      | 0 cm      | 0 cm      | 1<br>St. |     |     |     |
| 371.185.16.1 | 250 /<br>100 | 250<br>mm | 110<br>mm | 88.5<br>° | 44 cm | 22 cm | 22<br>cm | 22<br>cm | 3.5<br>cm | 4 cm      | 3.5<br>cm | 1<br>St. |     |     |     |
| 371.189.16.1 | 250 /<br>125 | 250<br>mm | 125<br>mm | 88.5<br>° | 44 cm | 22 cm | 22<br>cm | 22<br>cm | 3 cm      | 4 cm      | 3 cm      | 1<br>St. |     |     |     |
| 371.195.16.1 | 250 /<br>150 | 250<br>mm | 160<br>mm | 88.5<br>° | 44 cm | 22 cm | 22<br>cm | 22<br>cm | 0 cm      | 3.5<br>cm | 0 cm      | 1<br>St. |     |     |     |
| 371.196.16.1 | 250 /<br>200 | 250<br>mm | 200<br>mm | 88.5<br>° | 48 cm | 24 cm | 24<br>cm | 24<br>cm | 0 cm      | 0 cm      | 0 cm      | 1<br>St. |     |     |     |
| 371.197.16.1 | 250 /<br>250 | 250<br>mm | 250<br>mm | 88.5<br>° | 48 cm | 24 cm | 24<br>cm | 24<br>cm | 0 cm      | 0 cm      | 0 cm      | 1<br>St. |     |     |     |
| 372.185.16.1 | 300 /<br>100 | 315<br>mm | 110<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 9.5<br>cm | 6 cm      | 9.5<br>cm | 1<br>St. |     |     |     |
| 372.189.16.1 | 300 /<br>125 | 315<br>mm | 125<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 9 cm      | 6 cm      | 9 cm      | 1<br>St. |     |     |     |
| 372.195.16.1 | 300 /<br>150 | 315<br>mm | 160<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 7 cm      | 6 cm      | 7 cm      | 1<br>St. |     |     |     |
| 372.196.16.1 | 300 /<br>200 | 315<br>mm | 200<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 4.5<br>cm | 0 cm      | 4.5<br>cm | 1<br>St. |     |     |     |
| 372.197.16.1 | 300 /<br>250 | 315<br>mm | 250<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 2 cm      | 0 cm      | 2 cm      | 1<br>St. |     |     |     |
| 372.198.16.1 | 300 /<br>300 | 315<br>mm | 315<br>mm | 88.5<br>° | 56 cm | 28 cm | 28<br>cm | 28<br>cm | 0 cm      | 0 cm      | 0 cm      | 1<br>St. |     |     |     |

