

EAN: 4015474274785
static.hansa.com/09552203



- Waschtisch
- Einhebelmischer, Seitenbedient
- Standmontage
- Chrom
- Schwenkbarer Auslauf
- PCA® konstante Durchflussleistung unabhängig vom Fließdruck
- Hebel mit W+K-Kennzeichnung, Einhandbedienhebel/Griff
- Temperaturbegrenzer, Heißwassersperre einstellbar (im Lieferumfang enthalten)
- ø 3.5 classic Steuerpatrone mit keramischen Dichtscheiben zur Wassermengen- und Temperatureinstellung
- Anschluss über flexible Druckschläuche
- Armaturenkörper aus entzinkungsbeständigem Messing (DZR), Rapid-Montagesystem
- Ohne Ablaufgarnitur, Ohne Zugstangenbohrung

Technische Daten

Durchflusseigenschaften

Durchfluss bei 3 bar (mit Durchflussregler) **6.0 l/min**

Technische Eigenschaften

DN-Größe (Nennmaß) **DN15**
 Warmwasserversorgung **max. +80°C**
 Arbeitsdruck **0.5-10 bar**
 Anschlussgröße **G3/8**
 Projection **130 mm**
 Werkstoff **Messing**




Vorschriften

EN Standard **EN 817**
 Geräuschklasse **I (ISO 3822)**

Zulassungen und Deklarationen

DVGW **NW-6506CQ0410**
 ABP **P-IX 29059/IO**
 CSTB **322-M1-20/1**





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**




 **DAIKIN**

ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller



This exploded view diagram illustrates the components of a kitchen faucet assembly, numbered 1 through 7:

- 1:** The main faucet body, including the spout and the base mounting plate.
- 2:** A decorative cap or plug for the base.
- 3:** A small O-ring or seal.
- 4:** The internal cartridge or valve mechanism.
- 5:** A long, flexible braided hose or supply line.
- 6:** A vertical support or riser pipe.
- 7:** A horizontal mounting bracket or arm.

Other labeled components include: 1.1 (a small pin or screw), 1.3 (a small screw), 2.1 (a small pin or screw), 3.1 (a small pin or screw), 4.1 (a small pin or screw), 5.1 (a small pin or screw), 5.2 (a small pin or screw), 5.3 (a small pin or screw), 5.4 (a small pin or screw), 5.5 (a small pin or screw), 5.6 (a small pin or screw), 5.7 (a small pin or screw), 6.1 (a small pin or screw), 6.2 (a small pin or screw), 6.3 (a small pin or screw), 6.4 (a small pin or screw), and 6.5 (a small pin or screw).

MO[®]2/2