

EAN: 4057304007057
static.hansa.com/51362283



single-lever kitchen mixer, DN 15

- Küche
- Einhebelmischer, Seitenbedient
- Standmontage
- Chrom
- Schwenkbarer Auslauf, Ausziehbarer Auslauf, Anschlag herausnehmbar
- Hebel mit W+K-Kennzeichnung, Einhandbedienhebel/Griff
- Temperaturbegrenzer
- ø 4.0 Steuerpatrone mit keramischen Dichtscheiben zur Wassermengen- und Temperatureinstellung
- Anschluss über flexible Druckschläuche

Technische Daten

Durchflusseigenschaften

Durchfluss bei 3 bar	12.0 l/min
Druckverlust bei einem Durchfluss von 0,2 l/s	3 bar


Technische Eigenschaften

DN-Größe (Nennmaß)	DN15
Warmwasserversorgung	max. +80°C
Arbeitsdruck	0.5-10 bar
Anschlussgröße	G3/8
Projection	200 mm
Werkstoff	Messing



Vorschriften

EN Standard	EN 817
Geräuschklasse	I (ISO 3822)





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte




Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller



This exploded view diagram illustrates the components of a bidet sprayer assembly. The parts are numbered as follows:

- 1:** A small rectangular cap or plug.
- 2:** A rectangular control handle with a trigger button.
- 3:** A short cylindrical connector.
- 4:** The flexible spray hose.
- 5:** A small O-ring or seal.
- 6:** A bracket or mounting plate that holds the handle (2) and the trigger gun (7).
- 7:** The trigger gun with a finger-operated trigger.
- 8:** A small cylindrical spacer or bush.
- 9:** A larger cylindrical component, possibly a nozzle or a part of the spray head.
- 10:** A spray head or nozzle with multiple spray patterns.
- 11:** A small circular cap or plug for the side port.
- 12:** A bracket or mounting plate that holds the spray head (10) and the trigger gun (7).
- 13:** A mounting bracket or plate.
- 14:** A small circular cap or plug for the bottom port.
- 15:** The main vertical support pipe or riser.

IDOMO

2/2