

EAN: 4015474264021
static.hansa.com/55352203



- Waschtisch
- Einhebelmischer, Seitenbedient
- Standmontage
- Chrom
- Schwenkbarer Auslauf
- PCA® konstante Durchflussleistung unabhängig vom Fließdruck, CACHÉ® Strahlregler, ohne Mundstück direkt in den Armaturenauslauf geschraubt
- Hebel mit W+K-Kennzeichnung, Einhandbedienhebel/Griff
- ø 2.5 Steuerpatrone mit keramischen Dichtscheiben zur Wassermengen- und Temperatureinstellung
- Anschluss über flexible Druckschläuche
- Armaturenkörper aus entzinkungsbeständigem Messing (DZR)
- Ohne Ablaufgarnitur, Ohne Zugstangenbohrung

Technische Daten

Durchflusseigenschaften

Durchfluss bei 3 bar (mit Durchflussregler) **6.0 l/min**

Technische Eigenschaften

DN-Größe (Nennmaß) **DN15**
 Warmwasserversorgung **max. +80°C**
 Arbeitsdruck **1-10 bar**
 Anschlussgröße **G3/8**
 Projection **116 mm**
 Werkstoff **Messing**




Vorschriften

EN Standard **EN 817**
 Geräuschklasse **I (ISO 3822)**

Zulassungen und Deklarationen

ABP **P-IX 29922/10**





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**


 **DAIKIN**

ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller



This exploded view diagram illustrates the components of a kitchen faucet assembly. The parts are numbered as follows:

- 1**: Main faucet handle assembly, including the handle (1.1) and mounting hardware (1.3).
- 2**: O-ring for the handle.
- 3**: Seal ring for the handle.
- 4**: Small cylindrical component, likely a pin or spacer.
- 5**: Main faucet body or stem.
- 6**: Faucet spout.
- 6.1**: Small O-ring for the spout.
- 6.2**: Small cylindrical component for the spout.
- 6.4**: Small O-ring for the spout.
- 6.7**: Small cylindrical component for the spout.
- 7**: Cartridge assembly, including the cartridge (7.1) and mounting hardware (7.3).
- 8**: O-ring for the cartridge.
- 9**: Seal ring for the cartridge.
- 10**: Small cylindrical component for the cartridge.

2/2