



HANSA

Installation and maintenance guide





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller





4-6



7-14



15-18




19

 **UNIDOMO®**



4418 0200


EN 1112, EN 1113
50 - 1000 kPa
0.20 l/s (300 kPa)
0.20 l/s (300 kPa w/Controller)
max. +65°C



mpi.hansa.com/44180200

4419 0200


EN 1112, EN 1113
50 - 1000 kPa
0.20 l/s (300 kPa)
0.20 l/s (300 kPa w/Controller)
max. +65°C



mpi.hansa.com/44190200

5809 9103



EN 1111, EN 1112, EN 1113
100 - 1000 kPa
0.20 / 0.20 l/s (300 kPa)
300 kPa (0.2 l/s)
max. +80°C



mpi.hansa.com/58099103

5809 9113


EN 1111, EN 1112, EN 1113
 100 - 1000 kPa
 0.22 l/s (300 kPa)
 0.20 l/s (300 kPa w/Controller)
 300 kPa (0.2 l/s)
 max. +80°C



mpi.hansa.com/58099113

5810 2101


EN 1111
 100 - 1000 kPa
 0.29 / 0.24 l/s (300 kPa)
 210 kPa (0.3 l/s)
 max. +80°C



mpi.hansa.com/58102101

5808 0101

I (ISO 3822)
 EN 1111
 100 - 1000 kPa
 0.32 l/s (300 kPa)
 130 kPa (0.2 l/s)
 max. +80°C



mpi.hansa.com/58080101






4808 0131

EN 1111, EN 1112, EN 1113

100 - 1000 kPa

0.20 l/s (300 kPa)

max. +80°C



mpi.hansa.com/48080131



4808 0121

EN 1111, EN 1112, EN 1113

100 - 1000 kPa

0.20 l/s (300 kPa)

max. +80°C





mpi.hansa.com/48080121

4810 2131


EN 1111, EN 1112, EN 1113

100 - 1000 kPa


max. +80°C




mpi.hansa.com/48102131









1







②






③ ⑦


③





④





⑤






⑥



UNIDOMO®












4

3

5








②

①





 **UNIDOMO®**

①




②






①






③



⑤

②





2.5




②









24



⑤


2















 **UNIDOMO®**






②



UNIDOMO®



cleaning.hansa.com



Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung



Markenhersteller

Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands: Oras and Hansa.

The Group's head office is located in Rauma, Finland, and the Group has three manufacturing sites: Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1,200 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.



HANSA Armaturen GmbH
P. O. BOX 81 02 40
D-70519 Stuttgart
Sigmaringer Strasse 107
D-70567 Stuttgart
Tel.: +49 711 16 14 0
Fax: +49 711 16 14 368
info@hansa.de
www.hansa.com



943452D-03-21