





Spare Parts / Ersatzteile / Pièces de recharge / Pezzi di Ricambio / Piezas de requesto /
Parte de reposição / Reserveonderdelen / Reservdelar / Reservedeler / Varaosat /
Vraosat / Varahlutir / Ανταλλακτικά / Yedek Parçalar / Náhradní díly / Náhradné diely /
Nadomestni deli / Резервни части / Запчасти / Części Zapasowe / Piese de schimb /
Rendelhető alkatrészek / Запасні частини / Reservni delovi / Резервни делови /
Резервни делови / Atsarginių dalių / Tellitavad varuosad / Rezervju daļu


XX = AA, GN, ...

Pos.	Part No.
1	A 963 131 NU
2	A 963 132 NU
3	A 963 143 NU
4	A 963 146 NU
5	A 960 890 NU*
6	A 960 891 NU
7	A 960 706 NU
9	A 960 500 NU
10	A 861 441 XX
12	A 860 897 NU
13	A 861 447 XX
15	A 861 448 XX
16	A 960 704 NU
	A 962 476 NU
17	A 6677 XX

Pos.	Part No.
1	A 963 131 NU
2	A 963 132 NU
3	A 963 143 NU
4	A 963 146 NU
5	A 960 890 NU
6	A 960 891 NU
7	A 960 706 NU
8	A 963 443 NU
9	A 960 500 NU
10	A 861 441 XX
11	A 860 902 XX
12	A 860 897 NU
13	A 861 449 XX
14	A 860 901 XX
15	A 861 448 XX
16	A 960 704 NU
	A 962 476 NU
17	A 6677 XX



UNIDOMO®




Ideal Standard

Joy

A 7382 .. A 7383 ..

0220 / A 868 624



A7382

A7383



Ideal Standard International NV
Corporate Village - Gent Building
Da Vincilaan 2
1935 Zaventem
Belgium

www.idealstandardinternational.com





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte





Komplettpakete








Über 15 Jahre Erfahrung



Markenhersteller



			0	1	2	3	4	5	6	7	8	9
			°C	°C	°C	°C	°C	°C	°C	°C	°C	°C
0,3 MPa 3 bar	50°C	16°C	49,5	49,5	48	46	42,5	41	37	33,5	31	28
	65°C	16°C	65	65	63,5	60,5	57	53,5	49	44,5	39	34,5
	81°C	16°C	81	81	78,5	73	69	63,5	56	49	42,5	36



P	bar	MAX. 10	5	Q (3 bar)
T	°C	MAX. 80	65	I/min
			40	23