



Ordering spares / Ersatzteil - Regelung / Pièces de rechange / Parti di ricambio / Lista de recambios / Onderdelen bestellen (NL/B) / Κωδικοί Ανταλλακτικών / Bestilling af reservedele / Beställning av reservdelar / Bestilling av reservedeler / Резервни части / Запчасти / Części zapasowe / Piese de schimb / Rendelhető alkatrészek / Запасні частини / Резервни делови / Резервни делови / Atsarginių dalių / Tellitavad varuosad / Rezerves daļas / Náhradní díly / Náhradné diely / Yedek parça siparişi / Nadomestni deli

XX = AA, AD,

- 1 - B 961681 XX
- 3 - B 960473 XX
- 4 - A 860700 NU
- 5 - B 960276 XX
- 7 - A 960500 NU
- 9 - B 961059 XX
- 10 - B 960486 XX
- 11 - B 960167 NU
- 12 - A 960944 NU
- 14 - B 960242 XX
- 19 - B 960970 XX
- 20 - A 961640 NU
- 21 - B 961346 NU






UNIDOMO®



Ideal Standard

CERAMIX

11.2020 / B565031




B D037 ..

B D038 ..



Ideal Standard International NV
Corporate Village – Gent Building
Da Vincilaan 2
1935 Zaventem
Belgium
<http://www.idealstandardinternational.com>





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte





Komplettpakete




Über 15 Jahre Erfahrung




Markenhersteller



Temperature limiter / Temperaturbegrenzer / Limiteur de température / Limitatore della temperatura / Limitador de temperatura / Temperatuur begrenzer (NL / B) / Ρυθμιστής Θερμοκρασίας / Temperaturbegrænser / Temperaturbegränsare / Temperatursperre / Ограничител на температура / Ограничитель температуры / Ogranicznik temperatury / Limitator de temperatură / Hőmérséklet korlátozó / Обмежувач температури / Ограничивач температуре / Ограничител на температура / Temperatūros ribotuvas / Temperatuuri piiraja / Temperatūras norobežotājs / Omezovalč teploty / Obmedzovač teploty / Isı sabitleyicisi



P 0,3 MPa 3 bar	T °C	MAX. 80	MAX. 10	MAX. 5	MAX. 1	MAX. 0,5	MAX. 0,3	MAX. 0,2	MAX. 0,1	MAX. 0,05	MAX. 0,02	MAX. 0,01
50°C	16°C	49,5	49,5	48	46	42,5	41	37	33,5	31	28	
65°C	16°C	65	65	63,5	60,5	57	53,5	49	44,5	39	34,5	
81°C	16°C	81	81	78,5	73	69	63,5	56	49	42,5	36	



P bar	T °C	MAX. 80	MAX. 10	MAX. 5	MAX. 1	MAX. 0,5	MAX. 0,3	MAX. 0,2	MAX. 0,1	MAX. 0,05	MAX. 0,02	MAX. 0,01
50°C	16°C	49,5	49,5	48	46	42,5	41	37	33,5	31	28	
65°C	16°C	65	65	63,5	60,5	57	53,5	49	44,5	39	34,5	
81°C	16°C	81	81	78,5	73	69	63,5	56	49	42,5	36	