






1 - B 961644 XX	13 - B 964702 NU
3 - B 964696 NU	14 - A 962005 NU
4 - A 861080 XX	15 - B 960900 XX
5 - B 961645 NU	17 - B 960845 NU
6 - A 861397 NU	18 - A 960063 XX
10 - B 961383 XX	
10a - A 961625 XX	
10b - B 960754 XX	
11 - A 962991 XX	
11a - E 1482 XX	
12 - B 960712 XX	





Ideal Standard International NV
Corporate Village – Gent Building
Da Vincilaan 2
1935 Zaventem
Belgium
<http://www.idealstandardinternational.com>



Ideal Standard

CERAFINE MODEL O

03.2021 / B565113





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte










Komplettpakete











Über 15 Jahre Erfahrung




Markenhersteller



UNIDOMO®



P	50°C	65°C	85°C	4	3	2	1	0
				°C	°C	°C	°C	°C
0,3 MPa 3 bar	50°C	15°C	15°C	27	33	41	48	50
	65°C	15°C	15°C	33	42	53	63	65
	85°C	15°C	15°C	41	53	68	83	85



 P	bar	 MAX. 10 0,5	 5 1	 Q (3 bar)	
 T	°C	 MAX. 80	 65 40		l/min
					5