


AR للمحافظة على طبقات الطلاء اللامعة المطلى بها الخلط فإنه من الضروري أن ينظف الخلط بالماء والصابون فقط ، ويجفف بقطعة قماش قطنية ناعمة .. تجنب استخدام أي منظفات صناعية تحتوي على مذيبات أو أحماض ولا يستخدم أنسجة ذات سطح خشن



XX = AA, AD,

F 961042 NU

F 960928 AA

A 962077 NU

B 960938 AA

F 960956 AA (B1377..)

A 860807 XX

B 9401 AA

B 961093 NU

B 960604 AA

B 961216 AA

A 961640 NU

B 961212 XX

B 961214 XX

A 960537 XX

B 961213 XX

B 961215 XX

A 961640 NU

B 964675 NU

A 962594 NU

B 960365 XX

B 960775 XX

B 960477 XX

B 960862 XX

B 960473 XX

A 962227 XX

OMO®



03.2016 / B665300





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**





 **DAIKIN**

ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller



P bar	MAX. 10 0,5	5 1	Q (3 bar) l/min
T C°	MAX. 80	65 40	20 8 9,5