




1 - B 961564 XX
3 - B 964696 XX
4 - B 961211 XX
6 - B 964698 NU
7 - B 961478 NU
11 - B 960828 XX
13 - B 961228 XX
14 - B 964894 NU
16 - A 963600 NU




03.2019 / B665907

B C490 ..



Ideal Standard International NV
Corporate Village – Gent Building
Da Vincilaan 2
1935 Zaventem
Belgium
<http://www.idealstandardinternational.com>





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte






Komplettpakete









Über 15 Jahre Erfahrung






Markenhersteller



UNIDOMO®



Temperature limiter / Temperaturbegrenzer / Limiteur de tempeérature / Limitatore della temperatura / Limitador de temperatura / Temperatuur begrenzer (NL / B) / Ρυθμιστής Θερμοκρασίας / Temperaturbegrænser / Temperaturbegränsare / Temperatursperre / Ограничител на температура / Ограничитель температуры / Ogranicznik temperatury / Limitator de temperatură / Hőmérséklet korlátozó / Обмежувач температури / Ограничивач температуре / Ограничител на температура / Temperatūros ribotuvas / Temperatuuri piiraja / Temperatūras norobežotājs / Omezovalc teploty / Obmedzovač teploty / Isi sabitleyicisi / Omejevalec temperature



	P	bar		MAX. 10 0,5		5 1			Q (3 bar)
	T	°C		MAX. 80		65 40			l/min
									9