

**DIN EN 806**  
**DIN EN 1717**  
**DIN 1988**  
**Global Standards**

→

°C / °F

max. 70 °C / 158 °F

✓ 60 °C / 140 °F

min. 10 °C / 50 °F

✓ 3 bar / 43,5 psi


min. 1 bar / 14,5 psi

max. 10 bar / 145 psi

3 min.

max. 70 °C / 158 °F

- (D)** Montage- und Bedienanleitung  
**(CN)** 安裝及操作指南  
**(CZ)** Návod k instalaci a k použití  
**(E)** Instrucciones de montaje y de manejo  
**(EST)** Paigaldamine ja kasutamine  
**(F)** Instructions de montage et d'utilisation  
**(GB)** Installation and operating instructions  
**(GR)** ΟΔΗΓΙΕΣ ΕΓΚΑΤΑΣΤΑΣΗΣ ΚΑΙ ΣΥΝΤΗΡΗΣΗΣ  
**(H)** Szerelési és használati utasítás  
**(I)** Istruzioni di montaggio e per l'uso  
**(LT)** Montavimo ir naudojimo instrukcija  
**(LV)** Montāžas un lietošanas instrukcija  
**(NL)** Montagehandleiding en Gebruiksaanwijzing  
**(PL)** Instrukcja montażu i obsługi  
**(RO)** Instrucţiuni de montaj şi utilizare  
**(RUS)** Руководство по монтажу и эксплуатации  
**(SK)** Návod na montáž a obsluhu  
**(SLO)** Navodila za montažo in uporabo  
**(UA)** Інструкція по монтажу та експлуатації  
**(UAE)** تعليمات التركيب والتشغيل






## Ihr Online-Fachhändler für:




- Kostenlose und individuelle Beratung
- Hochwertige Produkte
- Kostenloser und schneller Versand
- TOP Bewertungen
- Exzelerter Kundenservice
- Über 20 Jahre Erfahrung




**E-Mail: [info@unidomo.de](mailto:info@unidomo.de) | Tel.: 04621 - 30 60 89 0 | [www.unidomo.de](http://www.unidomo.de)**




**1.**



**2.**



**3.**



**4.**

