






	DIN EN 806 DIN EN 1717 DIN 1988			
	Global Standards			
 $^{\circ}\text{C} / ^{\circ}\text{F}$ max. $70^{\circ}\text{C} / 158^{\circ}\text{F}$ ✓ $60^{\circ}\text{C} / 140^{\circ}\text{F}$	 ✓ 3 bar / 43,5 psi min. 1 bar / 14,5 psi max. 10 bar / 145 psi	 3 min.	 max. $70^{\circ}\text{C} / 158^{\circ}\text{F}$	 www.kludi.com

- (D) Montage- und Bedienanleitung
 (CN) 安装及操作指南
 (CZ) Návod k instalaci a k použití
 (E) Instrucciones de montaje y de manejo
 (F) Instructions de montage et mode d'emploi
 (GB) Installation and operating instructions
 (GR) ΟΔΗΓΙΕΣ ΕΓΚΑΤΑΣΤΑΣΗΣ ΚΑΙ ΣΥΝΤΗΡΗΣΗΣ
 (H) Szerelési és használati utasítás
 (I) Istruzioni di montaggio e per l'uso
 (NL) Montagehandleiding en Gebruiksaanwijzing
 (PL) Instrukcja montażu i obsługi
 (RO) Instrucțiuni de montaj și utilizare
 (RU) Руководство по монтажу и эксплуатации
 (SK) Návod na montáž a obsluhu





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete




Über 15 Jahre Erfahrung




Markenhersteller


1.



2.



3.



4.

