














DIN EN 806


DIN EN 1717

DIN 1988

Global Standards







°C / °F


max. 70 °C / 158 °F

✓ 60 °C / 140 °F

✓ 3 bar / 43,5 psi

min. 1 bar / 14,5 psi


max. 10 bar / 145 psi



3 min.



max. 70 °C / 158 °F





www.kludi.com

D Montage- und Bedienanleitung

CN 安装及操作指南

CZ Návod k instalaci a k použití

E Instrucciones de montaje y de manejo

F Instructions de montage et mode d' emploi

GB Installation and operating instructions

GR ΟΔΗΓΙΕΣ ΕΓΚΑΤΑΣΤΑΣΗΣ ΚΑΙ ΣΥΝΤΗΡΗΣΗΣ

H Szerelési és használati utasítás

I Istruzioni di montaggio e per l'uso


NL Montagehandleiding en Gebruiksaanwijzing

PL Instrukcja montażu i obsługi


RO Instrucțiuni de montaj și utilizare


RU Руководство по монтажу и эксплуатации


SK Návod na montáž a obsluhu
















1.



2.





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete




Über 15 Jahre Erfahrung



Markenhersteller


3.



4.


8a

8b



5.

19



6.

