






- 1 - B 961647 XX
- 2 - B 964696 NU
- 3 - A 861080 XX
- 4 - B 961645 NU
- 5 - A 861397 NU
- 6 - B 961946 XX
- 7 - B 960712 XX
- 8 - B 964702 NU
- 9 - A 962991 XX
- 9a - B 964550 XX
- 10 - A 962370 NU
- 11 - B 960900 XX



Ideal Standard

CERAFINE MODEL O

06.2024 / B565114



Ideal Standard International NV
Corporate Village – Gent Building
Da Vincilaan 2
1935 Zaventem
Belgium
<https://www.idealstandard.com>




















Ihr Online-Fachhändler für:

- Kostenlose und individuelle Beratung
- Hochwertige Produkte
- Kostenloser und schneller Versand
- TOP Bewertungen
- Exzelerter Kundenservice
- Über 20 Jahre Erfahrung




E-Mail: info@unidomo.de | Tel.: 04621 - 30 60 89 0 | www.unidomo.de




P	T	MAX. 80	4	3	2	1	0
			°C	°C	°C	°C	°C
0,3 MPa 3 bar	50°C	15°C	27	33	41	48	50
	65°C	15°C	33	42	53	63	65
	85°C	15°C	41	53	68	83	85





bar



Q
(3 bar)



°C



l/min
3,8