




Toilet seat La Belle

Model

9M12 S1 La Belle toilet seat with Soft Closing and Quick Release, incl. 9222 24 61 fixed hinge with Quick Release
9M32 S1 La Belle toilet seat with Soft Closing and Quick Release, incl. 9220 55 61 universal toggle hinge with Quick Release

Product Description

La Belle toilet seat in Wrap Over design made of colour ingrained duroplast with fixed hinge in stainless steel and plastic
 – incl. fixed hinge with Quick Release in stainless steel and plastic
 – centre distance: 180 mm
 – load of ring seat: 240 kg
 – 10 year guarantee

Colour Programme

R1 White (Alpin)
 R2 Star White

Hinge Finish





61 Stainless steel

Spare Parts

- A) 9222 24 61 Fixed hinge
- B) 9220 55 61 Universal toggle hinge with Quick Release
- C) 9218 96 00 Spare part for universal toggle hinge
- D) 9222 05 00 Spare part cover caps for universal toggle hinge
- E) 9222 29 00 Buffers for seat and cover
- F) 9220 23 00 Soft Closing packet

Cleaning Instructions

Use a mild soap solution. Seat and hinge should not be left damp, but be dried with a soft cloth. When using abrasive, corrosive or chlorine based cleaners for the bowl, avoid contact with seat and hinge as it may lead to damages or flash rust. Therefore, when cleaning the bowl, make sure that seat and cover are in an upright position until all the cleaner has been flushed away





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete



Über 15 Jahre Erfahrung




Markenhersteller


Toilet seat La Belle

Instruction manual

9220 55 61



9222 24 61



UNIDOMO®

09/09

09/17

Material Description

TOILET SEAT: The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. The body consists of approx. 50% urea (NH_2CONH_2), approx. 25% cellulose and approx. 25% formaldehyde (HCHO), as well as small amounts of various fillers and additives

BUFFERS: EVA (copolymer made of ethylene and vinyl acetate)

DAMPER KIT: Hydraulic damper with stainless steel damper casing and plastic parts
Damper liquid: Anti-friction liquid

MOUNT/HINGES: Stainless steel

Guarantee

The guarantee includes faults or defects in the material of our products within a periode of 10 years. Products subject to minor technical modifications and design deviations E. & O.E.

12/17