

Omnia architectura Compact SC/QR




Model

9M66 S2 Omnia architectura Compact toilet seat with Soft Closing and Quick Release, incl. 9220 55 61 universal top mounted toggle hinge with Quick Release

Product Description

Omnia architectura Compact toilet seat in Wrap Over design made of colour ingrained duroplast with hinge in stainless steel and plastic

- incl. universal top mounted toggle hinge with Quick Release in stainless steel
- centre distance: 135-215 mm
- load of ring seat: 240 kg
- 10 year guarantee



Colour Programme


01 White (Alpin)
09 Pergamon
S3 Edelweiß

Hinge Finish

61 Stainless steel


Spare Parts

A) 9220 55 61 Universal top mounted toggle hinge with Quick Release
B) 9222 05 00 Spare part
C) 9218 96 00 Spare part for toggle hinge
D) 9222 92 00 Soft Closing
E) 9220 81 00 Buffers for seat and cover



Cleaning Instructions

Use a mild soap solution. Seat and hinge should not be left damp, but be dried with a soft cloth. When using abrasive, corrosive or chlorine based cleaners for the bowl, avoid contact with seat and hinge as it may lead to damages or flash rust. Therefore, when cleaning the bowl, make sure that seat and cover are in an upright position until all the cleaner has been flushed away





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**


ROTEX
a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller

Instruction manual



Patent pending  LDPE 

Material Description

TOILET SEAT: The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. UF plastic comprises 67% urea formaldehyde resin, 28% cellulose, as well as 5% minerals, pigments, lubricants and moisture content. The raw material from the supplier contains less than 0,03% formaldehyde after a special curing process.

BUFFERS: EVA (copolymer made of ethylene and vinyl acetate)

DAMPER KIT: Hydraulic damper with stainless steel damper casing and plastic parts

Damper liquid: Anti-friction liquid

MOUNT/HINGE: Stainless steel

Guarantee

The guarantee includes faults or defects in the material of our products within a periode of 10 years. Products subject to minor technical modifications and design deviations E. & O.E.