




Toilet seat Architectura Slimseat SC/QR


Model

9M81 S1 Architectura slimseat toilet seat, incl. 9224 73 61 universal top mounted toggle hinge

Product Description

Architectura slimseat toilet seat in Wrap Over design made of colour ingrained duroplast with hinge in stainless steel and plastic

- incl. universal top mounted toggle hinge in stainless steel
- centre distance: 155 mm
- load of ring seat: 240 kg
- 10 year guarantee



Colour Programme


01 White (Alpin)

Hinge Finish

61 Stainless steel


Spare Parts

- A) 9224 73 61 Universal top mounted toggle hinge
- B) 9218 96 00 Spare part for toggle hinge
- C) 9219 86 00 Buffers for seat and cover
- D) 9224 35 00 Damper set



Cleaning Instructions

Use a mild soap solution. Seat and hinge should not be left damp, but be dried with a soft cloth. When using abrasive, corrosive or chlorine based cleaners for the bowl, avoid contact with seat and hinge as it may lead to damages or flash rust. Therefore, when cleaning the bowl, make sure that seat and cover are in an upright position until all the cleaner has been flushed away





Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN



 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX
a member of DAIKIN group



Individuelle Beratung



Kostenloser Versand



Hochwertige Produkte



Komplettpakete




Über 15 Jahre Erfahrung



Markenhersteller

Instruction manual

9224 73 61



12/14

[Click here for video](#)

Material Description

TOILET SEAT: The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. UF plastic comprises 67% urea formaldehyde resin, 28% cellulose, as well as 5% minerals, pigments, lubricants and moisture content. The raw material from the supplier contains less than 0,03% formaldehyde after a special curing process.

BUFFERS: EVA (copolymer made of ethylene and vinyl acetate).

DAMPER KIT: Hydraulic damper with stainless steel damper casing and plastic parts.
Damper liquid: Anti-friction liquid.

MOUNT/HINGE: Stainless steel.

Guarantee

The guarantee includes faults or defects in the material of our products within a periode of 10 years. Products subject to minor technical modifications and design deviations E. & O.E.

03/15