



SPECIFIERS'
CATALOGUE
2016



UNIDOMO®

Web: www.unidomo.de

Telefon: 04621- 30 60 89 0

Mail: info@unidomo.com

Öffnungszeiten: Mo.-Fr. 8:00-17:00 Uhr

VIESSMANN

Buderus

 **Vaillant**

WOLF

 **JUNKERS**  **BOSCH**

 **remeha**

 **DAIKIN**

ROTEX

a member of DAIKIN group



-  Individuelle Beratung
-  Kostenloser Versand
-  Hochwertige Produkte

-  Komplettpakete
-  Über 15 Jahre Erfahrung
-  Markenhersteller

GROHE

TABLE OF CONTENTS

Survey of Contents

Bath Fittings	GROHE Digital	Veris F-digital	01
		Allure F-digital	02
Single Lever Mixers		Veris	03
		Allure Brilliant	04
		Allure	05
		Atrio	06
		Grandera	07
		Quadra	08
		Lineare	09
		Eurocube Joy	10
		Eurocube	11
		Europlus	12
		Essence	13
		Eurodisc Joy	14
		Eurodisc Cosmopolitan	15
		Concetto	16
		Eurostyle Cosmopolitan	17
		Eurostyle	18
		Eurosmart Cosmopolitan	19
		Eurosmart	20
BauEdge	21		
Bath Sets		Talentofill	22
Accessories		Essentials	23
		Essentials Cube	24
Thermostats		Grohtherm F	25
		Grohtherm 3000 Cosmopolitan	26
		Grohtherm 2000	27
		Grohtherm Cube	28
		Grohtherm 1000 Cosmopolitan M	29
		Grohtherm 1000	30

GROHE

TABLE OF CONTENTS

		Grohtherm 800	31
		Grohtherm Micro	32
		Avensys	33
Concealed Solutions		GROHE Rapido T	34
		GROHE Rapido E	35
		GROHE Rapido C / Concealed Valves	36
Showers	GROHE Digital	Aquasymphony	37
	Shower Solutions	Shower Solutions	38
	Electric Showers	Electric Showers	39
	Shower Systems	SmartControl	40
		Rainshower System	41
		Euphoria XXL System	42
		Euphoria Shower System	43
		New Tempesta Cosmopolitan Shower System	44
		Retro-fit Shower System	45
		Shower System Accessories	46
	Head Showers	Head Showers	47
	Showers	Sena	48
		Rainshower	49
		Power&Soul	50
		Freehander	51
		Relaxa	52
		Euphoria	53
		New Tempesta	54
		Sena Trigger Sprays	55
		Tempesta Trigger Sprays	56
		Trigger Sprays	57
		Shower Hoses	58
		Shower Accessories	59
Kitchen Fittings	Water Systems	GROHE Blue Chilled & Sparkling	60
		GROHE Blue Home	61

GROHE TABLE OF CONTENTS

		GROHE Blue Pure	62
		GROHE Blue Accessories	63
		GROHE Red	64
Premium Lines		K7	65
		Foot Control	66
		Minta / Minta Touch	67
		Zedra / Zedra Touch	68
		K4	69
		Essence	70
		Eurocube	71
Competence Lines		Ambi	72
		Parkfield	73
		Europlus	74
		Eurodisc Cosmopolitan	75
		Eurodisc	76
		Concetto	77
		Eurostyle Cosmopolitan	78
		Eurosmart Cosmopolitan	79
		Eurosmart	80
		Euroeco / Euroeco Special	81
		Costa	82
		BauEdge	83
		BauLoop	84
		Soap dispensers	85
Commercial Fittings	Electronic Fittings	Allure E	86
		Essence E	87
		Bluetooth monitoring	88
		Europlus E	89
		Eurosmart Cosmopolitan E	90
		Euroeco Cosmopolitan E	91
	Special Thermostats	Grohtherm Ergomix	92

GROHE

TABLE OF CONTENTS

		Grohtherm 2000 Special	93
		Automatic 2000	94
		Grohtherm XL	95
	Single-Lever Mixers	Commercial Showers	96
		Euroeco Special	97
		Hospita	98
		Euroeco Single Sequential	99
	Self-closing Fittings	Eurodisc SE	100
		Eurosmart Cosmopolitan T	101
		Euroeco Cosmopolitan T	102
Shower toilet	Shower Toilet	GROHE Sensia IGS	103
		GROHE Sensia Arena	104
Installation Systems	Rapid SL	Rapid SL for WC	105
		Rapid SL for Urinal	106
		Rapid SL for Wash Basin and Bidet	107
		Rapid SL for the Disabled	108
		Rapid SL Fitting Supports	109
		Rapid SL Accessories	110
Flushing Systems		Flushing Cisterns	111
		Accessories for Flushing Cisterns	112
		Electronic Actuators for WC	113
		Electronic Actuators for Urinal	114
		Urinal Flush Valves	115
Actuations	WC	Wall Plates for WC	116
		GROHE Fresh	117
	Urinal	Wall Plates for Urinal	118
Connection and Security Technology		Angle Valves	119
		WAS valves	120
Spare Parts and Accessories		Spare Parts and Accessories	121

GROHE | MASTERS OF TECHNOLOGY



THEOCHARIS LIOLIS

Master of Technology, produces unbeatable hardwearing tap surfaces with GROHE StarLight®.



RUURD V. LEEUWEN

Master of Technology, measures how long GROHE CoolTouch® keeps the tap surface cool despite the flow of hot water.

MASTERS OF TECHNOLOGY

GROHE's people have been regarded by their peers in the industry as Masters of Technology, because of their innovations, outstanding design and award-winning fittings.

By a combination of their advanced craftsmanship and their cutting-edge approach to effective teamwork and processes, our Masters of Technology take the lead in developing, designing and manufacturing our outstanding product range, all the while testing and fine-tuning each piece to ensure continued customer satisfaction.

The result: Timeless design. And quality that lasts a life-time. Again and again GROHE products surprise users with unique features that provide 'Pure Freude an Wasser'. When you use a GROHE product you can feel the difference. Time after time.

DESIGN AND SUSTAINABILITY

Design Values

Our designs are created using the three simple values which form the nucleus of our design philosophy.



Easy




Human



Performance

Signature Elements

Three signature elements bring design continuity to our product portfolio. This visual DNA is unique to GROHE – one that allows our customers to intuitively identify a GROHE product at a glance.



Ring



7 degrees



Lozenge

Style Segmentation

At GROHE our kitchen and bathroom collections are segmented into three styles: cosmopolitan, contemporary and authentic. This segmentation makes it easy for the consumer to decide on a style.



Cosmopolitan



Contemporary



Authentic



SAVE WATER AND ENERGY WITH GROHE PRODUCTS
Find our more on grohe.com/sustainability

Save water and energy without losing comfort.
Over seven decades of research and development have resulted in specific water and energy saving technologies implemented across our product range. Respectful water resource management is a topic close to our hearts.



GROHE StarLight®
Made-to-last surfaces ranging from precious matt to shiny like a diamond.



GROHE TurboStat®
Always the right temperature, for utmost convenience and safety.



GROHE EcoJoy
Save precious resources and enjoy 100% water comfort.

GROHE ONLINE

All the information you need.

Have you found the fitting you need, but need more detailed information? Simply look up these products on our website to find spare part lists, technical product information or further documents.

You can even add products to a notepad to create individual collections and PDF catalogues for your clients.




A source of inspiration

Image galleries provide inspiration for modern bathroom design with GROHE faucets and showers. Picture bars crosslink to relevant articles and products.

Responsive web design

See every page optimized to whatever tablet, smartphone or PC you are using.

Intuitive product navigation
Use the smart-search function or browse by category and use the filters to navigate easily through our complete catalogue.



Allure Brilliant

Like a diamond.

Crisp planes, intriguing angles and cut-out details, Allure Brilliant illustrates the absolute precision that can only be achieved through years of experience and an unflinching passion for innovation. Complex without being complicated, faceted faucets add a new dimension to bathroom design, and a new dimension to water. With its gem-like quality and structured shape Allure Brilliant exudes architectural appeal. Our designers and engineers have taken on the roles of lapidaries, refining and polishing with utmost care to create a collection of intriguing designs, which will challenge your perception of bathroom fittings.

Brochure


GROHE SPA

Discover these products also in our GROHE SPA brochure


[Download \(PDF, 16.2 MB\)](#)

[Find Your Showroom](#)

GALLERY



EXPERIENCING ALLURE BRILLIANT



Inside and out, Allure Brilliant pushes the boundaries. With their confident and precise use of geometric shapes, Allure Brilliant explore the pure, linear appeal of minimalist architecture to create a striking and alluring portfolio of faucets, showers and fittings. Starting with the simplicity of a square or rectangle, the Allure Brilliant Collection utilises geometric forms to their full potential and takes faucets in a new direction with its clean angular lines and flat planes. An aperture at the end of the spout gives a new view of water – a cascading flow that entices and teases every time.



Faucet Styles

The Allure Brilliant Collection offers an extensive range of premium fittings for all points of interaction in your bathroom. From the basin to the bathtub and shower, the collection offers a wide range of products, giving you the freedom to tailor your bathroom to your specific requirements.

Gallery
Image galleries will act as mood boards to fire your imagination.

Collection page


Attractively designed collection pages with large image galleries inspire users to create and update their own bathrooms and kitchens.

WELCOME TO GROHE SMART!

Be **SMART** and become a partner of the largest loyalty program for bathroom installers!

GROHE SMART is specially designed for installers of GROHE products: As a GROHE SMART partner you get more for your money – more “SMARTS” for every GROHE product purchased from the entire range and a wider choice of exciting rewards.

But it's not just individual installers that can become a partner with GROHE SMART. Your entire business can be involved – every employee can collect points, known as SMARTS, for the company.



What advantages does GROHE **SMART** offer you?

Collect “**SMARTS**” and get your Rewards

Our range contains more than 2,500 products for in front of and behind the wall installations – and you can collect SMARTS for all of these products and exchange them for attractive rewards! Registering the products you have purchased is easy. Simply enter the UPI code from the GROHE packaging online or via the SMART Reader app available in the Apple and Android stores – and start collecting your valuable bonus points.

Membership is free and flexible

Your membership of GROHE SMART is completely free of charge and attuned to your particular needs: Receive benefits, rewards and information specifically tailored to your personal requirements. The more you use GROHE SMART, the better we can support you.

Keep up to date

Thanks to GROHE SMART you're always well-informed. Be the first to receive product news, get invited to product courses and introductions in your area, take part in free e-learning modules and know all about the special offers available.



Collect SMARTS for more than
2,500 products

Here's how it works!

1.

REGISTER ONLINE OR USING THE SMART READER APP

Sign up easily and without complications online at www.grohesmart.com or download the SMART Reader app for your smartphone for direct access. After the initial registration, your access details are saved in the app.

2.

SCAN QR-CODE

You'll find an unique QR-Code on every product label. Simply scan this with your SMART Reader app or enter the UPI code online. On our GROHE SMART website you can also find an overview of how many SMARTS you can collect for the products you purchased.

3.

REDEEM SMARTS AND PROFIT EVEN FURTHER

You can redeem your SMARTS directly in our GROHE SMART reward shop at www.grohesmart.com. Here you can profit from even more benefits: Thanks to GROHE SMART you can be the first to experience new products and stay up to date on product courses and seminars.



GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
20 306 000	4005176896491	08.03	317.41	23 140 000	4005176901157	11.04	243.41
20 342 000	4005176898860	04.02	571.68	23 141 000	4005176901164	11.04	286.21
20 344 000	4005176898884	04.02	695.81	23 145 000	4005176901270	11.04	226.45
20 346 000	4005176898907	04.03	677.63	23 200 000	4005176908354	04.03, 11.04	222.01
20 348 000	4005176898921	04.03	695.81	23 296 000	4005176922701	09.02	277.39
20 351 000	4005176901041	11.03	296.91	23 297 000	4005176922718	08.02	249.39
20 387 000	4005176912580	06.08	496.50	23 303 000	4005176924088	07.02	282.42
20 389 000	4005176924101	07.03	440.09	23 303 IGO	4005176924095	07.02	363.78
20 389 IGO	4005176924118	07.03	582.04	23 310 000	4005176930331	07.02	282.42
20 414 000	4005176930492	07.03	329.48	23 310 IGO	4005176930348	07.02	347.41
20 414 IGO	4005176930508	07.03	426.19	23 313 000	4005176930614	07.02	374.19
20 415 000	4005176930515	07.03	364.77	23 313 IGO	4005176930621	07.02	478.37
20 415 IGO	4005176930522	07.03	482.01	23 315 000	4005176930652	07.04	317.71
20 417 000	4005176930553	07.03	397.73	23 315 IGO	4005176930669	07.04	386.64
20 417 IGO	4005176930560	07.03	525.67	23 316 000	4005176930690	07.04	334.67
20 421 000	4005176934353	21.02	49.22	23 316 IGO	4005176930706	07.04	434.71
20 421 OOM	4005176986932	21.02	133.75	23 317 000	4005176930799	07.05	411.85
21				23 317 IGO	4005176930805	07.05	537.71
21 019 000	4005176235979	06.08	421.33	23 318 000	4005176930874	07.07	1,320.26
21 022 000	4005176235993	06.05	429.76	23 318 IGO	4005176930881	07.07	1,746.14
21 044 000	4005176270468	06.08	496.50	23 319 000	4005176931192	07.04	181.22
21 107 000	4005176930393	07.02	338.90	23 322 001	4005176934506	20.03	111.94
21 107 IGO	4005176930409	07.02	447.44	23 323 001	4005176934513	20.03	110.31
22				23 324 001	4005176934520	20.03	100.81
22 012 000	4005176906343	11.07, 119.03	38.70	23 325 000	4005176933974	19.02	130.77
22 013 000	4005176909689	11.07, 119.03	42.89	23 327 000	4005176934094	19.02	107.15
22 029 000	4005176305467	119.02	8.12	23 330 000	4005176934278	21.02	61.56
22 032 000	4005176305481	119.02	9.58	23 333 000	4005176934308	21.02	86.05
22 033 000	4005176305498	120.02	19.50	23 334 000	4005176934322	21.02	110.53
22 035 000	4005176305511	120.02	17.58	23 356 000	4005176934131	21.02	66.73
22 037 000	4005176305535	119.02	9.77	23 374 003	4005176334153	18.02	136.17
22 041 000	4005176305573	119.02	9.35	23 374 LS3	4005176334450	18.02	160.68
22 917 000	4005176501388	119.03	42.56	23 379 001	4005176306891	13.03	159.27
22 939 000	4005176829369	119.02	16.05	23 380 10E	4005176938245	16.02	129.50
22 940 000	4005176829376	119.02	17.84	23 387 20E	4005176938382	17.02	136.35
23				23 390 00E	4005176938436	11.02	192.80
23 029 000	4005176898709	04.02	517.13	23 392 00E	4005176938450	11.02	181.89
23 033 000	4005176898716	04.02	485.04	23 403 000	4005176941627	05.02	549.98
23 037 002	4005176886355	17.02	136.35	23 404 000	4005176941634	08.03	242.99
23 039 002	4005176886881	17.02	88.27	23 405 000	4005176941641	09.03	267.61
23 043 002	4005176886966	17.03	185.32	23 406 000	4005176941658	11.03	254.99
23 048 002	4005176887178	17.05	643.74	23 425 000	4005176993596	14.02	237.49
23 049 002	4005176887536	15.02	167.80	23 425 LSO	4005176993602	14.02	277.08
23 051 002	4005176887567	15.02	100.95	23 427 000	4005176993619	14.02	240.82
23 054 002	4005176887642	15.03	217.66	23 427 LSO	4005176993626	14.02	311.90
23 055 002	4005176887680	15.04	277.38	23 428 000	4005176993633	14.02	314.49
23 064 000	4005176890109	03.02	517.13	23 428 LSO	4005176993640	14.02	374.91
23 065 000	4005176890130	03.02	485.04	23 429 000	4005176993695	10.03, 14.03	256.98
23 076 000	4005176890505	05.02	406.11	23 430 000	4005176993725	14.03	224.99
23 105 00L	4005176917059	08.02	213.99	23 430 LSO	4005176993732	14.03	289.73
23 106 000	4005176894329	09.02	203.29	23 431 000	4005176993749	14.03	288.41
23 109 000	4005176898754	04.02	562.39	23 431 LSO	4005176993756	14.03	393.66
23 112 000	4005176898778	04.02	562.39	23 432 000	4005176993763	15.04	265.98
23 114 000	4005176898792	04.02	731.72	23 441 000	4005176998645	08.02	237.99
23 117 000	4005176898938	04.03	539.16	23 442 000	4005176998669	08.03	256.40
23 119 000	4005176899027	04.05	2,029.50	23 443 000	4005176998676	09.02	226.09
23 127 000	4005176900341	11.02	189.02	23 444 000	4005176998690	09.03	278.79
23 127 00E	4005176901591	11.02	189.02	23 445 000	4005176998706	11.02	203.99
23 132 000	4005176900990	11.02	181.89	23 446 000	4005176998720	11.03	197.67
23 132 00E	4005176906725	11.02	181.89	23 447 000	4005176998737	11.03	220.31
23 135 000	4005176901027	11.03	243.41	23 448 002	4005176998744	15.03	181.90
23 135 00E	4005176906732	11.03	216.43	23 449 002	4005176998768	15.03	171.70
23 137 000	4005176901096	11.02	139.09	23 450 001	4005176998775	16.03	140.44
23 138 000	4005176901133	11.04	189.02	23 451 001	4005176998799	16.03	127.50
				23 462 001	4005176306907	13.03	174.27
				23 463 001	4005176306914	13.03	159.58
				23 491 001	4005176307263	13.07	1,122.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £
23 537 002	4005176312212	20.03	185.45
23 541 001	4005176313912	13.04	193.37
23 565 30L	4005176333620	18.03	136.17
23 567 003	4005176334214	18.03	121.65
23 569 003	4005176334238	18.04	248.87
23 569 LS3	4005176334467	18.04	286.20
23 570 003	4005176334245	18.04	241.50
23 570 LS3	4005176334474	18.04	284.97
23 589 001	4005176339172	13.02	180.22
23 590 001	4005176339189	13.02	167.00
23 591 001	4005176339196	13.02	181.35
23 654 000	4005176342080	10.02	254.47
23 656 000	4005176342103	10.02	240.85
23 657 000	4005176342110	10.02	213.18
23 658 000	4005176342127	10.02	197.73
23 661 000	4005176342158	10.02	325.57
23 664 000	4005176342202	10.03	282.48
23 665 000	4005176342219	10.03	360.42
23 666 000	4005176342226	10.03	444.27
23 667 000	4005176342233	10.04	1,611.83
23 707 003	4005176364778	18.02	129.78
23 707 LS3	4005176364785	18.02	236.82
23 709 003	4005176365003	18.02	129.78
23 709 LS3	4005176365010	18.02	153.15
23 712 30L	4005176365034	18.03	129.78
23 717 30L	4005176365089	18.03	115.95
23 718 003	4005176365096	18.04	226.25
23 718 LS3	4005176365102	18.04	266.97
23 719 003	4005176365119	18.04	230.00
23 719 LS3	4005176365126	18.04	271.40
23 720 003	4005176365157	18.05	129.78
23 720 LS3	4005176365164	18.05	153.15
23 722 003	4005176365188	18.05	174.86
23 722 LS3	4005176365195	18.05	206.33
23 725 003	4005176365249	18.06	120.26
23 726 003	4005176365256	18.05	167.53
23 726 LS3	4005176365263	18.05	197.69
23 730 003	4005176365324	18.07	128.75

24

24 026 000	4005176820359	06.05	421.33
24 027 000	4005176820366	06.09	429.76
24 036 000	4005176993701	14.03	237.49
24 036 LS0	4005176993718	14.03	297.49

25

25 010 000	4005176236334	06.09	496.50
25 044 000	4005176237324	06.10	1,386.42
25 098 000	4005176881633	20.05	222.64
25 100 002	4005176887215	17.05	233.22
25 102 000	4005176881671	16.05	229.50
25 104 000	4005176881794	09.05	348.26
25 105 000	4005176881800	20.05	237.98
25 107 002	4005176887222	17.05	343.27
25 109 000	4005176881848	16.06	247.85
25 113 000	4005176881862	09.04	372.87
25 128 000	4005176905209	19.04	241.53
25 129 000	4005176905216	19.04	261.01
25 132 002	4005176905247	12.04	240.65
25 133 002	4005176905254	12.04	275.25
25 136 000	4005176906763	11.05	249.52
25 137 000	4005176906770	11.05	289.94
25 167 000	4005176942310	07.04	414.00
25 172 001	4005176307249	13.06	224.99
25 173 001	4005176307256	13.06	278.32

Material	EAN/UPC	Page	2016 RRP £
26			
26 003 000	4005176236396	06.09	451.16
26 037 000	4005176935381	07.09	88.11
26 037 IG0	4005176936210	07.09	115.02
26 042 000	4005176935954	47.06	166.35
26 052 000	4005176937064	47.04	369.46
26 053 000	4005176937071	47.04	351.82
26 054 000	4005176937088	05.08, 47.03	464.50
26 055 000	4005176937095	05.09, 47.03	451.03
26 056 000	4005176937101	47.02	498.76
26 057 000	4005176937118	47.02	446.32
26 058 000	4005176937125	03.07, 47.02	447.93
26 059 000	4005176937132	03.07, 47.03	430.29
26 060 000	4005176937149	05.08, 47.03	401.05
26 061 000	4005176937156	05.08, 47.03	399.43
26 062 000	4005176937163	47.04	362.22
26 063 000	4005176937170	47.04	351.82
26 064 000	4005176937187	47.03	473.79
26 065 000	4005176937194	05.09, 47.03	451.03
26 066 000	4005176937200	47.02	508.74
26 067 000	4005176937217	47.02	435.74
26 068 000	4005176937224	03.07, 47.02	443.54
26 069 000	4005176937231	03.07, 47.03	426.07
26 070 000	4005176937248	05.08, 47.03	385.48
26 071 000	4005176937255	05.08, 47.03	387.07
26 072 000	4005176937262	47.04, 53.05	190.27
26 073 000	4005176937279	47.04, 53.07	194.76
26 082 001	4005176940163	54.03	25.50
26 083 001	4005176940415	54.03	52.25
26 084 001	4005176940521	54.05	29.41
26 085 000	4005176940538	54.02	36.72
26 086 000	4005176940545	54.02	71.69
26 087 000	4005176940828	42.02	1,018.26
26 115 DG0	4005176982170	49.07	71.40
26 115 DP0	4005176982316	49.07	71.40
26 115 DU0	4005176982309	49.07	71.40
26 115 TY0	4005176982323	49.07	72.83
26 115 YF0	4005176982293	49.07	71.40
26 115 YR0	4005176982286	49.07	71.40
26 130 000	4005176985355	54.03	29.36
26 178 000	4005176304859	39.03	246.78
26 179 000	4005176304842	39.02	246.78
26 190 000	4005176305733	45.02	529.43
26 191 000	4005176305740	45.02, 46.02	27.38
26 221 000	4005176313219	39.02	246.78
26 222 000	4005176313226	39.02	246.78
26 250 000	4005176316999	40.02	1,195.28
26 254 000	4005176317026	40.02, 47.02	410.27
26 264 000	4005176319655	40.03, 47.02	103.57
26 267 000	4005176319853	47.04, 54.08	35.00
26 329 000	4005176332128	55.02	148.20
26 332 000	4005176332135	55.02	149.12
26 346 000	4005176332173	58.02	23.32
26 353 000	4005176333866	56.02	29.63
26 354 000	4005176333873	56.02	31.67
26 361 000	4005176347580	40.02	935.67
26 362 LN0	4005176339257	45.02, 46.02	18.40
26 370 000	4005176341380	59.06	19.90
26 373 000	4005176343643	37.02, 47.05	15,700.00
26 374 000	4005176350825	37.02	765.00
26 376 000	4005176350818	37.02, 47.05	1,500.00

27

27 004 000	4005176239540	51.02	536.76
27 005 000	4005176239557	51.02	536.76
27 032 001	4005176877155	41.04	1,187.42

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
27 055 000	4005176830433	59.02	37.98	27 402 001	4005176877919	49.08	204.09
27 056 000	4005176830440	59.03	26.03	27 420 001	4005176896316	43.02	513.99
27 057 000	4005176830457	59.06	46.72	27 421 001	4005176896323	43.03	482.52
27 058 000	4005176830464	41.05	722.64	27 437 000	4005176880476	47.09	212.52
27 062 000	4005176831669	47.11, 52.03	264.86	27 439 000	4005176880490	47.09	208.35
27 065 000	4005176832109	47.11, 52.03	179.20	27 443 000	4005176880025	49.04	98.76
27 066 000	4005176832116	47.11, 52.03	107.41	27 443 001	4005176880506	49.04	98.75
27 067 000	4005176832123	47.11, 52.03	107.41	27 444 000	4005176880049	49.04	98.76
27 074 000	4005176833083	59.03	29.96	27 444 001	4005176880520	49.04	98.75
27 075 000	4005176833090	59.03	29.96	27 446 000	4005176880063	49.05	98.76
27 076 000	4005176833106	59.06	46.72	27 446 001	4005176880544	49.05	99.74
27 127 000	4005176835988	49.04	107.53	27 447 000	4005176880087	49.05	98.76
27 128 000	4005176835995	47.09	129.10	27 447 001	4005176880568	49.05	98.75
27 134 000	4005176836060	47.08	126.57	27 448 000	4005176880100	49.05	98.76
27 136 001	4005176870965	59.08	127.69	27 448 001	4005176880582	49.05	99.74
27 137 000	4005176836237	58.02	38.50	27 449 000	4005176879982	49.05	98.76
27 139 000	4005176836688	49.04	199.27	27 449 001	4005176880605	49.05	98.75
27 151 000	4005176837012	59.05	101.05	27 467 000	4005176882609	47.06	512.93
27 174 001	4005176877162	41.02	1,793.02	27 469 000	4005176882593	41.03	988.82
27 175 000	4005176838507	41.05	1,559.87	27 470 000	4005176882531	03.08, 47.07	381.61
27 184 000	4005176840654	03.08	115.94	27 472 000	4005176882814	03.07, 41.02	1,082.53
27 188 000	4005176842160	59.03	85.06	27 473 000	4005176882630	43.03	502.87
27 190 000	4005176842221	03.08, 59.06	97.68	27 475 000	4005176882654	43.02	641.97
27 193 000	4005176842337	47.07	1,217.43	27 477 000	4005176883286	47.08	411.99
27 206 000	4005176845444	59.10	15.70	27 479 000	4005176883309	47.08	389.24
27 220 000	4005176854118	53.02	35.03	27 484 000	4005176885488	47.16	57.95
27 221 000	4005176854125	53.02	50.71	27 485 000	4005176885495	47.16	47.22
27 224 000	4005176854156	53.02	25.36	27 488 000	4005176885525	47.15	63.90
27 225 001	4005176899508	53.03	87.91	27 491 000	4005176885549	47.12, 53.05	123.94
27 230 001	4005176899546	53.03	79.69	27 492 000	4005176885556	47.12, 53.05	121.51
27 231 001	4005176899553	53.02	87.30	27 499 000	4005176886041	53.04, 59.08	58.85
27 239 000	4005176854323	53.02	53.06	27 500 000	4005176886058	53.04, 59.08	67.30
27 243 001	4005176899799	53.02	92.79	27 512 000	4005176886386	57.02	29.07
27 251 000	4005176856327	47.06	91.96	27 513 000	4005176886393	57.02	51.71
27 251 LSO	4005176870125	47.06	123.89	27 513 001	4005176333842	56.02	27.60
27 253 000	4005176856365	47.07	141.83	27 514 000	4005176886409	57.02	83.22
27 256 001	4005176899805	53.03	71.69	27 514 001	4005176333910	56.02	52.67
27 271 000	4005176860690	05.09, 47.06	375.05	27 519 000	4005176886485	54.02, 59.09	57.11
27 271 LSO	4005176898556	47.06	502.39	27 520 000	4005176886492	54.02, 59.09	65.76
27 272 000	4005176860836	49.09	111.36	27 521 000	4005176886508	54.05, 59.09	57.11
27 273 001	4005176875502	49.09	190.51	27 522 000	4005176886515	54.05, 59.09	65.76
27 274 000	4005176861383	49.10	113.59	27 523 000	4005176886522	54.09, 59.09	64.73
27 276 000	4005176861437	49.04	118.10	27 524 000	4005176886539	54.09, 59.09	73.07
27 277 001	4005176875489	49.08	189.99	27 530 000	4005176889219	47.11, 52.02	405.60
27 283 000	4005176861444	49.04	100.74	27 531 000	4005176889486	59.05	224.39
27 285 000	4005176860713	47.06	357.19	27 532 000	4005176889707	03.08	177.15
27 286 000	4005176860737	47.05	1,505.04	27 569 000	4005176894275	41.03	914.70
27 287 000	4005176842061	47.07	467.46	27 571 001	4005176940170	54.03	20.99
27 296 001	4005176896293	43.02	547.90	27 572 001	4005176940286	54.03	28.13
27 304 000	4005176600142	59.11, 96.05	60.63	27 573 001	4005176940293	54.03	35.93
27 339 000	4005176872266	49.09	147.29	27 574 001	4005176940132	54.03	29.05
27 354 000	4005176874444	53.03	45.89	27 575 001	4005176940149	54.03	36.10
27 355 000	4005176874451	53.03	83.98	27 578 001	4005176940354	54.04	52.06
27 367 000	4005176875939	53.05	39.73	27 578 10E	4005176940309	54.04	51.00
27 369 000	4005176875953	53.05	62.58	27 579 001	4005176940330	54.04	57.90
27 370 000	4005176877773	47.09	151.39	27 580 001	4005176940347	54.04	66.34
27 371 000	4005176877889	47.09	157.40	27 584 001	4005176940491	54.04	44.38
27 373 000	4005176877902	47.09	155.84	27 588 001	4005176940514	54.04	39.98
27 374 000	4005176877285	41.03	1,150.13	27 591 000	4005176895890	47.12, 54.05	50.07
27 375 000	4005176877452	49.07	54.33	27 594 000	4005176895920	59.04	11.54
27 376 000	4005176877469	49.09	52.90	27 595 000	4005176895937	59.02	17.31
27 377 000	4005176877476	49.07	54.33	27 596 000	4005176895944	53.04, 54.05	5.89
27 378 000	4005176877780	49.08	151.63	27 597 000	4005176914287	54.06	19.99
27 379 000	4005176877797	49.08	164.29	27 597 00E	4005176895951	54.06	19.09
27 381 000	4005176877810	49.08	105.55	27 598 000	4005176914294	54.07	50.29
27 383 000	4005176877827	49.08	88.84	27 598 00E	4005176896019	54.07	47.08
27 400 000	4005176877292	53.05	39.73	27 600 000	4005176896033	54.07	57.16

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
27 606 000	4005176896163	47.12, 54.09	47.78	27 812 000	4005176222009	57.02	50.76
27 608 000	4005176895661	54.02	39.70	27 838 000	4005176916168	50.03	107.53
27 609 000	4005176895678	54.02	75.99	27 839 000	4005176916175	50.06	90.04
27 610 000	4005176895685	47.13, 54.02	46.36	27 841 000	4005176916670	59.08	167.04
27 615 000	4005176896330	43.02	510.30	27 852 000	4005176917493	54.06	17.65
27 618 000	4005176898280	25.02	570.63	27 853 000	4005176917509	54.08	44.22
27 619 000	4005176898297	25.02	497.52	27 861 000	4005176918131	03.08, 47.07	518.49
27 621 000	4005176898310	25.02	246.88	27 863 000	4005176918155	47.07	530.84
27 623 000	4005176898334	25.02	197.68	27 884 001	4005176919695	53.06	78.75
27 625 000	4005176898358	25.02	485.04	27 888 000	4005176921179	53.06	78.75
27 628 000	4005176900723	49.06	98.76	27 889 000	4005176921186	53.06	118.40
27 629 000	4005176900730	49.06	100.74	27 890 000	4005176921193	53.06	204.94
27 630 000	4005176900747	49.06	98.76	27 891 000	4005176921209	53.06	207.39
27 632 000	4005176900754	49.06	100.74	27 892 000	4005176921216	59.08	162.46
27 633 000	4005176900761	49.06	98.76	27 911 000	4005176921902	43.03	663.99
27 634 000	4005176900778	49.06	100.74	27 922 000	4005176923364	44.02	440.56
27 635 000	4005176900785	49.06	98.76	27 923 000	4005176923371	54.06	17.31
27 636 000	4005176900792	49.06	100.74	27 924 000	4005176923784	54.08	44.22
27 637 000	4005176900808	49.07	98.76	27 938 001	4005176927072	47.06	2,419.66
27 638 000	4005176900815	49.07	100.74	27 939 001	4005176927287	47.05	2,419.66
27 639 000	4005176900822	49.07	98.76	27 964 000	4005176929595	42.02	698.31
27 640 000	4005176900839	49.07	100.74	27 966 000	4005176929250	41.02	1,269.94
27 641 000	4005176901645	41.04	940.65	27 967 000	4005176929670	41.04	1,187.42
27 644 000	4005176904806	54.07	55.64	27 968 000	4005176929687	41.03	1,269.94
27 645 000	4005176904813	54.07	64.03	27 969 000	4005176931123	07.10	66.54
27 661 000	4005176905438	50.02	86.19	27 969 IGO	4005176931130	07.10	65.93
27 664 000	4005176905469	50.02	96.78	27 970 000	4005176931154	07.09	99.81
27 668 000	4005176905698	50.02	107.53	27 970 IGO	4005176931161	07.09	128.62
27 671 000	4005176905728	50.05	66.40	27 974 000	4005176932793	07.08, 47.10	359.22
27 675 000	4005176905766	50.05	88.27	27 974 IGO	4005176933486	07.08, 47.10	467.46
27 693 000	4005176907043	59.04	19.76	27 976 000	4005176932816	07.08, 47.10	352.18
27 698 000	4005176907098	53.07	39.87	27 978 000	4005176932830	07.09, 47.16	59.84
27 699 000	4005176907104	53.07	37.97	27 978 IGO	4005176933509	07.09, 47.16	77.08
27 700 000	4005176907111	53.07	176.28	27 982 000	4005176932878	07.09, 47.16	70.44
27 702 000	4005176907135	53.07	64.19	27 982 IGO	4005176933523	07.09, 47.16	93.31
27 703 000	4005176907142	53.07	67.40	27 986 000	4005176933011	07.09, 47.16	81.30
27 704 000	4005176907159	59.06	25.50	27 986 IGO	4005176933547	07.09, 47.16	104.83
27 705 000	4005176907166	47.12, 53.07	119.58	27 993 000	4005176933080	07.09	124.42
27 706 000	4005176908439	04.07, 59.03	71.60	27 993 IGO	4005176933585	07.09	161.70
27 707 000	4005176908446	04.07, 59.06	79.60				
27 709 000	4005176909092	47.15	92.19				
27 711 000	4005176909115	47.16	78.46	28 002 000	4005176858796	47.14, 52.04	150.76
27 732 000	4005176910920	50.03	170.92	28 034 000	4005176231810	48.02	118.45
27 734 000	4005176910944	50.03	172.29	28 094 000	4005176601132	47.14, 52.04	41.66
27 736 000	4005176910968	50.05	160.49	28 105 000	4005176601217	58.02	30.49
27 741 000	4005176911125	50.03	131.76	28 140 000	4005176601323	58.02	34.74
27 742 000	4005176911132	50.06	112.34	28 142 000	4005176601330	58.02, 96.03	49.39
27 744 000	4005176912900	50.02	185.36	28 143 000	4005176601347	58.02, 96.03	54.19
27 746 000	4005176912924	50.02	188.58	28 143 KSO	4005176842252	58.02, 96.03	52.71
27 748 000	4005176912948	50.05	174.13	28 143 LSO	4005176842269	58.02, 96.03	81.12
27 750 000	4005176912962	50.05	178.95	28 145 000	4005176601354	58.02, 96.03	64.20
27 753 000	4005176913006	50.03	157.92	28 150 000	4005176601439	58.03, 96.03	27.64
27 755 000	4005176913020	50.03	159.70	28 151 000	4005176601514	58.03, 96.03	30.24
27 757 000	4005176913044	50.06	144.29	28 154 000	4005176601552	58.03, 96.03	35.06
27 759 000	4005176913068	50.06	157.29	28 155 000	4005176601576	58.03, 96.03	37.10
27 764 000	4005176913112	47.10, 50.04	118.64	28 158 000	4005176601606	58.03	45.10
27 765 000	4005176913129	47.10, 50.03	127.73	28 161 000	4005176038273	39.03, 58.03	34.74
27 766 000	4005176913143	47.10	112.03	28 189 000	4005176075650	47.14, 52.04	197.94
27 767 000	4005176913150	47.10, 50.06	114.27	28 214 002	4005176896002	54.06	19.61
27 784 000	4005176913976	50.06, 59.08	85.70	28 232 000	4005176868009	47.12, 53.05	76.76
27 785 000	4005176913983	50.06, 59.08	101.95	28 233 000	4005176868016	47.12, 53.05	75.25
27 786 001	4005176940361	54.04	57.42	28 261 001	4005176895968	54.06	24.76
27 787 001	4005176940378	54.04	66.34	28 278 002	4005176985386	54.08	30.74
27 794 000	4005176914300	54.07	56.75	28 286 000	4005176198526	47.14, 52.04	87.20
27 795 000	4005176914317	54.07	62.77	28 308 000	4005176254949	47.11, 48.02	108.59
27 799 000	4005176914362	54.08	29.49	28 341 000	4005176259463	48.02	123.50
27 805 000	4005176914133	54.02	57.31	28 346 000	4005176262760	48.02, 59.08	189.91

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
28 347 000	4005176262791	48.02	186.44	28 943 000	4005176209178	22.03	100.30
28 348 000	4005176263262	48.02	118.40	28 948 000	4005176209871	47.14, 52.04	119.87
28 361 000	4005176295157	47.15	100.18	28 982 000	4005176829987	47.15	111.14
28 362 000	4005176295225	58.02	27.64	28 990 000	4005176174025	22.02	164.05
28 364 000	4005176295294	58.02	33.35	28 991 000	4005176174032	22.02	186.14
28 368 000	4005176267253	47.08	303.15	29			
28 368 00E	4005176867385	47.08	303.15	29 007 000	4005176837678	22.02, 34.02	138.65
28 369 000	4005176267260	47.09	332.57	29 008 000	4005176837685	22.02, 35.02	69.18
28 375 000	4005176267338	47.09	363.78	29 025 000	4005176841927	03.03, 04.03	215.77
28 384 000	4005176267451	47.15	150.07	29 032 000	4005176845277	03.07, 04.06	26.33
28 388 000	4005176295362	58.02	35.84	29 033 000	4005176845338	03.06, 04.06	205.73
28 389 000	4005176269837	48.03, 59.11	10.56	29 037 000	4005176865749	03.05, 04.05	699.31
28 405 000	4005176264559	59.07, 96.02	42.80	29 098 003	4005176365225	18.06	114.78
28 406 000	4005176264566	59.07, 96.02	44.76	29 099 003	4005176365300	18.07	106.67
28 409 000	4005176264580	58.03	34.74	29 099 LS3	4005176365317	18.07	138.67
28 410 000	4005176264627	58.03	37.27	29 707 000	4005176102646	06.07	247.87
28 413 000	4005176264665	58.03	41.19	29 708 000	4005176102653	06.07, 07.08	256.46
28 417 000	4005176264702	58.02	35.66	29 800 000	4005176504839	05.07, 06.07	26.21
28 419 001	4005176895982	54.06	25.71	29 802 000	4005176504853	05.07, 06.07	43.66
28 421 001	4005176895999	54.06	32.78	29 805 000	4005176504884	05.07, 06.07	79.17
28 422 001	4005176985546	54.06	19.24	29 811 000	4005176062711	11.07, 26.05	45.11
28 429 000	4005176601910	47.16, 54.09	37.27	29 813 000	4005176062735	26.05, 30.05	68.65
28 438 001	4005176985553	54.07	52.26	30			
28 497 000	4005176270338	47.15	53.72	30 058 000	4005176880827	64.02	1,474.12
28 541 000	4005176040528	47.16, 54.09	106.63	30 060 000	4005176880841	64.02	1,318.19
28 576 000	4005176274022	01.04, 03.08	63.90	30 153 000	4005176904127	64.02	1,474.12
28 578 001	4005176895975	54.06	34.27	30 155 000	4005176904165	64.03	1,310.71
28 580 000	4005176276965	48.02, 59.08	155.14	30 189 000	4005176914102	72.02	222.15
28 581 000	4005176276996	48.02	175.71	30 190 000	4005176914119	72.02	227.16
28 587 000	4005176282966	59.08, 96.02	167.68	30 193 000	4005176919459	79.02	151.05
28 605 000	4005176041105	59.04	18.37	30 208 000	4005176927836	97.02	203.99
28 622 000	4005176041297	59.04	26.55	30 215 000	4005176982019	73.02	291.71
28 623 000	4005176031595	59.02	31.65	30 219 001	4005176343063	68.02	687.80
28 626 000	4005176041358	59.07	41.38	30 219 DC1	4005176343070	68.02	890.17
28 628 000	4005176041396	59.07	42.80	30 221 002	4005176984235	78.02	108.10
28 636 000	4005176078606	59.07	41.38	30 260 002	4005176310386	80.02	125.00
28 671 000	4005176103070	59.07, 96.02	33.35	30 269 000	4005176314902	70.02	206.50
28 678 000	4005176116711	59.07	41.38	30 269 DC0	4005176314919	70.02	301.06
28 679 000	4005176116759	59.07	42.80	30 270 000	4005176314926	70.02	246.50
28 680 000	4005176116780	59.07	33.35	30 270 DC0	4005176314933	70.02	361.50
28 690 000	4005176256196	48.03, 59.03	83.63	30 274 000	4005176314988	67.03	240.50
28 708 000	4005176602375	59.11, 121.13	73.85	30 274 DC0	4005176314995	67.03	405.67
28 724 000	4005176812644	47.15	48.68	30 309 000	4005176351235	66.02	240.74
28 737 000	4005176872983	47.12, 53.08	63.29	30 311 000	4005176351259	66.02	472.22
28 755 000	4005176819650	49.02	107.53	30 311 DC0	4005176351266	66.02	546.30
28 756 000	4005176819667	49.02	119.47	30 312 000	4005176351273	66.02	701.85
28 757 001	4005176875526	49.02	187.35	30 312 DC0	4005176351280	66.02	840.74
28 758 001	4005176875533	49.02	210.08	30 978 000	4005176098918	98.02	171.16
28 762 001	4005176875540	49.02	202.00	31			
28 763 001	4005176875557	49.02	209.53	31 087 001	4005176987809	62.02	605.28
28 764 000	4005176820113	49.03	85.06	31 087 DC1	4005176987816	62.02	712.98
28 765 000	4005176820120	49.03	100.04	31 122 002	4005176888199	75.02	286.44
28 767 001	4005176875564	49.03	178.32	31 124 002	4005176886614	78.02	192.59
28 768 001	4005176875571	49.03	197.35	31 126 002	4005176886645	78.02	203.29
28 769 001	4005176875588	49.03	182.78	31 128 001	4005176886737	77.02	192.59
28 770 001	4005176875595	49.03	193.21	31 128 DC1	4005176891007	77.02	236.80
28 778 000	4005176820526	47.08	947.25	31 129 001	4005176886744	77.02	246.09
28 792 001	4005176985560	54.08	34.44	31 129 DC1	4005176891021	77.02	277.91
28 793 000	4005176823961	52.03	68.11	31 255 000	4005176901416	71.02	246.08
28 796 000	4005176824296	52.03	107.31	31 301 001	4005176987922	62.03	540.65
28 797 001	4005176870941	59.08	102.72	31 301 DC1	4005176987939	62.03	591.77
28 817 000	4005176602962	59.11, 121.13	11.56	31 302 001	4005176988097	60.03	1,904.02
28 819 001	4005176870958	59.08	118.23	31 302 DC1	4005176988103	60.03	2,094.42
28 900 000	4005176603822	121.11	79.47	31 323 001	4005176987946	60.02	2,139.83
28 910 000	4005176603846	121.11	50.99				
28 912 000	4005176266751	03.09, 121.12	193.48				
28 939 000	4005176209161	22.03	83.29				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
31 323 DC1	4005176987953	60.02	2,246.82	32 191 000	4005176860966	03.02	643.36
31 324 001	4005176987960	60.02	2,139.83	32 193 000	4005176861024	03.03	440.46
31 324 DC1	4005176987977	60.02	2,221.43	32 195 000	4005176861048	03.04	702.60
31 338 001	4005176987823	62.02	605.28	32 196 000	4005176861055	03.04	895.01
31 338 DC1	4005176987830	62.02	712.98	32 197 000	4005176861185	03.04	631.16
31 344 001	4005176987861	62.03	958.13	32 202 10L	4005176903960	16.02	126.96
31 344 DC1	4005176987878	62.03	1,053.95	32 204 10E	4005176887345	16.02	126.96
31 345 002	4005176987885	62.02	701.34	32 208 001	4005176888908	16.04	129.50
31 345 DC2	4005176987892	62.02	839.29	32 210 001	4005176888939	16.04	143.33
31 346 001	4005176988035	60.03	2,342.10	32 211 001	4005176889028	16.05	162.90
31 346 DC1	4005176988042	60.03	2,576.31	32 212 001	4005176889035	16.05	191.79
31 347 002	4005176988059	60.02	2,058.78	32 222 001	4005176890222	03.06	1,711.63
31 347 DC2	4005176988066	60.02	2,199.70	32 240 10E	4005176906794	16.02	110.89
31 354 001	4005176987908	62.03	916.27	32 240 10L	4005176903977	16.02	115.19
31 354 DC1	4005176987915	62.03	999.00	32 249 000	4005176832383	05.02	570.63
31 355 001	4005176988073	60.03	2,309.99	32 257 001	4005176834165	76.02	265.56
31 355 DC1	4005176988080	60.03	2,435.18	32 257 002	4005176886591	75.02	265.56
31 358 001	4005176343001	67.02	602.78	32 259 002	4005176888182	75.02	187.93
31 358 DC1	4005176343018	67.02	795.98	32 294 001	4005176932380	68.02	375.03
31 360 001	4005176343025	67.02	570.83	32 294 SD1	4005176932397	68.02	532.32
31 360 DC1	4005176343032	67.02	761.37	32 296 000	4005176864599	68.02	327.83
31 367 000	4005176934346	83.02	92.00	32 296 SDO	4005176864612	68.02	469.26
31 368 000	4005176934483	84.02	92.00	32 321 000	4005176830228	67.03	294.80
31 375 000	4005176934155	67.02	207.61	32 321 DC0	4005176830235	67.03	375.69
31 375 DC0	4005176934162	67.02	264.91	32 322 000	4005176830242	67.04	294.80
31 379 000	4005176938085	65.02	573.89	32 322 DC0	4005176830259	67.04	394.10
31 379 DC0	4005176938092	65.02	708.27	32 467 002	4005176862069	20.02	72.91
31 395 000	4005176304774	71.02	453.80	32 467 20L	4005176304736	20.02	95.04
31 395 DC0	4005176304767	71.02	480.13	32 468 003	4005176334207	18.03	121.65
31 454 000	4005176323003	61.02	2,004.35	32 468 20E	4005176906886	17.02	127.92
31 454 DC0	4005176323010	61.02	2,178.65	32 468 20L	4005176917097	17.03	127.92
31 455 000	4005176323027	61.02	1,960.78	32 469 20E	4005176908835	15.02	152.83
31 455 DC0	4005176323034	61.02	2,091.50	32 469 20L	4005176917110	15.03	152.83
31 456 000	4005176327377	61.02	1,960.78	32 488 000	4005176289552	67.03	230.86
31 456 DC0	4005176327384	61.02	2,091.50	32 488 DC0	4005176804939	67.03	309.40
31 482 002	4005176341021	78.02	230.52	32 553 000	4005176864506	68.02	367.05
31 483 001	4005176341038	77.02	217.12	32 553 SDO	4005176864520	68.02	530.12
31 483 DC1	4005176341076	77.02	390.85	32 612 002	4005176865886	12.02	189.02
31 498 000	4005176356360	61.03	1,895.42	32 618 002	4005176866029	12.02	265.73
31 498 DC0	4005176356377	61.03	2,026.15	32 628 001	4005176306983	13.03	204.27
31 819 001	4005176843471	82.02	106.47	32 629 001	4005176888847	16.03	169.94
32				32 631 000	4005176845901	08.02	210.82
32 042 001	4005176849404	06.02	368.88	32 631 00E	4005176866845	08.02	214.78
32 067 000	4005176811142	67.04	279.07	32 632 000	4005176845918	08.02	196.61
32 067 DC0	4005176811166	67.04	284.65	32 635 000	4005176845949	03.03, 06.03	222.01
32 108 001	4005176849435	06.03	376.26	32 636 000	4005176845956	08.03	202.19
32 109 000	4005176820687	09.02	207.75	32 637 000	4005176845963	08.04	202.19
32 114 00L	4005176890673	09.02	218.45	32 638 000	4005176845970	08.04	259.09
32 129 001	4005176857348	06.02	376.26	32 639 000	4005176845987	08.04	315.10
32 130 001	4005176857355	06.02	510.31	32 647 001	4005176849411	06.02	510.31
32 134 001	4005176857362	06.03	368.88	32 650 001	4005176849442	06.03	455.58
32 135 002	4005176890192	06.04	1,455.74	32 652 001	4005176849466	06.03	469.84
32 146 000	4005176821622	05.02	442.31	32 653 002	4005176890215	06.04	1,334.38
32 147 000	4005176821653	05.04	340.30	32 659 001	4005176886713	77.03	151.05
32 168 000	4005176824425	67.02	276.54	32 659 DC1	4005176890772	77.03	200.08
32 168 DC0	4005176824432	67.02	372.70	32 661 001	4005176886751	77.02	173.33
32 175 000	4005176860232	65.02	547.46	32 661 DC1	4005176890987	77.02	217.13
32 175 DC0	4005176860249	65.02	723.92	32 663 001	4005176886768	77.02	224.69
32 176 000	4005176860256	65.02	600.94	32 663 DC1	4005176890994	77.02	284.65
32 176 DC0	4005176860263	65.02	778.48	32 701 001	4005176889042	16.04	169.52
32 179 000	4005176860447	65.02	818.50	32 706 000	4005176855092	05.03, 06.05	205.96
32 179 DC0	4005176860454	65.02	923.61	32 754 001	4005176890079	05.06	1,797.21
32 183 000	4005176860362	03.02	419.88	32 757 000	4005176870897	05.02	340.30
32 184 000	4005176860379	03.02	559.44	32 760 000	4005176870927	05.02	559.44
32 186 000	4005176860898	03.02	400.35	32 762 000	4005176871023	97.02	133.98
32 187 000	4005176860904	03.02	526.23	32 763 000	4005176871030	97.02	181.00
				32 765 000	4005176871054	97.02	246.97

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
32 766 000	4005176871061	97.02	256.79	33 577 002	4005176866074	12.03	192.31
32 767 000	4005176871078	97.03	269.24	33 590 002	4005176887048	17.04	157.35
32 771 000	4005176871719	97.03	305.83	33 590 003	4005176334306	18.05	183.46
32 773 000	4005176871733	97.03	281.47	33 590 LS3	4005176334511	18.05	216.48
32 774 000	4005176871740	97.03	320.09	33 591 002	4005176887123	17.04	176.23
32 775 000	4005176871757	97.03	333.46	33 591 003	4005176334351	18.05	175.91
32 778 000	4005176871788	97.02	253.23	33 591 LS3	4005176334535	18.05	207.57
32 779 000	4005176871795	97.02	287.10	33 592 002	4005176887147	17.04	214.78
32 784 000	4005176871849	97.03	108.05	33 624 001	4005176990786	13.05	233.39
32 786 000	4005176871863	81.02, 97.03	183.71	33 628 001	4005176990793	13.06	264.86
32 788 000	4005176871887	99.02	229.15	33 636 001	4005176307287	13.05	212.41
32 789 000	4005176871894	99.02	213.99	33 769 000	4005176819605	05.04	204.60
32 790 000	4005176871900	99.02	296.02	33 770 001	4005176828959	76.02	185.53
32 792 000	4005176871924	99.02	384.62	33 770 002	4005176888137	75.02	224.69
32 793 000	4005176871931	99.02	408.36	33 782 000	4005176819827	69.02	431.82
32 795 000	4005176871955	99.02	369.13	33 786 000	4005176819865	69.02	394.70
32 824 00L	4005176917035	19.02	104.32	33 848 000	4005176820717	09.03	222.82
32 825 00L	4005176917028	19.02	116.26	33 849 000	4005176820724	09.04	283.74
32 826 000	4005176882425	05.05	645.53	33 850 000	4005176820731	09.04	327.22
32 830 000	4005176874666	19.02	183.76	33 930 002	4005176865558	74.02	251.75
32 831 000	4005176874703	19.04	152.95	33 933 002	4005176865572	74.02	294.58
32 832 000	4005176874710	19.04	182.16	33 975 002	4005176886638	78.02	171.19
32 837 000	4005176874772	19.03	131.07	33 977 002	4005176886560	78.03	146.68
32 839 000	4005176874802	19.03	102.58	34			
32 842 000	4005176874833	79.02	119.24	34 020 000	4005176201295	92.02	875.56
32 843 000	4005176874840	79.02	134.66	34 021 000	4005176201301	92.02	862.16
32 846 000	4005176882432	05.04	592.03	34 038 IL0	4005176224973	33.02	406.57
32 870 000	4005176876523	97.04	86.58	34 146 003	4005176309625	30.02	182.51
32 871 000	4005176876530	97.04	101.50	34 156 003	4005176310034	30.03	248.04
32 898 001	4005176306860	13.02	159.27	34 170 001	4005176926471	27.02	255.90
32 901 001	4005176306969	13.04	257.13	34 195 001	4005176926631	27.03	339.22
32 917 000	4005176230950	67.03	230.86	34 202 000	4005176808661	93.02	495.73
32 917 DC0	4005176804946	67.03	288.16	34 205 000	4005176809996	93.02	403.01
32 918 000	4005176230967	67.03	279.07	34 222 000	4005176815911	33.02	406.57
32 918 DC0	4005176804953	67.03	324.70	34 224 000	4005176815935	33.02	406.57
32 926 002	4005176861567	20.03	114.22	34 254 000	4005176837715	93.03	475.53
32 929 002	4005176862366	20.04	106.38	34 255 000	4005176837722	93.02	392.31
32 935 001	4005176307171	13.05	162.46	34 268 002	4005176310997	29.02	201.66
32 941 002	4005176879050	74.02	235.39	34 274 000	4005176847905	26.02	386.41
32 942 002	4005176879067	74.02	284.65	34 275 000	4005176847912	26.02	535.50
32 950 000	4005176879838	65.02	596.28	34 276 000	4005176847929	26.02	485.04
32 950 DC0	4005176879845	65.02	752.16	34 277 000	4005176847936	26.02	474.34
33				34 278 000	4005176848001	26.04	575.98
33 155 002	4005176865947	12.02	271.05	34 281 001	4005176926501	27.03	435.11
33 156 002	4005176865930	12.02	178.32	34 283 001	4005176926594	27.04	804.24
33 163 20L	4005176917073	12.02	163.53	34 286 002	4005176311000	29.03	275.33
33 188 002	4005176862052	20.02	99.16	34 294 001	4005176306877	13.02	144.58
33 190 20E	4005176887482	15.02	167.80	34 309 000	4005176199486	94.02	300.11
33 202 002	4005176861956	80.02	114.49	34 321 002	4005176311017	29.03	278.65
33 241 002	4005176865954	12.03	185.32	34 323 002	4005176311024	29.03	247.15
33 244 002	4005176888779	15.04	164.51	34 399 000	4005176895401	26.04	659.79
33 265 002	4005176861543	20.02	106.38	34 408 000	4005176895418	26.04	838.12
33 265 20L	4005176304729	20.02	106.38	34 430 000	4005176917981	29.03	232.71
33 281 002	4005176861932	80.02	108.47	34 437 000	4005176918025	29.03	258.57
33 300 002	4005176862182	20.04	154.30	34 438 003	4005176309632	30.02	189.74
33 302 002	4005176862199	20.04	180.74	34 439 003	4005176310041	30.02	241.49
33 339 000	4005176222818	05.06	859.51	34 440 002	4005176311048	29.02	209.33
33 390 002	4005176887796	15.05	206.86	34 441 002	4005176311031	29.02	254.82
33 412 002	4005176862205	20.04	154.30	34 446 001	4005176926402	27.02	270.66
33 547 002	4005176866081	12.03	281.75	34 448 000	4005176919183	29.04	320.98
33 552 20E	4005176886300	17.02	138.62	34 466 001	4005176926440	27.03	347.73
33 553 002	4005176865978	12.03	217.56	34 469 001	4005176926396	27.02	295.03
33 558 003	4005176334139	18.02	135.55	34 484 001	4005176932519	27.03	337.03
33 561 003	4005176334160	18.02	136.17	34 487 000	4005176936234	32.02, 97.04	126.27
33 565 002	4005176887000	17.04	138.62	34 506 000	4005176940804	28.03	1,105.04
33 569 002	4005176887734	15.05	181.82	34 508 000	4005176941795	28.02	398.43

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
34 509 000	4005176941801	28.02	321.44	36 331 001	4005176305795	90.02	349.92
34 557 000	4005176310003	30.03	224.33	36 332 000	4005176896682	90.03	1,435.11
34 562 000	4005176310102	31.02	164.99	36 333 000	4005176896699	90.03	1,091.33
34 565 000	4005176310133	31.02	182.84	36 336 000	4005176896729	88.06, 90.03	259.62
34 569 000	4005176310171	31.02	208.15	36 337 000	4005176896736	88.06, 90.03	111.73
34 575 000	4005176310690	30.04	390.31	36 338 000	4005176896743	87.04, 88.10	86.55
34 582 000	4005176313820	30.04	509.98	36 339 000	4005176896842	88.07, 90.04	162.24
34 634 000	4005176343650	37.03	1,900.00	36 342 000	4005176909702	02.02	887.20
35				36 343 000	4005176909719	02.02	887.20
35 028 000	4005176908316	05.08, 25.02	111.21	36 346 000	4005176909740	02.02	887.20
35 031 000	4005176908330	25.02, 36.02	309.44	36 356 000	4005176911347	01.04, 02.05	129.44
35 034 000	4005176915697	25.03	169.41	36 384 000	4005176982774	91.02	486.76
35 050 000	4005176982064	03.05, 04.04	228.88	36 387 000	4005176983207	89.02	780.64
35 085 000	4005176207068	95.02	1,677.02	36 407 000	4005176318801	86.04, 87.04	237.68
35 087 000	4005176207082	95.02	1,946.21	36 409 000	4005176320538	88.04	466.23
35 501 000	4005176833847	03.04, 04.04	89.43	36 410 000	4005176320545	88.06	547.18
36				36 411 000	4005176320552	88.02	647.45
36 014 000	4005176286889	100.02	183.71	36 412 000	4005176320569	88.07	675.80
36 078 000	4005176856532	01.04, 02.04	84.72	36 413 000	4005176320576	88.03	580.30
36 088 000	4005176869921	87.03	660.27	36 414 000	4005176320583	88.05	1,392.27
36 091 000	4005176869945	87.03	691.90	37			
36 092 000	4005176869952	87.02	676.74	37 044 000	4005176160776	115.02	15.26
36 093 000	4005176869969	87.02	570.63	37 059 000	4005176142857	116.05	118.40
36 094 000	4005176869976	87.02	658.01	37 060 000	4005176142901	116.05	57.78
36 095 000	4005176870187	86.02	886.37	37 095 000	4005176145124	112.01	30.20
36 097 000	4005176870200	86.03	834.55	37 101 SH0	4005176141942	112.01	8.40
36 098 000	4005176870217	86.02	802.45	37 119 000	4005176144370	112.02	3.61
36 157 000	4005176140556	114.04	50.07	37 310 000	4005176148538	110.02	35.31
36 207 001	4005176929373	89.02	609.98	37 321 001	4005176929496	114.02	433.94
36 208 001	4005176929380	89.02	573.31	37 321 SD1	4005176929502	114.02	523.31
36 209 000	4005176207105	86.04, 87.04	66.07	37 324 001	4005176929526	114.03	410.35
36 210 000	4005176207112	86.04, 87.04	48.21	37 336 001	4005176929540	114.02	439.53
36 233 000	4005176283338	100.02	458.29	37 337 001	4005176929557	114.02	454.48
36 234 000	4005176870231	86.02	875.57	37 338 000	4005176837920	88.08, 114.03	109.68
36 235 000	4005176870248	86.03	1,074.93	37 396 000	4005176907968	115.02	101.65
36 239 001	4005176929410	89.02	1,010.24	37 419 000	4005176933806	113.02	623.64
36 240 001	4005176929427	89.02	1,043.42	37 419 SDO	4005176933813	113.02	623.64
36 244 000	4005176252624	100.02	713.29	37 489 000	4005176167386	112.02	8.84
36 247 000	4005176252655	100.02	641.97	37 503 000	4005176320507	88.08	517.70
36 252 000	4005176870255	87.03	812.94	37 504 000	4005176320521	88.10	696.48
36 264 000	4005176888250	86.03, 87.03	256.78	37 505 SDO	4005176321016	88.09	610.20
36 265 000	4005176893131	102.02	103.61	37 761 000	4005176213243	116.06	34.42
36 266 000	4005176893148	102.02	93.26	37 762 SH0	4005176213250	111.02	64.20
36 267 000	4005176893155	102.02	82.74	37 945 SH0	4005176256387	111.02	64.20
36 268 000	4005176893162	102.02	102.59	37 998 000	4005176262586	109.02	88.07
36 269 000	4005176893179	91.02	314.69	38			
36 271 000	4005176893193	91.02	304.20	38 422 000	4005176275203	111.02	191.70
36 273 000	4005176893216	91.03	426.58	38 488 000	4005176289866	116.05	34.42
36 274 000	4005176893223	91.03	365.39	38 496 000	4005176289958	116.06	112.77
36 277 000	4005176893438	01.02	916.94	38 505 000	4005176290053	116.04	62.42
36 278 000	4005176893445	01.02	844.96	38 505 P00	4005176290060	116.04	68.57
36 289 000	4005176894619	01.02, 02.03	1,176.70	38 505 SH0	4005176290046	116.04	44.08
36 292 000	4005176894640	01.03, 02.04	961.17	38 506 000	4005176290121	116.04	63.66
36 295 000	4005176894671	01.03, 02.03	1,267.32	38 525 001	4005176863967	105.12	330.42
36 309 000	4005176894794	01.03, 02.04	211.81	38 526 000	4005176291050	105.12	337.03
36 315 000	4005176896590	90.03	445.80	38 528 001	4005176863943	105.09	318.18
36 317 000	4005176896514	101.02	235.84	38 536 001	4005176863929	105.09	318.18
36 318 000	4005176896521	101.02	237.18	38 541 000	4005176291234	107.02, 108.02	184.45
36 319 000	4005176896538	101.02	419.06	38 543 000	4005176291258	107.03	263.92
36 320 000	4005176896545	101.02	342.33	38 545 000	4005176291272	107.03	263.92
36 321 000	4005176896552	101.02	325.43	38 548 001	4005176863851	109.02, 110.02	86.23
36 322 000	4005176896569	101.02	124.12	38 553 001	4005176863813	107.03	258.75
36 325 001	4005176305764	90.02	342.72	38 554 001	4005176863806	107.02	184.45
36 327 001	4005176305771	90.02	336.10	38 559 001	4005176863776	108.03	160.67
36 330 001	4005176305788	90.02	354.29	38 562 001	4005176863752	110.02	125.33

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
38 563 000	4005176291463	110.02	28.38	39			
38 564 000	4005176291784	116.05	61.16	39 002 000	4005176936920	105.10	333.32
38 565 000	4005176291845	116.05	61.16	39 052 000	4005176935961	107.02	166.66
38 573 000	4005176292316	116.05	61.16	39 053 000	4005176935978	111.03	85.39
38 574 000	4005176292385	116.05	61.16	39 054 000	4005176936289	111.03	85.39
38 652 000	4005176294778	34.03, 35.02	103.50	39 055 000	4005176936296	111.03	68.04
38 661 000	4005176294907	111.02	181.00	39 056 000	4005176936302	111.03	19.84
38 675 001	4005176863516	108.02	417.84	39 057 000	4005176936319	111.04	19.84
38 691 000	4005176815454	111.03	106.82	39 111 SH0	4005176304668	103.02	4,137.53
38 698 SD1	4005176929571	113.02	716.64	39 112 001	4005176359262	103.02, 104.02	333.32
38 699 001	4005176929588	113.02	716.64	39 140 000	4005176315268	108.02	499.32
38 714 000	4005176828454	112.02, 116.06	12.66	39 354 SH0	4005176335532	104.02	2,476.78
38 721 001	4005176863431	105.03	322.56	39 383 000	4005176356926	88.05	86.45
38 732 000	4005176836114	116.03	67.23	40			
38 732 BR0	4005176873676	116.03	109.31	40 254 000	4005176211065	05.10, 06.12	38.38
38 732 SD0	4005176847691	116.03	133.75	40 256 000	4005176211089	05.10, 06.12	46.36
38 733 000	4005176837289	110.02	32.34	40 278 000	4005176824081	05.10	106.30
38 735 000	4005176837500	112.01	60.63	40 279 000	4005176824098	05.11	141.96
38 736 000	4005176837517	112.01	51.19	40 284 000	4005176824104	05.10	58.39
38 748 001	4005176863387	86.03, 87.04	422.62	40 304 000	4005176236921	06.12	108.96
38 761 000	4005176841620	105.06	342.38	40 305 000	4005176236952	06.12	112.07
38 765 000	4005176846830	116.02	59.35	40 306 000	4005176237133	06.12	138.73
38 766 000	4005176847134	116.02	139.87	40 307 000	4005176236969	06.12	121.86
38 771 000	4005176848551	116.06	42.08	40 308 000	4005176236990	06.12	149.62
38 772 001	4005176863288	105.04	322.56	40 309 000	4005176237003	06.12	149.62
38 773 000	4005176850288	105.06	352.18	40 312 000	4005176237072	06.13	101.11
38 779 000	4005176855306	110.02	102.35	40 313 000	4005176237089	06.13	108.59
38 784 000	4005176855535	118.02	107.17	40 314 000	4005176237102	06.13	160.32
38 786 001	4005176864025	106.02	336.54	40 339 000	4005176824111	05.10	141.96
38 787 000	4005176855689	114.03	90.59	40 340 000	4005176824128	05.11	230.77
38 796 000	4005176857034	117.02	57.79	40 341 000	4005176824135	05.10	212.41
38 804 000	4005176861512	118.02	100.08	40 342 000	4005176824142	05.10	208.05
38 804 SH0	4005176861529	118.02	87.69	40 364 001	4005176326332	23.04	16.47
38 805 000	4005176865596	117.02	112.73	40 365 001	4005176326240	23.03	32.02
38 808 000	4005176864056	118.02	83.46	40 366 001	4005176326264	23.03	50.37
38 809 000	4005176864681	116.02	465.42	40 367 001	4005176326387	23.05	36.83
38 820 000	4005176868405	116.06	38.52	40 368 001	4005176326219	23.02, 24.02	6.47
38 821 000	4005176868986	116.03	195.95	40 369 001	4005176326196	23.02	26.83
38 827 000	4005176870477	105.02	347.03	40 371 001	4005176326318	23.03	53.25
38 844 000	4005176874963	116.03	65.27	40 372 001	4005176326226	23.02, 24.02	7.38
38 844 P00	4005176875687	116.03	63.99	40 374 001	4005176326400	23.05	45.08
38 844 SH0	4005176874970	116.03	52.60	40 376 000	4005176840241	03.10	116.72
38 847 KI0	4005176878596	116.02	89.33	40 377 000	4005176840272	03.11	168.86
38 847 LI0	4005176878688	116.02	91.12	40 378 000	4005176840302	03.10	64.85
38 847 LS0	4005176879753	116.02	85.29	40 379 000	4005176840333	03.10	157.10
38 847 XG0	4005176878701	116.02	91.12	40 380 000	4005176840364	03.11	244.14
38 857 000	4005176875694	118.02	109.31	40 381 000	4005176840395	03.10	256.34
38 857 SH0	4005176875793	118.02	95.41	40 385 001	4005176326356	23.05	29.90
38 858 000	4005176876714	116.03	65.27	40 386 001	4005176326301	23.03	59.40
38 860 000	4005176878084	105.04	322.56	40 389 000	4005176847189	03.10	59.66
38 861 000	4005176832284	116.04	65.91	40 390 000	4005176847196	03.10	55.96
38 862 000	4005176832314	116.04	68.57	40 391 000	4005176847202	03.10	61.71
38 862 P00	4005176832321	116.04	67.23	40 394 001	4005176326233	23.02, 24.02	23.07
38 862 SH0	4005176832338	116.04	58.13	40 404 001	4005176984068	63.02	77.08
38 863 000	4005176832345	111.02	126.23	40 405 000	4005176860812	63.03	58.38
38 868 000	4005176878091	105.07	342.38	40 407 001	4005176328350	23.06	94.30
38 885 000	4005176879609	105.03	385.18	40 412 001	4005176984082	63.02	212.58
38 888 000	4005176879630	105.02	377.63	40 421 001	4005176326325	23.04	54.08
38 915 KSO	4005176897108	116.02	789.97	40 430 001	4005176984075	63.02	159.44
38 915 LS0	4005176897115	116.02	789.97	40 434 001	4005176985294	63.03	67.88
38 947 000	4005176911217	105.07	330.42	40 437 000	4005176885471	63.03	56.43
38 948 000	4005176911224	105.08	330.42	40 444 001	4005176328336	23.02	28.62
38 957 000	4005176914409	116.03	58.33	40 447 001	4005176328701	23.03	28.38
38 958 000	4005176914416	116.03	50.00	40 448 001	4005176328343	23.02	45.32
38 994 000	4005176932335	105.11	286.66	40 479 000	4005176894787	01.04	79.07
38 995 000	4005176932342	105.11	309.99				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £	Material	EAN/UPC	Page	2016 RRP £
40 493 000	4005176899256	04.08	356.65	42			
40 494 000	4005176899263	04.08	458.05	42 137 000	4005176259524	112.01	21.47
40 496 000	4005176899287	04.08	288.46	42 181 000	4005176286872	112.01	32.74
40 497 000	4005176899294	04.08	288.46	42 766 000	4005176222115	110.03	10.82
40 498 000	4005176899300	04.09	184.66	43			
40 499 000	4005176899317	04.09	459.69	43 544 000	4005176157738	112.02, 121.15	6.36
40 500 000	4005176899324	04.09	345.65	45			
40 503 000	4005176900068	04.08	346.16	45 023 000	4005176006494	121.14	8.06
40 504 000	4005176900075	04.08	356.65	45 203 000	4005176052842	36.02, 121.06	16.81
40 507 001	4005176324598	24.04	32.83	45 314 000	4005176099250	98.02	69.34
40 508 001	4005176324413	24.02	32.20	45 316 000	4005176099267	98.02	62.14
40 509 001	4005176324437	24.03	64.63	45 342 000	4005176129865	121.05	40.97
40 510 001	4005176324420	24.03	44.27	45 346 000	4005176104572	121.05	40.97
40 511 001	4005176324475	24.03	20.55	45 473 000	4005176257742	06.10	411.92
40 512 001	4005176324451	24.03	235.88	45 869 000	4005176189876	121.05	25.03
40 513 001	4005176324604	24.04	56.13	45 882 000	4005176189883	121.06	38.96
40 514 001	4005176324468	24.04	74.95	45 883 000	4005176189890	121.06	38.96
40 535 000	4005176905490	85.02	49.37	45 885 000	4005176189913	121.05	90.70
40 535 DC0	4005176905520	85.02	64.57	45 887 000	4005176189937	121.06	55.32
40 536 000	4005176905506	85.02	44.45	45 888 000	4005176189944	121.06	64.95
40 536 DC0	4005176905537	85.02	57.98	45 984 001	4005176992056	11.06, 13.07	447.59
40 537 000	4005176905513	85.02	48.73	46			
40 547 001	4005176984099	63.02	90.48	46 048 000	4005176008283	121.02	81.95
40 548 000	4005176909832	02.04	105.90	46 191 000	4005176119996	35.02, 121.13	113.63
40 553 000	4005176911422	85.02	61.73	46 278 000	4005176131868	99.03, 121.02	89.10
40 553 DC0	4005176911439	85.02	76.23	46 308 000	4005176131769	121.02	32.45
40 564 000	4005176912740	121.12	202.90	46 343 000	4005176189791	35.02, 121.13	161.98
40 565 000	4005176912757	121.11	77.26	46 374 000	4005176169076	121.02	81.95
40 623 001	4005176324482	24.04	27.28	46 375 000	4005176169083	121.02	33.10
40 624 001	4005176324444	24.03	55.08	46 386 000	4005176169410	121.02	102.07
40 625 000	4005176927706	07.12	160.03	46 409 000	4005176177668	121.02	45.48
40 625 IGO	4005176927713	07.12	211.91	46 686 000	4005176883088	99.03	24.79
40 626 000	4005176927737	07.11	152.98	47			
40 626 IGO	4005176927744	07.11	199.92	47 095 000	4005176128646	94.02	67.05
40 627 000	4005176927768	07.11	200.04	47 167 000	4005176010125	121.04	16.81
40 627 IGO	4005176927775	07.11	264.65	47 175 000	4005176803895	121.04	134.29
40 628 000	4005176927898	07.11	188.27	47 186 000	4005176803901	34.02, 121.04	165.81
40 628 IGO	4005176927904	07.11	246.74	47 189 000	4005176010330	121.12	33.80
40 629 000	4005176927928	07.11	211.81	47 217 000	4005176241246	121.03	131.66
40 629 IGO	4005176927935	07.11	280.11	47 220 000	4005176241253	121.03	165.81
40 630 000	4005176927959	07.11	129.44	47 282 000	4005176061592	121.03	131.66
40 630 IGO	4005176927966	07.11	171.16	47 310 000	4005176079238	121.03	165.81
40 631 000	4005176927980	07.11	61.18	47 349 000	4005176141461	121.03	108.03
40 631 IGO	4005176927997	07.11	80.94	47 364 000	4005176171819	121.05	73.89
40 632 000	4005176928017	07.12	223.58	47 379 000	4005176203169	121.03	227.58
40 632 IGO	4005176928024	07.12	295.57	47 439 000	4005176811975	121.04	134.29
40 633 000	4005176928048	07.12	143.56	47 450 000	4005176076190	121.03	131.66
40 633 IGO	4005176928055	07.12	186.72	47 483 000	4005176815409	121.04	165.81
40 688 001	4005176326288	23.03	47.52	47 532 000	4005176206795	121.03	176.33
40 689 001	4005176326363	23.05	30.73	47 533 000	4005176207181	32.02, 97.04	26.70
40 691 001	4005176984129	63.02	96.33	47 569 000	4005176214189	95.03	351.95
40 694 000	4005176985300	63.03	67.88	47 598 000	4005176229169	121.04	248.39
40 754 001	4005176328367	24.03	33.93	47 600 000	4005176228995	121.04	211.16
40 755 001	4005176328374	24.02	34.72	47 657 000	4005176262838	121.03	250.15
40 756 001	4005176328381	24.02	52.05	47 658 000	4005176262845	121.03	50.00
40 757 001	4005176328497	24.04	105.22	47 727 000	4005176884160	01.04, 02.04	23.69
40 775 001	4005176328626	23.06	95.53	47 735 000	4005176810084	93.05	13.35
40 776 001	4005176328633	23.06	124.72	47 763 000	4005176824166	93.04	67.15
40 777 001	4005176328640	24.04	102.23	47 780 000	4005176836541	14.04, 34.02	131.06
40 778 001	4005176328657	24.05	151.63	47 781 000	4005176836558	14.04, 34.02	146.53
40 793 001	4005176327599	23.04	81.68				
40 794 001	4005176327605	23.04	91.05				
40 797 001	4005176327636	23.05	241.80				
40 799 001	4005176327971	23.05	58.43				
40 800 001	4005176327988	23.04	168.65				
40 802 001	4005176328107	23.04	82.93				
40 824 000	4005176332975	121.11	12.30				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2016 RRP £
48			
48 021 000	4005176881435	121.14	5.44
48 166 000	4005176923197	121.15	12.79
64			
64 508 001	4005176984112	63.02	118.02

GROHE
BATH FITTINGS





Contents

GROHE Digital	Veris F-digital	01
	Allure F-digital	02
Single Lever Mixers	Veris	03
	Allure Brilliant	04
	Allure	05
	Atrio	06
	Grandera	07
	Quadra	08
	Lineare	09
	Eurocube Joy	10
	Eurocube	11
	Europlus	12
	Essence	13
	Eurodisc Joy	14
	Eurodisc Cosmopolitan	15
	Concetto	16
	Eurostyle Cosmopolitan	17
	Eurostyle	18
	Eurosmart Cosmopolitan	19
	Eurosmart	20
	BauEdge	21
Bath Sets	Talentofill	22
Accessories	Essentials	23
	Essentials Cube	24

GROHE SILKMOVE® ES



The intelligent combination of energy saving and effortless water control.

GROHE SilkMove® ES technology not only offers unique smoothness in operation, but also encourages responsible management of energy and water. In cold-water mode and positioned mid-lever, the ES technology comes to life. This eliminates opening the tap in the mixed hot-and-cold water mode, saving energy by avoiding the unnecessary heating of water for daily rituals like cleaning your teeth or washing your hands.

When you need hot water, the wide operating angle of the lever ensures that, by moving it up to 90 degrees left of the mid position, the flow of water is ultra-responsive and precise, giving you total control over temperature and water flow.

GROHE SilkMove® ES technology is a harmonious marriage of design and technology, delivering an enhanced water experience whilst encouraging responsible management of precious resources.



The special ceramic discs and Teflon® technology in GROHE SilkMove® cartridges ensure a lifetime of effortless precision.



Using the mid-lever position for cold water, GROHE SilkMove® ES reduces wastage of hot water, saving precious water and energy.



GROHE SilkMove® guarantees smoothness of operation as on day one – even after 20 years.



Save precious resources and enjoy 100% water comfort.

All GROHE EcoJoy products are systematically designed to save water and energy so that precious resources are conserved. These products, equipped with water-saving technologies, offer the perfect water experience without the need to compromise. Reducing water and energy consumption goes hand in hand with convenience and attractive design. Less water. Perfect flow.

GROHE is the only manufacturer offering a full-spectrum of water-saving products – for bath, shower and sanitary installation.



The highly innovative GROHE EcoJoy technology reduces water consumption by up to 50% without compromising on performance.



GROHE single-lever mixers – On numerous models across all style and price segments, integrated technology automatically reduces water consumption by up to 50% compared to standard rates every time the tap is turned on, yet still ensures that same perfect flow.



GROHE thermostats – With GROHE thermostats, the desired water temperature is reached within a fraction of a second and reliably maintained for the duration of your shower. No more time and water wasted while fiddling with controls to get the temperature right!



GROHE showers – For your perfect shower experience, built-in technology effortlessly saves up to 40% of water on selected models, while delivering all the features and performance you would expect from a GROHE shower.



GROHE sanitary systems – Ecologically sensible: GROHE cisterns use water very sparingly. The start/stop and dual flush systems offer the opportunity of selecting one's preferred economical flush.



GROHE special fittings – Thanks to the electronic control, water only flows through these mixers when needed. Depending on the model, the mixer automatically turns off and saves water when the user removes his hands, for example during soaping, or after a pre-set time.

FIND YOUR PERFECT COMBINATION OF TAP AND WASHBASIN

If you've ever looked for a washbasin then you know: the selection is huge. Add to that the search for the right tap to match your washbasin in terms of design and technical fit, suddenly things get complicated. With GROHE BestMatch it is easy to find your perfect combination. 3,500 individual combinations have already been tested with more to come, you can always be confident of finding your ideal BestMatch. Your favourite combinations can be saved, printed out, shared or sent via email.




THE SIMPLE SOLUTION: GROHE BESTMATCH


Choice made simple. At GROHE our Masters of Technology and design team are tireless in their endeavours to expand our range, meaning that GROHE's selection of designs, materials, sizes and technical features is almost infinite. The result can be a difficult question: how to be certain that your preferred product matches and works perfectly with your chosen sanitaryware? Now there is an instant answer. The GROHE BestMatch online tool, which you can use as a website or app, instantly provides you with all the information you need to match ceramics and tap by design, comfort and waterflow. Quick as a flash it finds the best tap and washbasin option from more than 3.500 combinations tested in the GROHE laboratory – in other words, the best match.

About Good and Perfect Interaction. Do you not only want a combination of washbasin and fitting, but also a perfectly matched complete bath solution? No problem: In addition to the test criteria of 'design,' 'comfort' and 'water flow', the new criterion 'completeness' considers the complete GROHE product portfolio, which was matched to fit 100% by the GROHE in-house design team. Only those combinations which have achieved three stars in the category 'completeness' are designated a PerfectMatch. Whether washbasin, fitting, shower solution or accessory, everything here is a perfect match. From now on, it will be particularly easy to find a complete bathroom solution thanks to GROHE PerfectMatch. Harmony between technology, appearance and style are guaranteed.

Enjoy the pure anticipation of water: your own personal dream bathroom is only a few pages and clicks away: www.grohe.com/bestmatch



GROHE now makes it easier than ever for you to find the perfect combination of washbasin and tap – with the GROHE BestMatch website and app for iOS & Android. Regardless of whether you are looking for a washbasin to fit your desired GROHE tap, or an exclusive GROHE tap for your washbasin, with GROHE BestMatch you're guaranteed to find just the right combination.



DOWNLOAD FREE AT –
GROHE.COM/BESTMATCH



Apple, the Apple logo, iPad, and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.

YOUR FAVORITE DESIGN IN THE RIGHT SIZE.

For years, GROHE has offered a wide range of taps & mixers in different designs. Now GROHE offers an additional, comfortable advantage: a choice of size - from XS to XL. To make it easy, all our washbasin mixers are marked with a "size" character that everybody understands. The higher the tap gets, the higher and wider the spout reaches out, the more comfort !

	XS-Size	S-Size	M-Size	L-Size	XL-Size
Allure Brilliant					
Allure					
GROHE Grandera®					
Quadra					
Lineare					
		NEW		NEW	NEW
Eurocube Joy					
Eurocube					

XS-Size

S-Size

M-Size

L-Size

XL-Size

Europlus



NEW

NEW

NEW

NEW

Essence



NEW

NEW

NEW

Eurodisc
Joy



Eurodisc
Cosmopolitan



Concetto



NEW

NEW

NEW

Eurostyle



Eurostyle
Cosmopolitan



Eurosmart
Cosmopolitan



Eurosmart



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS


CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE FEATHERCONTROL

ENJOY PERFECT PERFORMANCE

Perfect Performance using precise, finger tip control.



JOYSTICK CONTROL

Combining the legendary performance of the classic Eurodisc line, with a precision joystick design, available in brilliant chrome or pure white.

DESIGNED TO LAST

Standing out. Controlling water with a precise joystick to ensure perfect performance for your everyday life. Start your day by pushing the stick back.



GROHE FeatherControl

The brand new GROHE FeatherControl JMX cartridge brings joystick control to a whole new level. Using state-of-the-art coated ceramic discs and an innovative sealing, the GROHE engineers created a joystick cartridge with a wider volume and temperature angle – for more precise control – with the same silky smooth operation as our renowned GROHE SilkMove® cartridge. Joystick technology reinvented.

GROHE EURODISC JOY & EUROCUBE JOY

NEW

Super premium design feature, affordable price, differentiated design. Available in 3 heights. Full range including exposed bath & shower mixer.



Fingertip control

the innovative joystick operation reduces the Eurocube or Eurodisc design to its core providing an unparalleled aesthetic. combined with the smooth, long-lasting fingertip control it is the highlight in any bathroom.

GROHE EUROSTYLE

The new Eurostyle range has been improved both inside and out, from its organic modern design to its state-of-the-art internal technology.

The new 35 mm GROHE SilkMove® cartridge with integrated temperature limiter is now used for washbasin, bath and shower mixers. Eurostyle remains the best choice for intuitive, environmentally conscious people.





choose colour and size

Clean drinking water is essential to your health.

When choosing taps and mixers with GROHE Zero technology, you choose a tap with a body with maximum health benefits. The body does itself not add any lead into the drinking water because of the advanced inner-watguides.

You will find GROHE Zero already on the new Eurosmart kitchen mixer, on the new Eurostyle washbasin mixer and other selected products.




GROHE VERIS F-DIGITAL



GROHE VERIS F-DIGITAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 277 000	4005176893438	chrome	916.94



Veris F-digital Digital basin mixer L-Size

includes digital mixing device
monobloc installation
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring

digital mixing device


- digitally controlled valve
- integrated temperature sensor

default setting configurable during installation

- automatic safety shut-off after 60 sec.

GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
swivel spout with SpeedClean mousseur
Push-open waste set 1 1/4"
flexible connection hoses
requires built-in power supply 36 078 000

36 278 000	4005176893445	chrome	844.96
------------	---------------	--------	--------



Veris F-digital Digital basin mixer S-Size

includes digital mixing device
wall mounted
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring

digital mixing device


- digitally controlled valve
- integrated temperature sensor

default setting configurable during installation

- automatic safety shut-off after 60 sec.

GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
spout with SpeedClean mousseur
projection 170 mm
Push-open waste set 1 1/4"
requires built-in power supply 36 078 000

36 289 000	4005176894619	chrome	1,176.70
------------	---------------	--------	----------



F-digital Veris F-Digital Digital controller and digital diverter for bath

includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- (temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback

when preferred temperature is reached
digital diverter for bath

- Diverter: head-, hand shower and bath spout
- LED ring (indication of outlet)

digital thermostat unit (concealed body)







- warm/cold-supplies 1/2"
- 3 outlets 1/2" bath diverter

default setting configurable during installation










- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires built-in power supply 36 078 000
energy efficiency class illumination of control unit: not applicable

GROHE VERIS F-DIGITAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 295 000	4005176894671	chrome	1,267.32
<p>F-digital Veris F-Digital Digital controller and digital diverter for shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached <p>digital diverter for shower</p> <ul style="list-style-type: none"> - Diverter: head-, side- and hand shower - LED ring (indication of outlet) <p>digital thermostat unit (concealed body)</p> <ul style="list-style-type: none"> - warm/cold-supplies 1/2" - 3 outlets 1/2" shower diverter <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C <p>transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m</p> <p>GROHE TurboStat digitally controlled compact cartridge with wax thermoelement</p> <p>GROHE StarLight chrome finish</p> <p>GROHE EcoJoy technology for less water and perfect flow</p> <p>requires built-in power supply 36 078 000</p> <p>energy efficiency class illumination of control unit: not applicable</p>			
 			
36 292 000	4005176894640	chrome	961.17
<p>F-digital Veris F-Digital Digital controller for bath or shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached <p>digital thermostat unit (concealed body)</p> <ul style="list-style-type: none"> - 1 outlet 1/2" - warm/cold-supplies 1/2" <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C <p>transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m</p> <p>GROHE TurboStat digitally controlled compact cartridge with wax thermoelement</p> <p>GROHE StarLight chrome finish</p> <p>GROHE EcoJoy technology for less water and perfect flow</p> <p>requires built-in power supply 36 078 000</p> <p>energy efficiency class illumination of control unit: not applicable</p>			
 			
36 309 000	4005176894794	chrome	211.81
<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>GROHE StarLight chrome finish</p> <p>energy efficiency class illumination of control unit: not applicable</p>			
 			

GROHE VERIS F-DIGITAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 576 000	4005176274022	chrome	63.90
<p>Rainshower Shower arm 286 mm connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
 	40 479 000	4005176894787	chrome	79.07
<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation GROHE StarLight chrome finish</p>				
 	36 078 000	4005176856532		84.72
<p>Plug power supply 110-240 V operating voltage 6V cable length 400 mm</p>				
 	47 727 000	4005176884160		23.69
<p>Connection wire 2-pole cable length 3 m</p>				
 	36 356 000	4005176911347		129.44
<p>GROHE F-digital Transceiver optional accessory for digital mixing unit</p>				

GROHE ALLURE F-DIGITAL



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS







FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE ALLURE F-DIGITAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 342 000	4005176909702	chrome	887.20
	<p>Allure F-digital Digital basin mixer L-Size includes digital mixing device monobloc installation Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>digital mixing device</p> <ul style="list-style-type: none"> - digitally controlled valve - integrated temperature sensor <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 60 sec. <p>GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow spout with mousseur Push-open waste set 1 1/4" flexible connection hoses requires built-in power supply 36 078 000</p>			
	36 343 000	4005176909719	chrome	887.20
	<p>Allure F-digital Digital basin mixer S-Size includes digital mixing device wall mounted Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>digital mixing device</p> <ul style="list-style-type: none"> - integrated temperature sensor - digitally controlled valve <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 60 sec. <p>GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow spout with mousseur projection 167 mm Push-open waste set 1 1/4" requires built-in power supply 36 078 000</p>			
	36 346 000	4005176909740	chrome	887.20
	<p>Allure F-digital Digital bidet mixer includes digital mixing device monobloc installation Digital Controller - intuitive multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>digital mixing device</p> <ul style="list-style-type: none"> - digitally controlled valve - integrated temperature sensor <p>default setting configurable during installation</p> <ul style="list-style-type: none"> - automatic safety shut-off after 60 sec. <p>GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ball-joint mousseur flexible connection hoses Push-open waste set 1 1/4" requires built-in power supply 36 078 000</p>			

GROHE ALLURE F-DIGITAL


BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 289 000	4005176894619	chrome	1,176.70













F-digital
Veris F-Digital
Digital controller and digital diverter for bath
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control (temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital diverter for bath
- Diverter: head-, hand shower and bath spout
- LED ring (indication of outlet)
digital thermostat unit (concealed body)
- warm/cold-supplies 1/2"
- 3 outlets 1/2" bath diverter
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires built-in power supply 36 078 000
energy efficiency class illumination of control unit: not applicable

36 295 000	4005176894671	chrome	1,267.32
------------	---------------	--------	----------



F-digital
Veris F-Digital
Digital controller and digital diverter for shower
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control (temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital diverter for shower
- Diverter: head-, side- and hand shower
- LED ring (indication of outlet)
digital thermostat unit (concealed body)
- warm/cold-supplies 1/2"
- 3 outlets 1/2" shower diverter
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires built-in power supply 36 078 000
energy efficiency class illumination of control unit: not applicable


GROHE ALLURE F-DIGITAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 292 000	4005176894640	chrome	961.17
<p>F-digital Veris F-Digital Digital controller for bath or shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital thermostat unit (concealed body) - 1 outlet 1/2" - warm/cold-supplies 1/2" default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires built-in power supply 36 078 000 energy efficiency class illumination of control unit: not applicable</p>				
 	36 309 000	4005176894794	chrome	211.81
<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring GROHE StarLight chrome finish energy efficiency class illumination of control unit: not applicable</p>				
 	40 548 000	4005176909832	chrome	105.90
<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation or combination with 36289000 and 36295000 GROHE StarLight chrome finish</p>				
 	36 078 000	4005176856532		84.72
<p>Plug power supply 110-240 V operating voltage 6V cable length 400 mm</p>				
 	47 727 000	4005176884160		23.69
<p>Connection wire 2-pole cable length 3 m</p>				

GROHE ALLURE F-DIGITAL

Ref. No. EAN code Colour Retail Guide Price (£)

36 356 000 4005176911347 129.44



**GROHE F-digital
Transceiver**
optional accessory for digital mixing unit

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE VERIS



GROHE
SilkMove®



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®



GROHE
EcoJoy™























GROHE
QuickFix®













GROHE
DreamSpray®









GROHE VERIS











	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	32 183 000	4005176860362	chrome	419.88	
	<p>Veris Basin mixer 1/2" S-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	32 186 000	4005176860898	chrome	400.35
	23 064 000	4005176890109	chrome	517.13	
	<p>Veris Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	23 065 000	4005176890130	chrome	485.04
	32 184 000	4005176860379	chrome	559.44	
	<p>Veris Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>	32 187 000	4005176860904	chrome	526.23
	32 191 000	4005176860966	chrome	643.36	
	<p>Veris Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>	20 180 000	4005176860980	chrome	656.23
	20 180 000	4005176860980	chrome	656.23	
	<p>Veris Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish SpeedClean mousseur swivel spout stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling</p>				











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 181 000	4005176860997	chrome	624.13
<p>Veris Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish SpeedClean mousseur centre distance 200 mm projection 170 mm</p>				
	20 195 000	4005176876035	chrome	656.23
<p>ditto, projection 220 mm</p>				
 	29 025 000	4005176841927		215.77
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>				
 	19 342 000	4005176860942	chrome	570.63
<p>Veris 2-hole basin mixer S-Size wall mounted set for final installation for 32 635 000 without concealed body separate escutcheons Ø 60 mm GROHE StarLight chrome finish SpeedClean mousseur centre distance 110 mm projection 170 mm</p>				
	19 388 000	4005176876042	chrome	590.91
<p>ditto, projection 220 mm</p>				
 	32 635 000	4005176845949		222.01
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>				
 	32 193 000	4005176861024	chrome	440.46
<p>Veris Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE VERIS













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 197 000	4005176861185	chrome	631.16
<p>Veris Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow</p>				
 	32 195 000	4005176861048	chrome	702.60
<p>Veris Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>				
 	32 196 000	4005176861055	chrome	895.01
<p>Veris Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow shower hose 1500 mm (28 143 000)</p>				
 	19 367 000	4005176861192	chrome	303.14
<p>Veris Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
<p>35 501 000 4005176833847 89.43 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 344 000	4005176861062	chrome	344.53
<p>Veris Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
<p>35 501 000 4005176833847 89.43 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 369 000	4005176861222	chrome	454.55
<p>Veris Thermostatic shower mixer TMV2 compliant when used with 35 050 000 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon metal handles</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 364 000	4005176861154	chrome	516.56
<p>Veris Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon metal handles</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 373 000	4005176866814	chrome	1,129.67
<p>Veris 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: pre-assembled spout fixing OHM operating element optional swivel bath inlet with mousseur diverter bath/shower GROHE hand shower 27 184 000 metal shower hose 2000 mm mounting plate flexible connection hoses connection for shower hose protected against backflow</p>				
 	29 037 000	4005176865749		699.31
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 222 001	4005176890222	chrome	1,711.63
<p>Veris Single-lever bath/shower mixer 1/2" floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 295 mm integrated non-return valve in the shower outlet 1/2" GROHE hand shower 27 184 000 shower hose 1500 mm protected against backflow</p>				
 	13 245 000	4005176870163	chrome	1,169.54
<p>Veris Bath spout floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 295 mm total height 1037 mm</p>				
 	13 242 000	4005176869198	chrome	203.29
<p>Veris Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 170 mm</p>				
 	19 448 000	4005176841897	chrome	215.67
<p>5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body</p>				
 	29 033 000	4005176845338		205.73
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 444 000	4005176840562	chrome	115.91
<p>Concealed stop-valve trim set for final installation for 29 032 000 installation depth adjustable 43 - 91 mm</p>				
 	29 032 000	4005176845277		26.33
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	27 472 000	4005176882814	chrome	1,082.53
<p>Rainshower System Veris 300 Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower 310 (27 471 000) with ball joint rotation angle $\pm 15^\circ$ hand shower Ondus (27 185 000) adjustable height via gliding element (12 140 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE StarLight chrome finish Inner WaterGuide for a longer life</p>				
 	26 068 000	4005176937224	chrome	443.54
<p>Rainshower Veris 300 Head shower set 286 mm consisting of: Head shower Rainshower Veris (27 471 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	26 058 000	4005176937125	chrome	447.93
<p>ditto, with non-restricted flow</p>				
 	26 069 000	4005176937231	chrome	426.07
<p>Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Veris (27 471 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	26 059 000	4005176937132	chrome	430.29
<p>ditto, with non-restricted flow</p>				

GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 861 000	4005176918131	chrome	518.49
<p>Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 470 000	4005176882531	chrome	381.61
<p>Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 576 000	4005176274022	chrome	63.90
<p>Rainshower Shower arm 286 mm connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
 	27 184 000	4005176840654	chrome	115.94
<p>GROHE Ondus Stick Hand shower 1 spray Normal spray SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 532 000	4005176889707	chrome	177.15
<p>GROHE Ondus Stick Shower set 1 spray GROHE hand shower 27 184 000 metal shower hose 2000 mm hose guide</p>				
 	27 190 000	4005176842221	chrome	97.68
<p>GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow GROHE StarLight finish</p>				

GROHE VERIS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 912 000	4005176266751	chrome	193.48







Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 376 000	4005176840241	chrome	116.72
	GROHE Ondus Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 389 000	4005176847189	chrome	59.66
	Soap dispenser			
 	40 376 000	4005176840241	chrome	116.72
	GROHE Ondus Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 390 000	4005176847196		55.96
	Glass			
 	40 376 000	4005176840241	chrome	116.72
	GROHE Ondus Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 391 000	4005176847202		61.71
	Soap dish			
 	40 379 000	4005176840333	chrome	157.10
	GROHE Ondus Towel ring			
 	40 381 000	4005176840395	chrome	256.34
	GROHE Ondus Towel rail length 560 mm			
 	40 378 000	4005176840302	chrome	64.85
	GROHE Ondus Robe hook			

GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 377 000	4005176840272	chrome	168.86
GROHE Ondus Toilet roll holder without cover				

 	40 380 000	4005176840364	chrome	244.14
GROHE Ondus Toilet brush set wall model satin glass				

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE ALLURE BRILLIANT



GROHE
SilkMove®



GROHE
StarLight®



GROHE
TurboStat®



GROHE
EcoJoy™




GROHE
QuickFix®



GROHE
DreamSpray®

GROHE ALLURE BRILLIANT


Ref. No. EAN code Colour Retail Guide Price (£)



23 029 000 4005176898709 chrome 517.13

Allure Brilliant Basin mixer 1/2" M-Size
monobloc installation
28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 033 000 4005176898716 chrome 485.04
Ditto, smooth body



23 109 000 4005176898754 chrome 562.39


Allure Brilliant Single-lever basin mixer 1/2" L-Size
monobloc installation
28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 112 000 4005176898778 chrome 562.39
Ditto, smooth body




23 114 000 4005176898792 chrome 731.72

Allure Brilliant Basin mixer 1/2" XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses



20 344 000 4005176898884 chrome 695.81

Allure Brilliant Three-hole basin mixer 1/2" M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves

















20 342 000 4005176898860 chrome 571.68









Allure Brilliant Three-hole basin mixer 1/2" S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves

GROHE ALLURE BRILLIANT

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 346 000	4005176898907	chrome	677.63
	<p>Allure Brilliant Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 29 025 000 valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm</p>			
	20 348 000	4005176898921	chrome	695.81
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>			
	29 025 000	4005176841927		215.77
	<p>Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm</p>			
	19 781 000	4005176898822	chrome	611.89
	<p>Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm</p>			
	19 783 000	4005176898846	chrome	616.19
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			
	23 200 000	4005176908354		222.01
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			
	23 117 000	4005176898938	chrome	539.16
	<p>Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE ALLURE BRILLIANT













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 789 000	4005176899058	chrome	360.14
<p>Allure Brilliant Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 785 000	4005176898969	chrome	397.95
<p>Allure Brilliant Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 791 000	4005176899089	chrome	571.68
<p>Allure Brilliant Thermostatic shower mixer TMV2 compliant when used with 35 050 000 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 792 000	4005176899096	chrome	647.64
<p>Allure Brilliant Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function - flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles,</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

GROHE ALLURE BRILLIANT

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 887 000	4005176900907	chrome	550.91
<p>Allure Brilliant Trim for thermostatic shower valve set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>				
				228.88
<p>35 050 000 4005176982064 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 787 000	4005176898983	chrome	1,210.37
<p>Allure Brilliant 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing OHM operating element bath spout with integrated mousseur diverter bath/shower hand shower Euphoria Cube+ metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000</p>				
 	29 037 000	4005176865749		699.31
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
 	23 119 000	4005176899027	chrome	2,029.50
<p>Allure Brilliant Single-lever bath/shower mixer 1/2" floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube+ metal shower hose protected against backflow</p>				
 	13 301 000	4005176899041	chrome	1,107.55
<p>Allure Brilliant Bath spout floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with integrated mousseur total height 1070 mm projection 270 mm</p>				

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 319 000	4005176912627	chrome	588.35
<p>Allure Brilliant Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>				
 	13 299 000	4005176899003	chrome	267.01
<p>Allure Brilliant Bath spout wall mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur</p>				
 	19 798 000	4005176899157	chrome	207.84
<p>Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE StarLight chrome finish installation depth adjustable 66 - 113 mm</p>				
 	29 033 000	4005176845338		205.73
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 796 000	4005176899133	chrome	149.16
<p>Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>				
 	29 032 000	4005176845277		26.33
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				


GROHE ALLURE BRILLIANT

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 707 000	4005176908446	chrome	79.60












Allure Brilliant
Shower outlet elbow, 1/2"
 male thread
 protected against backflow
 metal
GROHE StarLight chrome finish

27 706 000	4005176908439	chrome	71.60
------------	---------------	--------	-------









Allure Brilliant
Wall hand Shower holder
 non-adjustable
 metal
GROHE StarLight chrome finish

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 494 000	4005176899263	chrome	458.05
<p>Allure Brilliant Holder with soap dispenser GROHE StarLight chrome finish</p>				
 	40 493 000	4005176899256	chrome	356.65
<p>Allure Brilliant Holder with tumbler GROHE StarLight chrome finish</p>				
 	40 503 000	4005176900068	chrome	346.16
<p>Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish</p>				
 	40 504 000	4005176900075	chrome	356.65
<p>Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish</p>				
 	40 496 000	4005176899287	chrome	288.46
<p>Allure Brilliant Towel bar Two arms GROHE StarLight chrome finish length 431 mm non swivelling</p>				
 	40 497 000	4005176899294	chrome	288.46
<p>Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish</p>				

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 498 000	4005176899300	chrome	184.66
Allure Brilliant Robe hook GROHE StarLight chrome finish				
 	40 499 000	4005176899317	chrome	459.69
Allure Brilliant Toilet roll holder GROHE StarLight chrome finish				
 	40 500 000	4005176899324	chrome	345.65
Allure Brilliant Toilet brush set GROHE StarLight chrome finish				

GROHE ALLURE



GROHE
SilkMove®



GROHE
StarLight®



GROHE
TurboStat®



GROHE
EcoJoy™




GROHE
QuickFix®




GROHE
DreamSpray®

GROHE ALLURE


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 757 000	4005176870897	chrome	340.30
	<p>Allure Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 146 000	4005176821622	chrome	442.31
	<p>Allure Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 760 000	4005176870927	chrome	559.44
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm</p>			
	23 403 000	4005176941627	chrome	549.98
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter GROHE QuickFix Plus installation system smooth body projection 180 mm flexible connection hoses temperature limiter</p>			
	32 249 000	4005176832383	chrome	570.63
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			

Ref. No. EAN code Colour Retail Guide Price (£)




20 143 000 4005176832581 chrome 527.97

Allure
Three-hole basin mixer 1/2"
M-Size
with metal plate
GROHE StarLight chrome finish
ceramic headpart 1/2", 180°
flow limiter 8 l/min.
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves



20 188 000 4005176875724 chrome 527.97


Allure
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4"



20 190 000 4005176875748 chrome 475.53



Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, **without concealed body**
set for final installation for 32 706 000
with metal plate
valves hot/cold with Carbodur ceramic
headparts 1/2" - 180
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
centre distance 200 mm
projection 172 mm,

20 192 000 4005176875991 chrome 478.20
Ditto, projection 220 mm



32 706 000 4005176855092 205.96











Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set





















20 189 000 4005176875731 chrome 475.53



Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, **without concealed body**
set for final installation for 29 025 000
with lever handles
with metal plate
GROHE StarLight chrome finish
valves hot/cold
with headparts 1/2" - 90°
flow limiter 8 l/min.
spout with mousseur
projection 172 mm,

20 193 000 4005176876004 chrome 478.20
Ditto, projection 220 mm











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 025 000	4005176841927		215.77
 	19 309 000	4005176820656	chrome	452.80
 	33 769 000	4005176819605		204.60
 	32 147 000	4005176821653	chrome	340.30
 	32 846 000	4005176882432	chrome	592.03

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 826 000	4005176882425	chrome	645.53
<p>Allure Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>				
 	19 317 000	4005176821806	chrome	297.20
<p>Allure Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
				35 501 000 4005176833847 89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 315 000	4005176821677	chrome	338.46
<p>Allure Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
				35 501 000 4005176833847 89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 380 000	4005176831539	chrome	454.38
<p>Allure Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 metal handles GROHE StarLight chrome finish temperature scale handle with GROHE SafeStop safety stop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) metal escutcheon covered fixing ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>				
				35 050 000 4005176982064 228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 446 000	4005176840807	chrome	502.63
<p>Allure Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 GROHE StarLight chrome finish temperature scale handle with GROHE SafeStop safety stop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C shut off and flow control Aquadimmer with multiple function metal escutcheon, covered coupling without concealed body</p>				
				228.88
<p>35 050 000 4005176982064 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 316 000	4005176821783	chrome	1,016.71
<p>Allure 3-hole single-lever bath combination trim set for 33 339 000 without baseframe OHM operating element bath inlet with automatic diverter bath/shower hand shower (28 034 000) metal shower hose 2000 mm</p>				
 	33 339 000	4005176222818		859.51
<p>3-hole single-lever bath combination baseframe for installation under tiled surround without finishing trim set mounting plate and base frame 46 mm cartridge with GROHE SilkMove and spout fixing pre-assembled flexible connection hoses connection for shower hose drainage box with integrated outlet for splash water this part should be easy to access protected against backflow</p>				
 	32 754 001	4005176890079	chrome	1,797.21
<p>Allure Single-lever bath/shower mixer 1/2" floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 300 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena handshower shower hose 1500 mm protected against backflow</p>				
 	13 218 000	4005176847110	chrome	1,146.61
<p>Allure Bath spout floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 300 mm total height 910 mm</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 317 000	4005176912603	chrome	591.10
<p>Allure Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>				
 	13 264 000	4005176882449	chrome	182.24
<p>Allure Bath spout 3/4" wall mounted GROHE StarLight chrome finish projection 172 mm mousseur</p>				
 	19 590 000	4005176890529	chrome	157.58
<p>Allure 5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>				
 	29 033 000	4005176845338		205.73
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 334 000	4005176823800	chrome	113.64
<p>Allure Concealed stop-valve trim for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>				
 	29 800 000	4005176504839		26.21
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
<p>29 802 000 4005176504853 43.66 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
<p>29 805 000 4005176504884 79.17 ditto, 1", pre-assembled headpart 1", thread union 1"</p>				





GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 384 000	4005176875755	chrome	113.64
	Allure Concealed stop-valve trim with lever handle set for final installation for 29 032 000 installation depth adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish			
	35 028 000	4005176908316		111.21
	GROHE Rapido C rough-in box for single volume control			
 	29 032 000	4005176845277		26.33
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
 	26 070 000	4005176937248	chrome	385.48
	Rainshower F-Series 10" 254 x 254 Head shower set 286 mm consisting of: head shower Rainshower F-Series 254 (27 285 000) Shower arm Rainshower 286 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 060 000	4005176937149	chrome	401.05
	ditto, with non-restricted flow			
 	26 071 000	4005176937255	chrome	387.07
	Rainshower F-Series 10" Head shower set ceiling 142 mm consisting of: head shower Rainshower F-Series 254 (27 285 000) shower arm Rainshower ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 061 000	4005176937156	chrome	399.43
	ditto, with non-restricted flow			
 	26 054 000	4005176937088	chrome	464.50
	Rainshower Allure 230 Head shower set 286 mm metal head shower Rainshower Allure 230 (27 479 000) Shower arm Rainshower 286 mm (27 709 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			



GROHE ALLURE



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 065 000	4005176937194	chrome	451.03
	Rainshower Allure 230 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) shower arm Rainshower ceiling 142 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 055 000	4005176937095	chrome	451.03
	ditto, with non-restricted flow			
 	27 271 000	4005176860690	chrome	375.05
	Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm Ball joint +/- 20° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			

GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 278 000	4005176824081	chrome	106.30
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 254 000	4005176211065		38.38
<p>Glass</p>				
 	40 278 000	4005176824081	chrome	106.30
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 256 000	4005176211089		46.36
<p>Soap dish</p>				
 	40 339 000	4005176824111	chrome	141.96
<p>Allure Towel ring GROHE StarLight chrome finish</p>				
 	40 342 000	4005176824142	chrome	208.05
<p>Allure Towel bar Two arms swivelling GROHE StarLight chrome finish length 426 mm</p>				
 	40 341 000	4005176824135	chrome	212.41
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>				
 	40 284 000	4005176824104	chrome	58.39
<p>Allure Robe hook GROHE StarLight chrome finish</p>				

GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 279 000	4005176824098	chrome	141.96
<p>Allure Toilet roll holder without cover GROHE StarLight chrome finish</p>				

 	40 340 000	4005176824128	chrome	230.77
<p>Allure Toilet brush set wall model GROHE StarLight chrome finish</p>				

GROHE ATRIO



GROHE
SilkMove®



GROHE
StarLight®



GROHE
TurboStat®













GROHE
EcoJoy™




GROHE
DreamSpray®

GROHE ATRIO


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 042 001	4005176849404	chrome	368.88
	<p>Atrio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular C-spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 129 001	4005176857348	chrome	376.26
	<p>Atrio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular 7° spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 647 001	4005176849411	chrome	510.31
	<p>Atrio Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular C-spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 130 001	4005176857355	chrome	510.31
	<p>Atrio Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular 7° spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
	19 287 001	4005176849428	chrome	429.76
	<p>Atrio 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 32 635 000 separate escutcheons Ø 70 mm GROHE StarLight chrome finish centre distance 110 mm projection 180 mm</p>			
	19 918 000	4005176912566	chrome	451.16
	Ditto, projection 220 mm			

GROHE ATRIO


Ref. No. EAN code Colour Retail Guide Price (£)




32 635 000 4005176845949 222.01
Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
 GROHE SilkMove 35 mm ceramic cartridge
 installation depth 45 to 75 mm
 DR-brass
 installation device




32 108 001 4005176849435 376.26
Atrio Bidet mixer 1/2" M-Size
 monobloc installation
 28 mm ceramic cartridge
 with GROHE SilkMove
GROHE StarLight chrome finish
 rapid installation system
 tubular C-spout with ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




32 134 001 4005176857362 368.88
Atrio Bidet mixer 1/2" M-Size
 monobloc installation
 28 mm ceramic cartridge
 with GROHE SilkMove
GROHE StarLight chrome finish
 rapid installation system
 tubular 7° spout with ball-joint mousseur
 stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses



32 650 001 4005176849442 455.58
Atrio Single-lever shower mixer 1/2"
 wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 shower bottom outlet 1/2" with
 integrated non return-valve
 covered S-unions
 protected against backflow













32 652 001 4005176849466 469.84
Atrio Single-lever bath/shower mixer 1/2"
 wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 cast spout
 mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 covered S-unions
 protected against backflow




19 463 001 4005176849459 249.04
Atrio Single-lever shower mixer trim
 set for final installation for
 35 501 000
without concealed body
GROHE StarLight chrome finish
 escutcheon- and shaft-sealings
 metal escutcheon
 covered fixing

35 501 000 4005176833847 89.43
GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE ATRIO


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 459 001	4005176849473	chrome	287.55
<p>Atrio Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered fixing</p>				
				89.43
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	32 653 002	4005176890215	chrome	1,334.38
<p>Atrio Single-lever bath/shower mixer 1/2" floor-mounted, without roughing-in-set GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter diverter bath/shower swivel tubular spout with mousseur and stop limiter integrated non-return valve in the shower outlet 1/2" with shower holder hand shower (28 034 000) shower hose 1500 mm protected against backflow for use with: 45 984 001</p>				
 	32 135 002	4005176890192	chrome	1,455.74
<p>Atrio Single-lever bath/shower mixer 1/2" floor-mounted without roughing-in-set GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular 7° spout with mousseur projection 301 mm stop limiter, diverter bath/shower integrated non-return valve in the shower outlet 1/2" with shower holder hand shower (28 034 000) shower hose 1500 mm protected against backflow for use with: 45 984 001</p>				
 	13 216 001	4005176846861	chrome	925.56
<p>Atrio Bath spout floor-mounted set for final installation for 45 984 000 without roughing-in-set projection 300 mm swivel tubular C-spout with mousseur GROHE StarLight chrome finish</p>				
 	13 228 001	4005176860058	chrome	934.54
<p>Atrio Bath spout floor-mounted set for final installation for 45 984 000 without roughing-in-set projection 300 mm, swivelling mousseur GROHE StarLight chrome finish</p>				

Ref. No. EAN code Colour Retail Guide Price (£)




21 022 000 4005176235993 chrome 429.76

Atrio Basin mixer, 1/2" L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle




20 009 000 4005176236129 chrome 571.68

Atrio Three-hole basin mixer 1/2" M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with Jota handle




20 169 000 4005176855207 chrome 485.04

Atrio 3-hole basin mixer S-Size
wall mounted
set for final installation for 32 706 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
centre distance 200 mm
projection 180 mm
with Jota handle



32 706 000 4005176855092 205.96











Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer without finishing trim set



24 026 000 4005176820359 chrome 421.33

Atrio Bidet mixer 1/2" M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle


GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 398 000	4005176831317	chrome	336.60
<p>Atrio Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) covered fixing with Jota handle TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 399 000	4005176831324	chrome	386.94
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C Aquadimmer with multiple function diverter for 2 outlets - diverter: bath/shower, shut off and flow control covered fixing with Jota handle</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 396 000	4005176831294	chrome	295.10
<p>Atrio Trim for thermostatic shower valve set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C covered fixing with Jota handle</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	13 139 000	4005176235856	chrome	180.10
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm</p>				
 	19 133 000	4005176235870	chrome	115.53
<p>Atrio 4-way diverter set for final installation (for 29 707 000) without concealed body with Jota handle</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 707 000	4005176102646		247.87
<p>4-way diverter concealed body, 1/2" without finishing trim set wall installation ceramic discs connection cold and hot 1/2" shower outlet 1/2" bath outlet 3/4" protection sleeve installation depth adjustable 24-60 mm DR-brass</p>				
 	19 134 000	4005176235900	chrome	115.53
<p>Atrio 5-way diverter set for final installation (for 29 708 000) without concealed body GROHE StarLight chrome finish with Jota handle</p>				
 	29 708 000	4005176102653		256.46
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				
 	19 088 000	4005176236600	chrome	95.28
<p>Atrio Concealed stop-valve trim for concealed valves, 1/2", 3/4" GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with Jota handle</p>				
 	29 800 000	4005176504839		26.21
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
	29 802 000	4005176504853		43.66
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
	29 805 000	4005176504884		79.17
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				


GROHE ATRIO

Ref. No. EAN code Colour Retail Guide Price (£)




20 021 000 4005176286957 chrome 231.07

Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
rapid installation system
mousseur
fixed spout
flexible connection hoses
with Ypsilon handle




21 019 000 4005176235979 chrome 421.33

Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
with Ypsilon handle




21 044 000 4005176270468 chrome 496.50

Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout with mousseur and stop limiter
height 419 mm
without lift rod and without pop up waste
flexible connection hoses
with Ypsilon handle



20 008 000 4005176236099 chrome 583.11

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with Ypsilon handle













20 164 000 400517685191 chrome 475.53











Atrio
3-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 32 706 000
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
centre distance 200 mm
projection 180 mm
with Ypsilon handle

20 387 000 4005176912580 chrome 496.50


Ditto, projection 220 mm

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 706 000	4005176855092		205.96
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set</p>				
 	24 027 000	4005176820366	chrome	429.76
<p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with Ypsilon handle</p>				
 	26 003 000	4005176236396	chrome	451.16
<p>Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with Ypsilon handle max. pressure differential 5:1</p>				
 	25 010 000	4005176236334	chrome	496.50
<p>Atrio Bath / shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with stop limiter mousseur covered S-unions protected against backflow without shower set with Ypsilon handle</p>				
 	19 394 000	4005176831270	chrome	336.60
<p>Atrio Thermostatic shower mixer TMV2 compliant when used with 35 050 000 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) covered fixing with Ypsilon handle</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

GROHE ATRIO


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 395 000	4005176831287	chrome	386.94
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets covered fixing with Ypsilon handle</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 392 000	4005176831256	chrome	289.58
<p>Atrio Trim for thermostatic shower valve set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C covered fixing with Ypsilon handle</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	25 044 000	4005176237324	chrome	1,386.42
<p>Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 228 mm integrated non-return valve in the shower outlet 1/2" Sena handshower, with shower holder shower hose 1500 mm protected against backflow, must be used with 45 473 000 floor installation plate with Ypsilon handle</p>				
	45 473 000	4005176257742		411.92
<p>Roughing-in-set for stand-alone bath mixer (for 25 044/25 046) without finishing trim set installation plate for precise fitting floor equalization 80 - 160 mm 1/2" connections (hot/cold-supplies) plug fixing material</p>				
 				
 	13 139 000	4005176235856	chrome	180.10
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm</p>				

Ref. No.	EAN code	Colour	Retail Guide Price (£)
19 069 000	4005176236570	chrome	95.28



Atrio
Concealed stop-valve trim
 for concealed valves, 1/2", 3/4"
GROHE StarLight chrome finish
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with Ypsilon handle

29 800 000	4005176504839		26.21
------------	---------------	--	-------















Concealed stop-valve, 1/2"
 pre-assembled headpart 1/2"
 short spindle
 protection sleeve
 threaded union 1/2"
 DR-brass

29 802 000	4005176504853		43.66
------------	---------------	--	-------







29 805 000	4005176504884		79.17
------------	---------------	--	-------

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"
 ditto, 1", pre-assembled headpart 1", thread union 1"

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 306 000	4005176237133	chrome	138.73
Atrio Soap dispenser GROHE StarLight chrome finish				
 	40 304 000	4005176236921	chrome	108.96
Atrio Glass holder without glass GROHE StarLight chrome finish				
	40 254 000	4005176211065		38.38
Glass				
 	40 305 000	4005176236952	chrome	112.07
Atrio Glass/soap dish holder for soap dish without soap dish GROHE StarLight chrome finish				
	40 256 000	4005176211089		46.36
Soap dish				
 	40 307 000	4005176236969	chrome	121.86
Atrio Towel ring GROHE StarLight chrome finish				
 	40 308 000	4005176236990	chrome	149.62
Atrio Towel bar length 489 mm Two arms swivelling GROHE StarLight chrome finish				
 	40 309 000	4005176237003	chrome	149.62
Atrio Towel rail 600 mm GROHE StarLight chrome finish				

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 312 000	4005176237072	chrome	101.11
Atrio Robe hook GROHE StarLight chrome finish				
 	40 313 000	4005176237089	chrome	108.59
Atrio Toilet roll holder without cover GROHE StarLight chrome finish				
 	40 314 000	4005176237102	chrome	160.32
Atrio Toilet brush set wall model GROHE StarLight chrome finish				

GROHE GRANDERA



GROHE
SilkMove®



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®



GROHE
EcoJoy™











GROHE
QuickFix®




GROHE
DreamSpray®

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 303 000	4005176924088	chrome	282.42
	23 303 IGO	4005176924095	chrome/gold	363.78
	Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses			
	23 310 000	4005176930331	chrome	282.42
	23 310 IGO	4005176930348	chrome/gold	347.41
	Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses			
	21 107 000	4005176930393	chrome	338.90
	21 107 IGO	4005176930409	chrome/gold	447.44
	Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses			
	23 313 000	4005176930614	chrome	374.19
	23 313 IGO	4005176930621	chrome/gold	478.37
	Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses			


GROHE GRANDERA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




20 417 000	4005176930553	chrome	397.73
20 417 IGO	4005176930560	chrome/gold	525.67

Grandera
Three-hole basin mixer 1/2"
S-Size
 valves hot/cold
 with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
 and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves



20 389 000	4005176924101	chrome	440.09
20 389 IGO	4005176924118	chrome/gold	582.04

Grandera
Three-hole basin mixer 1/2"
M-Size
 valves hot/cold
 with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
 and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 414 000	4005176930492	chrome	329.48
20 414 IGO	4005176930508	chrome/gold	426.19

Grandera
Three-hole basin mixer 1/2"
S-Size
 wall mounted
 set for final installation for
 29 025 000
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
 and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 centre distance 200 mm
 projection 177 mm

20 415 000	4005176930515	chrome	364.77
20 415 IGO	4005176930522	chrome/gold	482.01











Ditto, projection 234 mm



29 025 000	4005176841927		215.77
------------	---------------	--	--------


Two-handle basin mixer
concealed body, 1/2"
 for 3-hole basin mixer
 wall installation
without finishing trim set
 DR-brass
 installation device

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 929 000	4005176930430	chrome	338.90
	19 929 IGO	4005176930447	chrome/gold	447.44
	<p>Grandera 2-hole basin mixer S-Size wall mounted set for final installation for 23 319 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm</p>			
	19 930 000	4005176930454	chrome	380.15
	19 930 IGO	4005176930461	chrome/gold	494.74
	Ditto, projection 234 mm			
	23 319 000	4005176931192		181.22
	<p>Grandera Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device</p>			
	23 315 000	4005176930652	chrome	317.71
	23 315 IGO	4005176930669	chrome/gold	386.64
	<p>Grandera Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 316 000	4005176930690	chrome	334.67
	23 316 IGO	4005176930706	chrome/gold	434.71
	<p>Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>			
	25 167 000	4005176942310	chrome	414.00
	<p>Grandera Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish</p>			


GROHE GRANDERA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




23 317 000	4005176930799	chrome	411.85
23 317 IGO	4005176930805	chrome/gold	537.71

Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow



18 651 000	4005176931413		101.20
------------	---------------	--	--------

Grandera
GROHE EasyReach tray
material: ceramic
including mounting set
for 23 316 000 / 23 316 IGO / 23 317 000 / 23 317 IGO




19 932 000	4005176930713	chrome	247.10
19 932 IGO	4005176930720	chrome/gold	326.48

Grandera
Single-lever shower mixer trim
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

35 501 000	4005176833847		89.43
------------	---------------	--	-------

GROHE Rapido E Universal single-lever mixer for concealed installation











19 920 000	4005176924149	chrome	284.18
19 920 IGO	4005176924156	chrome/gold	353.35

Grandera
Single-lever bath/shower mixer trim
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing


35 501 000	4005176833847		89.43
------------	---------------	--	-------

GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE GRANDERA


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 934 000	4005176930751	chrome	356.51
	19 934 IGO	4005176930768	chrome/gold	458.84
	<p>Grandera Thermostatic shower mixer set for final installation for 35 500 000 / 35 050 000 without concealed body TMV2 compliant when used with 35 050 000 GROHE StarLight chrome finish GROHE SafeStop Plus safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 937 000	4005176930904	chrome	379.59
	19 937 IGO	4005176930911	chrome/gold	482.01
	<p>Grandera Thermostatic shower mixer with integrated 2-way diverter set for final installation for 35 500 000 / 35 050 000 Rapido T without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C GROHE AquaDimmer Eco with multiple function: shut off and flow control diverter: shower head/hand shower Integrated Eco-Button with Eco-Stop for shower wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 948 000	4005176935220	chrome	379.59
	19 948 IGO	4005176935237	chrome/gold	482.01
	<p>Grandera Thermostatic bath mixer with integrated 2-way diverter set for final installation for 35 500 000 / 35 050 000 Rapido T without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C GROHE AquaDimmer Eco with multiple function: shut off and flow control diverter: hand shower/bath spout Integrated Eco-Button with Eco-Stop for shower wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 941 000	4005176930980	chrome	307.98
	19 941 IGO	4005176930997	chrome/gold	413.67
	<p>Grandera Trim for thermostatic shower valve set for final installation for 35 500 000 / 35 050 000 Rapido T without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

Ref. No. EAN code Colour Retail Guide Price (£)




19 936 000 4005176930812 chrome 870.77
19 936 IGO 4005176930829 chrome/gold 1,151.37

Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of
pre-assembled spout fixing
OHM operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000




19 919 000 4005176924125 chrome 929.60
19 919 IGO 4005176924132 chrome/gold 1,229.57

Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
consisting of
pre-assembled spout fixing
OHM operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000



29 037 000 4005176865749 699.31













4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water














23 318 000 4005176930874 chrome 1,320.26
23 318 IGO 4005176930881 chrome/gold 1,746.14

Grandera
Single-lever bath/shower mixer 1/2"
floor-mounted
set for final installation for
45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7.6 l/min
metal shower hose
1250 mm
protected against backflow


GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 341 000 13 341 IGO	4005176931000 4005176931017	chrome chrome/gold	188.27 249.19
<p>Grandera Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 177 mm</p>				
 	19 942 000 19 942 IGO	4005176931048 4005176931055	chrome chrome/gold	117.67 155.51
<p>Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish</p>				
 	29 708 000	4005176102653		256.46
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				
 	19 944 000 19 944 IGO	4005176931086 4005176931093	chrome chrome/gold	84.72 112.04
<p>Grandera Volume Control Trim set for final installation for 29 032 000 (preassembled headpart 1/2") GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>				
 	29 032 000	4005176845277		26.33
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	27 976 000	4005176932816	chrome	352.18
<p>Rainshower Grandera 210 Head shower 1 spray Rain metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	27 974 000 27 974 IGO	4005176932793 4005176933486	chrome chrome/gold	359.22 467.46
<p>ditto, with non-restricted flow</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 986 000	4005176933011	chrome	81.30
	27 986 IGO	4005176933547	chrome/gold	104.83
	<p>Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>			
	27 982 000	4005176932878	chrome	70.44
	27 982 IGO	4005176933523	chrome/gold	93.31
	<p>Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>			
	27 978 000	4005176932830	chrome	59.84
	27 978 IGO	4005176933509	chrome/gold	77.08
	<p>Grandera Stick Hand shower 1 spray Rain spray pattern metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>			
	26 037 000	4005176935381	chrome	88.11
	26 037 IGO	4005176936210	chrome/gold	115.02
	<p>Grandera Stick Wall holder set 1 spray consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969 000) Rotaflex shower hose 1500 mm (28 417 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 993 000	4005176933080	chrome	124.42
	27 993 IGO	4005176933585	chrome/gold	161.70
	<p>Grandera Shower outlet elbow, 1/2" metal male thread protected against backflow GROHE StarLight chrome finish</p>			
	27 970 000	4005176931154	chrome	99.81
	27 970 IGO	4005176931161	chrome/gold	128.62

GROHE GRANDERA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 969 000	4005176931123	chrome	66.54
27 969 IG0	4005176931130	chrome/gold	65.93









Grandera
Wall hand Shower holder
 metal
GROHE StarLight chrome finish

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 627 000	4005176927768	chrome	200.04
	40 627 IG0	4005176927775	chrome/gold	264.65
	Grandera holder with ceramic soap dispenser GROHE StarLight chrome finish			
	40 626 000	4005176927737	chrome	152.98
	40 626 IG0	4005176927744	chrome/gold	199.92
	Grandera holder with ceramic tumbler GROHE StarLight chrome finish			
	40 628 000	4005176927898	chrome	188.27
	40 628 IG0	4005176927904	chrome/gold	246.74
	Grandera soap dish with holder GROHE StarLight chrome finish			
	40 630 000	4005176927959	chrome	129.44
	40 630 IG0	4005176927966	chrome/gold	171.16
	Grandera Towel ring GROHE StarLight chrome finish Ø 205 mm			
	40 629 000	4005176927928	chrome	211.81
	40 629 IG0	4005176927935	chrome/gold	280.11
	Grandera Towel rail 600 mm GROHE StarLight chrome finish			
	40 631 000	4005176927980	chrome	61.18
	40 631 IG0	4005176927997	chrome/gold	80.94
	Grandera Robe hook GROHE StarLight chrome finish			

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 633 000	4005176928048	chrome	143.56
	40 633 IGO	4005176928055	chrome/gold	186.72
	Grandera Bath grip length 385 mm GROHE StarLight chrome finish			
	40 625 000	4005176927706	chrome	160.03
	40 625 IGO	4005176927713	chrome/gold	211.91
	Grandera Toilet roll holder GROHE StarLight chrome finish			
	40 632 000	4005176928017	chrome	223.58
	40 632 IGO	4005176928024	chrome/gold	295.57
	Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish			

GROHE QUADRA



GROHE
SilkMove®



GROHE
StarLight®























GROHE
EcoJoy™

















GROHE
QuickFix®






GROHE QUADRA

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 632 000	4005176845918	chrome	196.61
		Quadra Basin mixer 1/2" XS-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		32 631 00E	4005176866845	chrome	214.78
		Quadra Basin mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		32 631 000	4005176845901	chrome	210.82
		ditto, with non-restricted flow			
		23 105 00L	4005176917059	chrome	213.99
		Quadra Basin mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish rapid installation system mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar			
		23 441 000	4005176998645	chrome	237.99
		Quadra Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 297 000	4005176922718	chrome	249.39
		Quadra Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses covered lever fixing			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 404 000	4005176941634	chrome	242.99
<p>Quadra Basin mixer 1/2" XL-Size monobloc installation for free-standing basins metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	19 479 000	4005176852152	chrome	240.25
<p>Quadra 2-hole basin mixer S-Size wall or deck mounted set for final installation for 32 635 000 without concealed body with metal plate GROHE StarLight chrome finish mousseur centre distance 110 mm projection 153 mm</p>				
 	32 635 000	4005176845949		222.01
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>				
 	20 306 000	4005176896491	chrome	317.41
<p>Quadra Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	32 636 000	4005176845956	chrome	202.19
<p>Quadra Bidet mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE QUADRA











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 637 000	4005176845963	chrome	202.19
<p>Quadra Single-lever shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>				
 	32 638 000	4005176845970	chrome	259.09
<p>Quadra Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>				
 	32 639 000	4005176845987	chrome	315.10
<p>Quadra Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions, protected against backflow with shower set hand shower (28 034 000), wall shower holder shower hose 1500 mm (28 151 000)</p>				
 	19 455 000	4005176845994	chrome	171.19
<p>Quadra Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered coupling</p>				
 	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 456 000	4005176846007	chrome	185.53
<p>Quadra Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealings metal escutcheon covered coupling</p>				
 	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 579 000	4005176889813	chrome	716.26
	<p>Quadra 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing OHM operating element diverter bath/shower hand shower Sena (28 341 000) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow without baseframe</p>			
	29 037 000	4005176865749		699.31
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			
	115 221	4005176910081	chrome	31.21
	<p>Click Waste 1 1/4" for basins mixers without Pop Up Waste removable cover</p>			

GROHE LINEARE













GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 109 000	4005176820687	chrome	207.75
	<p>Lineare Basin mixer 1/2" XS-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 114 00L	4005176890673	chrome	218.45
	<p>Basin mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p>			
	23 106 000	4005176894329	chrome	203.29
	<p>Lineare Basin mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish rapid installation system mousseur smooth body flexible connection hoses</p>			
	23 443 000	4005176998676	chrome	226.09
	<p>Lineare Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 296 000	4005176922701	chrome	277.39
	<p>Lineare Single-lever basin mixer 1/2" L-Size monobloc installation covered lever fixing 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish flow limiter 5 l/min. rapid installation system cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 405 000	4005176941641	chrome	267.61
<p>Lineare Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	19 409 000	4005176876936	chrome	256.78
<p>Lineare 2-hole basin mixer S-Size wall or deck mounted set for final installation for 32 635 000 without concealed body with metal plate GROHE StarLight chrome finish integrated mousseur centre distance 110 mm projection 153 mm</p>				
 	32 635 000	4005176845949		222.01
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>				
 	20 304 000	4005176896453	chrome	323.76
<p>Lineare Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	33 848 000	4005176820717	chrome	222.82
<p>Lineare Bidet mixer 1/2" S-Size monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 849 000	4005176820724	chrome	283.74
<p>Lineare Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valves in the shower outlet 1/2", covered S-unions protected against backflow optional temperature limiter ref. no. 46 505 000 without shower set</p>				
 	33 850 000	4005176820731	chrome	327.22
<p>Lineare Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter ref. no. 46 505 000 with shower set hand shower (28 034 000) wall shower holder (28 622 000)</p>				
 	19 296 000	4005176820755	chrome	171.19
<p>Lineare Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish metal escutcheon covered coupling</p>				
				89.43
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 297 000	4005176820762	chrome	181.89
<p>Lineare Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower metal escutcheon covered coupling</p>				
				89.43
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	25 113 000	4005176881862	chrome	372.87
<p>Lineare Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valves in the shower outlet 1/2" recommended pressure 0.2-5.0 bar GROHE StarLight chrome finish</p>				


GROHE LINEARE

Ref. No. EAN code Colour Retail Guide Price (£)




25 104 000 4005176881794 chrome 348.26

Lineare
Two-handed Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish



19 577 000 4005176889790 chrome 868.11

Lineare
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
OHM operating element
diverter bath/shower
hand shower Sena (28 341 000)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
without baseframe



29 037 000 4005176865749 699.31

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water



115 221 4005176910081 chrome 31.21

Click Waste
1 1/4"
for basins mixers without Pop Up Waste
removable cover

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUROCUBE JOY



GROHE
SilkMove®



GROHE
StarLight®













GROHE
EcoJoy™













GROHE
QuickFix®




GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>NEW</p>  	23 654 000	4005176342080	chrome	254.47
<p>Eurocube Joy Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4\" flexible connection hoses</p>				
<p>NEW</p>  	23 656 000	4005176342103	chrome	240.85
<p>Eurocube Joy Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
<p>NEW</p>  	23 657 000	4005176342110	chrome	213.18
<p>Eurocube Joy Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4\" flexible connection hoses</p>				
<p>NEW</p>  	23 658 000	4005176342127	chrome	197.73
<p>Eurocube Joy Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
<p>NEW</p>  	23 661 000	4005176342158	chrome	325.57
<p>Eurocube Joy Basin mixer 1/2\" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				

GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
NEW	19 997 000	4005176342189	chrome	258.87	
 	<p>Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm</p>	19 998 000	4005176342196	chrome	266.72
	23 429 000	4005176993695		256.98	
 	<p>Eurocube Joy Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device</p>				
NEW	23 664 000	4005176342202	chrome	282.48	
 	<p>Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
NEW	23 665 000	4005176342219	chrome	360.42	
 	<p>Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow</p>				
NEW	23 666 000	4005176342226	chrome	444.27	
 	<p>Eurocube Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>				

GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 898 000	4005176901300	chrome	160.49
	<p>Eurocube Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>			
	19 896 000	4005176901201	chrome	171.19
	<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>			
	23 667 000	4005176342233	chrome	1,611.83
	<p>Eurocube Joy Single-lever bath/shower mixer 1/2" floor-mounted set for final installation for 45 984 001 without roughing-in-set GROHE FeatherControl Joystick cartridge GROHE StarLight finish automatic diverter: bath/shower spout with mousseur integrated non-return valve in the shower outlet 1/2" with shower holder Euphoria Cube hand shower 7.6 l/min Silverflex shower hose 1250 mm (28 362 000) protected against backflow</p>			

NEW

GROHE EUROCUBE



GROHE
SilkMove®











GROHE
SilkMove® ES

GROHE
StarLight®

GROHE
EcoJoy™











GROHE
QuickFix®

GROHE EUROCUBE











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 137 000	4005176901096	chrome	139.09
<p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	4005176901591	chrome	189.02
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 127 000	4005176900341	chrome	189.02
ditto, with non-restricted flow				
 	23 132 00E	4005176906725	chrome	181.89
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
	23 132 000	4005176900990	chrome	181.89
ditto, with non-restricted flow				
 	23 390 00E	4005176938436	chrome	192.80
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 392 00E	4005176938450	chrome	181.89
Ditto, smooth body				
 	23 445 000	4005176998706	chrome	203.99
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE EUROCUBE











BATH FITTINGS THERMOSTATS CONCEALED SOLUTIONS SHOWERS KITCHEN FITTINGS KITCHEN FITTINGS COMMERCIAL FITTINGS SHOWER TOILET INSTALLATION SYSTEMS FLUSHING SYSTEMS ACTUATIONS CONNECTION AND SECURITY TECHNOLOGY SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 446 000	4005176998720	chrome	197.67
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	23 135 00E	4005176906732	chrome	216.43
<p>Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 135 000	4005176901027	chrome	243.41
<p>ditto, with non-restricted flow</p>				
 	23 406 000	4005176941658	chrome	254.99
<p>Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	20 351 000	4005176901041	chrome	296.91
<p>Eurocube Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix Plus installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
 	19 895 000	4005176901072	chrome	203.29
<p>Eurocube 2-hole basin mixer S-Size wall or deck mounted set for final installation for without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>				
	23 447 000	4005176998737	chrome	220.31
<p>Ditto, projection 231 mm</p>				












GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 200 000	4005176908354		222.01
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			
	23 138 000	4005176901133	chrome	189.02
	<p>Eurocube Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 145 000	4005176901270	chrome	226.45
	<p>Eurocube Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>			
	23 140 000	4005176901157	chrome	243.41
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>			
	23 141 000	4005176901164	chrome	286.21
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) with shower set Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)</p>			







GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 898 000	4005176901300	chrome	160.49
<p>Eurocube Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 896 000	4005176901201	chrome	171.19
<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	25 137 000	4005176906770	chrome	289.94
<p>Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	25 136 000	4005176906763	chrome	249.52
<p>Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	19 897 000	4005176901263	chrome	847.04
<p>Eurocube 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing OHM operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube (27 699 000) 9.5 l/min. metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000</p>				

GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 037 000	4005176865749		699.31
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
	45 984 001	4005176992056	chrome	447.59
	Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug acoustic isolation mat gasket fixing material			
	13 303 000	4005176906350	chrome	106.46
	Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm			
	13 304 000	4005176906367	chrome	119.68
	Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm			
	19 910 000	4005176987014	chrome	53.32
	Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE StarLight chrome finish			
	29 800 000	4005176504839		26.21
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000	4005176504853		43.66
	29 805 000	4005176504884		79.17
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	ditto, 1", pre-assembled headpart 1", thread union 1"			











GROHE EUROCUBE











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 811 000	4005176062711		45.11
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	22 012 000	4005176906343	chrome	38.70
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	22 013 000	4005176909689	chrome	42.89
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				

GROHE EUROPLUS












GROHE EUROPLUS


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 156 002	4005176865930	chrome	178.32
		<p>Europlus Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system adjustable mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
		32 612 002	4005176865886	chrome	189.02
		<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
		33 163 20L	4005176917073	chrome	163.53
		<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p>			
		33 155 002	4005176865947	chrome	271.05
		<p>Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish rapid installation system pull out spout with mousseur integrated non-return valve pop-up waste set 1 1/4" flexible connection hoses</p>			
		32 618 002	4005176866029	chrome	265.73
		<p>Europlus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 241 002	4005176865954	chrome	185.32
	<p>Europlus Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	20 301 000	4005176896422	chrome	270.02
	<p>Europlus Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	33 577 002	4005176866074	chrome	192.31
	<p>Europlus Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow</p>			
	33 553 002	4005176865978	chrome	217.56
	<p>Europlus Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower SpeedClean mousseur integrated non-return valve in the shower outlet 1/2" S-unions, protected against backflow</p>			
	33 547 002	4005176866081	chrome	281.75
	<p>Europlus Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower SpeedClean mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow with shower set hand shower euphoria 110 Champagne (27 222 000) wall shower holder (28 622 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>			

GROHE EUROPLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 537 002	4005176868412	chrome	149.79
<p>Europlus Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 536 002	4005176866067	chrome	160.49
<p>Europlus Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	25 133 002	4005176905254	chrome	275.25
<p>Europlus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	25 132 002	4005176905247	chrome	240.65
<p>Europlus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
	115 221	4005176910081	chrome	31.21
<p>Click Waste 1 1/4" for basins mixers without Pop Up Waste removable cover</p>				

Ref. No.	EAN code	Colour	Retail Guide Price (£)
19 025 000	4005176209154	chrome	47.46



Talento
Waste and overflow set for baths
 set for final installation
 escutcheon
 waste plug
 fixing set
 in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

GROHE ESSENCE



GROHE
SilkMove®



GROHE
SilkMove® ES



GROHE
StarLight®













GROHE
EcoJoy™




GROHE
QuickFix®

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>NEW</p>  	23 589 001	4005176339172	chrome	180.22
<p>NEW</p>  	23 590 001	4005176339189	chrome	167.00
<p>NEW</p>  	23 591 001	4005176339196	chrome	181.35
 	32 898 001	4005176306860	chrome	159.27
 	34 294 001	4005176306877	chrome	144.58


GROHE ESSENCE

Ref. No. EAN code Colour Retail Guide Price (£)




23 379 001 4005176306891 chrome 159.27

Essence New Basin mixer 1/2" S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 462 001 4005176306907 chrome 174.27

Essence New Basin mixer 1/2" M-Size
monobloc installation
metal lever
28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses











23 463 001 4005176306914 chrome 159.58











Essence New Basin mixer 1/2" M-Size
monobloc installation
metal lever
28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses













32 628 001 4005176306983 chrome 204.27

Essence New Single-lever basin mixer 1/2" L-Size
monobloc installation
metal lever
28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 541 001	4005176313912	chrome	193.37
<p>Essence New Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>				
 	32 901 001	4005176306969	chrome	257.13
<p>Essence New Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>				
 	20 296 001	4005176307072	chrome	279.30
<p>Essence New Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
 	20 299 001	4005176307096	chrome	299.30
<p>Essence New 3-hole basin mixer L-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 408 001	4005176307133	chrome	210.00
<p>Essence New 2-hole basin mixer M-Size wall or deck mounted set for final installation for 32 635 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm</p>				
	19 967 001	4005176307140	chrome	230.00
<p>ditto, projection 230 mm</p>				
 	32 635 000	4005176845949		222.01
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>				
 	32 935 001	4005176307171	chrome	162.46
<p>Essence New Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 636 001	4005176307287	chrome	212.41
<p>Essence New Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow</p>				
 	33 624 001	4005176990786	chrome	233.39
<p>Essence New Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow</p>				

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 628 001	4005176990793	chrome	264.86
<p>Essence New Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow with shower set consisting of: hand shower Euphoria Cosmopolitan Stick (27 400 000) 9.5 l/min. wall shower holder Tempesta Neu 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364 000)</p>				
 	19 286 001	4005176307294	chrome	139.00
<p>Essence New Single-lever shower mixer trim set for final installation for 35 501 000 33 962 000 33 964 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
 	19 285 001	4005176307225	chrome	149.00
<p>Essence New Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
 	25 173 001	4005176307256	chrome	278.32
<p>Essence New Bath/Shower M. deck mounted metal lever GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve shower outlet 1/2" min. recommended pressure 0.2 - 5.0 bar</p>				
 	25 172 001	4005176307249	chrome	224.99
<p>Essence New Bath filler deck mounted metal lever GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter min. recommended pressure 0.2 - 5.0 bar</p>				


Ref. No. EAN code Colour Retail Guide Price (£)

19 578 001 4005176307195 chrome 737.77




Essence New
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish pre-assembled spout fixing
 OHM operating element metal lever
 bath inlet with mousseur diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000

19 976 001 4005176307218 chrome 570.00




Essence New
3-hole single-lever bath combination
 Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish OHM operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991

29 037 000 4005176865749 699.31




4/5-hole bath combination (optional) baseframe for installation under tiled surround
 base frame
 drainage box with integrated outlet for splash water

23 491 001 4005176307263 chrome 1,122.00




Essence New
Single-lever bath/shower mixer 1/2"
 floor-mounted set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 277mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min Silverflex shower hose 1250 mm (28 362 000) protected against backflow

45 984 001 4005176992056 chrome 447.59



Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug acoustic isolation mat gasket fixing material

GROHE ESSENCE

Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	115 221	4005176910081	chrome	31.21
Click Waste 1 1/4" for basins mixers without Pop Up Waste removable cover				

GROHE EURODISC JOY



GROHE
SilkMove®

GROHE
StarLight®

GROHE
EcoJoy™

GROHE
QuickFix®

GROHE
FeatherControl

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EURODISC JOY


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		23 425 000	4005176993596	chrome	237.49
		23 425 LS0	4005176993602	moon white	277.08
<p>Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 427 000	4005176993619	chrome	240.82
		23 427 LS0	4005176993626	moon white	311.90
<p>Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 428 000	4005176993633	chrome	314.49
		23 428 LS0	4005176993640	moon white	374.91
<p>Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>					
		19 968 000	4005176993657	chrome	245.40
		19 968 LS0	4005176993664	moon white	299.19
<p>Eurodisc Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm</p>					
		19 969 000	4005176993671	chrome	261.24
		19 969 LS0	4005176993688	moon white	324.99
<p>Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 230 mm</p>					

GROHE EURODISC JOY

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES


Ref. No. EAN code Colour Retail Guide Price (£)

23 429 000 4005176993695 256.98




Eurocube Joy
Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device

24 036 000 4005176993701 **chrome** 237.49
24 036 LS0 4005176993718 **moon white** 297.49




Eurodisc Joy
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 430 000 4005176993725 **chrome** 224.99
23 430 LS0 4005176993732 **moon white** 289.73




Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
protected against backflow

23 431 000 4005176993749 **chrome** 288.41
23 431 LS0 4005176993756 **moon white** 393.66



Eurodisc Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow

19 549 002 4005176887758 **chrome** 140.87
19 549 LS2 4005176998942 **moon white** 182.64




Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
35 501 000, **without concealed body**
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000 4005176833847 89.43
GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE EURODISC JOY

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



19 548 002	4005176887840	chrome	159.24
19 548 LS2	4005176998959	moon white	193.09

Eurodisc Cosmopolitan
Single-lever bath/shower mixer trim


set for final installation for
35 501 000

without concealed body

metal lever

GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000	4005176833847		89.43
GROHE Rapido E Universal single-lever mixer for concealed installation			



47 780 000	4005176836541		131.06
------------	---------------	--	--------

Extension set 27.5 mm

for Rapido T 35 500 000/35 050 000

for use with central and shower-thermostats with shut-off valve

47 781 000	4005176836558		146.53
ditto, for use with bath-thermostats with aquadimmer			

GROHE EURODISC COSMOPOLITAN



GROHE
SilkMove®



GROHE
StarLight®











GROHE
EcoJoy™











GROHE
QuickFix®











GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 051 002	4005176887567	chrome	100.95
<p>Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 049 002	4005176887536	chrome	167.80
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 190 20E	4005176887482	chrome	167.80
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 469 20E	4005176908835	chrome	152.83
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>				











GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 469 20L	4005176917110	chrome	152.83
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE QuickFix Plus installation system with centering support GROHE StarLight chrome finish mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	23 448 002	4005176998744	chrome	181.90
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish adjustable minimum flow rate 2.5 l/min GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 449 002	4005176998768	chrome	171.70
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system smooth body flexible connection hoses			
	23 054 002	4005176887642	chrome	217.66
	Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			

GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 432 000	4005176993763	chrome	265.98
<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	23 055 002	4005176887680	chrome	277.38
<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	19 573 002	4005176887659	chrome	217.49
<p>Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall or deck mounted set for final installation for 32 635 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide NEW centre distance 110 mm projection 170 mm</p>				
	19 974 002	4005176305948	chrome	258.32
<p>ditto, projection 225 mm</p>				
 	32 635 000	4005176845949		222.01
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>				
 	33 244 002	4005176888779	chrome	164.51
<p>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				

GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 569 002	4005176887734	chrome	181.82
<p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 390 002	4005176887796	chrome	206.86
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	19 549 002 19 549 LS2	4005176887758 4005176998942	chrome moon white	140.87 182.64
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000, without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
				35 501 000 4005176833847 89.43
GROHE Rapido E Universal single-lever mixer for concealed installation				
 	19 548 002 19 548 LS2	4005176887840 4005176998959	chrome moon white	159.24 193.09
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
				35 501 000 4005176833847 89.43
GROHE Rapido E Universal single-lever mixer for concealed installation				
 	13 278 002	4005176887871	chrome	115.39
<p>Eurodisc Cosmopolitan Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				

GROHE EURODISC COSMOPOLITAN

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



115 221	4005176910081	chrome	31.21
---------	---------------	--------	-------

Click Waste
1 1/4"
for basins mixers without Pop Up Waste
removable cover

GROHE CONCETTO



GROHE
SilkMove®



GROHE
SilkMove® ES



GROHE
StarLight®













GROHE
EcoJoy™













GROHE
QuickFix®

GROHE CONCETTO











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 204 10E	4005176887345	chrome	126.96
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	32 202 10L	4005176903960	chrome	126.96
	Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
	32 240 10E	4005176906794	chrome	110.89
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses			
	32 240 10L	4005176903977	chrome	115.19
	Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 380 10E	4005176938245	chrome	129.50
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			











GROHE CONCETTO

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 450 001	4005176998775	chrome	140.44
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 451 001	4005176998799	chrome	127.50
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	32 629 001	4005176888847	chrome	169.94
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	20 216 001	4005176888373	chrome	234.50
	<p>Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	19 575 001	4005176888366	chrome	181.00
	<p>Concetto 2-hole basin mixer S-Size wall or deck mounted set for final installation for 32 635 000 without concealed body metal escutcheon GROHE StarLight chrome finish centre distance 110 mm projection 147 mm</p>			


GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 635 000	4005176845949		222.01
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device</p>			
	32 208 001	4005176888908	chrome	129.50
	<p>Concetto Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 210 001	4005176888939	chrome	143.33
	<p>Concetto Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109</p>			
	18 391 001	4005176888533	chrome	42.30
	<p>Concetto Plastic tray for 32 210 001</p>			
	32 701 001	4005176889042	chrome	169.52
	<p>Concetto Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 211 001	4005176889028	chrome	162.90
<p>Concetto Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	32 212 001	4005176889035	chrome	191.79
<p>Concetto Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set consisting of: Euphoria Cosmopolitan hand shower (27 400 000) wall shower holder (27 056 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>				
 	19 345 001	4005176888953	chrome	126.74
<p>Concetto Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
				89.43
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 346 001	4005176889080	chrome	137.76
<p>Concetto Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling</p>				
				89.43
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	25 102 000	4005176881671	chrome	229.50
<p>Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2-5.0 bar</p>				


GROHE CONCETTO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




25 109 000	4005176881848	chrome	247.85
------------	---------------	--------	--------

Concetto
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 metal handles
 Longlife headpart 3/4"
 automatic diverter: bath/shower
 integrated non-return valve
 in the shower outlet 1/2"
GROHE StarLight chrome finish




19 576 001	4005176888625	chrome	590.24
------------	---------------	--------	--------

Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 pre-assembled spout fixing
 OHM operating element
 diverter bath/shower
 Euphoria Cosmopolitan hand shower (27 400 000)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000



29 037 000	4005176865749		699.31
------------	---------------	--	--------

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water



13 280 001	4005176888687	chrome	89.16
------------	---------------	--------	-------

Concetto
Bath spout
 wall or deck mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN



GROHE
SilkMove®



GROHE
SilkMove® ES



GROHE
StarLight®













GROHE
EcoJoy™



GROHE
QuickFix®

GROHE EUROSTYLE COSMOPOLITAN


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		23 039 002	4005176886881	chrome	88.27
<p>Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish mousseur</p>					
		23 037 002	4005176886355	chrome	136.35
<p>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 387 20E	4005176938382	chrome	136.35
<p>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		33 552 20E	4005176886300	chrome	138.62
<p>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109</p>					
		32 468 20E	4005176906886	chrome	127.92
<p>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>					

GROHE EUROSTYLE COSMOPOLITAN

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES


Ref. No. EAN code Colour Retail Guide Price (£)

32 468 20L 4005176917097 chrome 127.92




Eurostyle Cosmopolitan Basin mixer 1/2" S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur, smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)

23 043 002 4005176886966 chrome 185.32




Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

20 208 002 4005176886980 chrome 249.13




Eurostyle Cosmopolitan 3-hole basin mixer S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

19 571 002 4005176886973 chrome 199.72













Eurostyle Cosmopolitan 2-hole basin mixer S-Size
wall or deck mounted
without concealed body
set for final installation for 32 635 000
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 150 mm
projection 171 mm

32 635 000 4005176845949 222.01













Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
installation depth 45 to 75 mm
DR-brass
installation device

GROHE EUROSTYLE COSMOPOLITAN


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 565 002	4005176887000	chrome	138.62
<p>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	33 590 002	4005176887048	chrome	157.35
<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 591 002	4005176887123	chrome	176.23
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 592 002	4005176887147	chrome	214.78
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set hand shower New Tempesta Cosmopolitan 100, 2 sprays, 9.5 l/min wall shower holder (27 056 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>				
 	19 507 002	4005176887079	chrome	123.59
<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 506 002	4005176887185	chrome	134.82
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	25 100 002	4005176887215	chrome	233.22
<p>Eurostyle Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	25 107 002	4005176887222	chrome	343.27
<p>Eurostyle Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	23 048 002	4005176887178	chrome	643.74
<p>Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing, OHM operating element diverter bath/shower Euphoria Cosmopolitan hand shower (27 400 000) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>				
 	29 037 000	4005176865749		699.31
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.	EAN code	Colour	Retail Guide Price (£)
13 276 002	4005176887246	chrome	85.30



Eurostyle Cosmopolitan
Bath spout
wall or deck mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

GROHE EUROSTYLE



GROHE
SilkMove®



GROHE
SilkMove® ES



GROHE
StarLight®













GROHE
EcoJoy™













GROHE
QuickFix®











GROHE EUROSTYLE

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 558 003	4005176334139	chrome	135.55
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 707 003 23 707 LS3	4005176364778 4005176364785	chrome moon white	129.78 236.82
Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 374 003 23 374 LS3	4005176334153 4005176334450	chrome moon white	136.17 160.68
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 709 003 23 709 LS3	4005176365003 4005176365010	chrome moon white	129.78 153.15
Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses					
		33 561 003	4005176334160	chrome	136.17
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses					

GROHE EUROSTYLE


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		23 565 30L	4005176333620	chrome	136.17
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar</p>					
		23 712 30L	4005176365034	chrome	129.78
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar</p>					
		32 468 003	4005176334207	chrome	121.65
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>					
		23 567 003	4005176334214	chrome	121.65
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>					
		23 717 30L	4005176365089	chrome	115.95
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar</p>					

GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 569 003	4005176334238	chrome	248.87
	23 569 LS3	4005176334467	moon white	286.20
	<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 718 003	4005176365096	chrome	226.25
	23 718 LS3	4005176365102	moon white	266.97
	<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 570 003	4005176334245	chrome	241.50
	23 570 LS3	4005176334474	moon white	284.97
	<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 719 003	4005176365119	chrome	230.00
	23 719 LS3	4005176365126	moon white	271.40
	<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	19 571 003	4005176334269	chrome	231.68
	19 571 LS3	4005176334498	moon white	273.37
	<p>Eurostyle 2-hole basin mixer M-Size wall or deck mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>			


GROHE EUROSTYLE

Ref. No. EAN code Colour Retail Guide Price (£)




23 720 003 4005176365157 chrome 129.78
23 720 LS3 4005176365164 moon white 153.15

Eurostyle Bidet mixer 1/2" S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses





33 590 003 4005176334306 chrome 183.46
33 590 LS3 4005176334511 moon white 216.48

Eurostyle Single-lever shower mixer 1/2"
wall or deck mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




23 722 003 4005176365188 chrome 174.86
23 722 LS3 4005176365195 moon white 206.33

Eurostyle Single-lever shower mixer 1/2"
wall or deck mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow



33 591 003 4005176334351 chrome 175.91
33 591 LS3 4005176334535 moon white 207.57








Eurostyle Single-lever bath/shower mixer 1/2"
wall or deck mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




23 726 003 4005176365256 chrome 167.53
23 726 LS3 4005176365263 moon white 197.69

Eurostyle Single-lever bath/shower mixer 1/2"
wall or deck mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow
metal wall escutcheon

GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 507 003	4005176334337	chrome	51.50
	19 506 LS3	4005176334528	moon white	86.85
	Eurostyle Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon			89.43
	35 501 000	4005176833847		89.43
	GROHE Rapido E Universal single-lever mixer for concealed installation			
	29 098 003	4005176365225	chrome	114.78
	Eurostyle Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon			89.43
	35 501 000	4005176833847		89.43
	GROHE Rapido E Universal single-lever mixer for concealed installation			
	23 725 003	4005176365249	chrome	120.26
	Eurostyle Single-lever shower mixer 1/2" wall installation consisting of: set for final installation (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixing optional temperature limiter (46 308 000)			120.26
	19 506 003	4005176334399	chrome	130.92
	19 506 LS3	4005176334542	moon white	154.48
	Eurostyle Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon			89.43
	35 501 000	4005176833847		89.43
	GROHE Rapido E Universal single-lever mixer for concealed installation			


Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 099 003	4005176365300	chrome	106.67
29 099 LS3	4005176365317	moon white	138.67



Eurostyle
Single-lever bath/shower mixer trim
 set for final installation for
 35 501 000
 33 961 000
 33 963 000
without concealed body
 solid metal lever
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal wall escutcheons

35 501 000	4005176833847		89.43
GROHE Rapido E Universal single-lever mixer for concealed installation			

23 730 003	4005176365324	chrome	128.75
------------	---------------	--------	--------



Eurostyle
Single-lever bath/shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 consisting of:
 set for final installation
 (19 506 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 solid metal lever
 optional temperature limiter (46 308 000)
 metal wall escutcheons

GROHE EUROSMART COSMOPOLITAN



GROHE
SilkMove®



GROHE
StarLight®













GROHE
EcoJoy™













GROHE
QuickFix®











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 825 00L	4005176917028	chrome	116.26
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			
	32 824 00L	4005176917035	chrome	104.32
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			
	23 325 000	4005176933974	chrome	130.77
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	23 327 000	4005176934094	chrome	107.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>			
	32 830 000	4005176874666	chrome	183.76
	<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			







GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 187 000	4005176874680	chrome	197.47
	Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling			
	19 381 000	4005176874673	chrome	169.94
	Eurosmart Cosmopolitan 2-hole basin mixer S-Size wall or deck mounted without concealed body set for final installation for 32 635 000 metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm			
	32 635 000	4005176845949		222.01
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge installation depth 45 to 75 mm DR-brass installation device			
	32 839 000	4005176874802	chrome	102.58
	Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE QuickFix installation system with centering support GROHE StarLight chrome finish ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	32 837 000	4005176874772	chrome	131.07
	Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow			

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	18 349 000	4005176874796		25.88
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>				
 	32 831 000	4005176874703	chrome	152.95
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	32 832 000	4005176874710	chrome	182.16
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367 000) wall shower holder (27 056 000) Relaxflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>				
 	25 128 000	4005176905209	chrome	241.53
<p>Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				
 	25 129 000	4005176905216	chrome	261.01
<p>Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 383 000	4005176874765	chrome	100.17
<p>Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 382 000	4005176874697	chrome	111.41
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	13 261 000	4005176877384	chrome	78.15
<p>Eurosmart Cosmopolitan Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				

GROHE EUROSMART



GROHE
SilkMove®











GROHE
SilkMove® ES

GROHE
StarLight®











GROHE
EcoJoy™









GROHE
QuickFix®






GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 265 002	4005176861543	chrome	106.38
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	33 265 20L	4005176304729	chrome	106.38
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar			
	33 188 002	4005176862052	chrome	99.16
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses			
	32 467 002	4005176862069	chrome	72.91
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish with temperature limiter GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	32 467 20L	4005176304736	chrome	95.04
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar			

GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 926 002	4005176861567	chrome	114.22
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 322 001	4005176934506	chrome	111.94
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 323 001	4005176934513	chrome	110.31
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses</p>			
	23 324 001	4005176934520	chrome	100.81
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 537 002	4005176312212	chrome	185.45
	<p>Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses</p>			













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 929 002	4005176862366	chrome	106.38
	Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 412 002	4005176862205	chrome	154.30
	Eurosmart Single-lever bath/shower mixer 1/2" monobloc installation metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow			
	33 300 002	4005176862182	chrome	154.30
	Eurosmart Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow			
	33 302 002	4005176862199	chrome	180.74
	Eurosmart Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set consisting of: hand shower New Tempesta 100, 1 spray, 9.5 l/min (27 923 000) wall shower holder (28 605 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 098 000	4005176881633	chrome	222.64
<p>Eurosmart Bath filler deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter</p>				
 	25 105 000	4005176881800	chrome	237.98
<p>Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2"</p>				
 	19 451 002	4005176862335	chrome	94.08
<p>Eurosmart Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>				
<p>35 501 000 4005176833847 89.43 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 450 002	4005176862229	chrome	102.28
<p>Eurosmart Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>				
<p>35 501 000 4005176833847 89.43 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	29 708 000	4005176102653		256.46
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				

GROHE BAUEDGE



GROHE BAUEDGE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 421 000	4005176934353	chrome	49.22
<p>BauEdge Basin tap 1/2" monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min mousseur</p>				
 	20 421 00M	4005176986932	chrome	133.75
<p>BauEdge Basin tap 1/2" metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow mousseur 2 pieces</p>				
 	23 330 000	4005176934278	chrome	61.56
<p>BauEdge Basin mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system mousseur smooth body flexible connection hoses</p>				
 	23 356 000	4005176934131	chrome	66.73
<p>BauEdge Basin mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 333 000	4005176934308	chrome	86.05
<p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon optional temperature limiter (46 308 000)</p>				
 	23 334 000	4005176934322	chrome	110.53
<p>BauEdge Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon optional temperature limiter (46 308 000)</p>				


GROHE TALENTOFILL



GROHE TALENTOFILL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 952 000	4005176174230	chrome	172.44
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	28 990 000	4005176174025		164.05
<p>Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend</p>				
 	28 991 000	4005176174032		186.14
<p>Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set</p>				
	29 007 000	4005176837678		138.65
<p>Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofill 28 990 000 or 28 991 000</p>				
	29 008 000	4005176837685		69.18
<p>Safety combination (EN 1717) for Rapido E 35 501 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary</p>				
 	19 025 000	4005176209154	chrome	47.46
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



28 939 000	4005176209161		83.29
------------	---------------	--	-------

Talento
Pop-up bath waste and overflow
 set for normal bath
 and deep shower trays
 with bowden cable
 bottle trap
 45° waste elbow















28 943 000	4005176209178		100.30
------------	---------------	--	--------

Talento
Pop-up bath waste and overflow
 with shower tray
 with bowden cable
 bottle trap
 45° waste elbow













GROHE ESSENTIALS




GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 369 001	4005176326196	chrome	26.83
<p>Essentials Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	chrome	23.07
<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219	chrome	6.47
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000)</p>				
 	40 372 001	4005176326226	chrome	7.38
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000)</p>				
 	40 448 001	4005176328343	chrome	45.32
<p>Essentials Soap dispenser with holder material: glass / metal consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 444 001	4005176328336	chrome	28.62
<p>Essentials Soap dish with holder material: glass / metal consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>				













GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 447 001	4005176328701	chrome	28.38
<p>Essentials Crystal glass with holder material: glass / metal consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 365 001	4005176326240	chrome	32.02
<p>Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 371 001	4005176326318	chrome	53.25
<p>Essentials Towel bar material: metal 2 arms, pivotable 449 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 688 001	4005176326288	chrome	47.52
<p>Essentials Towel rail material: metal 450 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 366 001	4005176326264	chrome	50.37
<p>Essentials Towel rail material: metal 600 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 386 001	4005176326301	chrome	59.40
<p>Essentials Towel rail material: metal 800 mm concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 802 001	4005176328107	chrome	82.93
<p>Essentials Double towel rail material: metal 600 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 800 001	4005176327988	chrome	168.65
<p>Essentials Multi bath towel rack material: metal 550 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 364 001	4005176326332	chrome	16.47
<p>Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 421 001	4005176326325	chrome	54.08
<p>Essentials Grip bar material: metal 295 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 793 001	4005176327599	chrome	81.68
<p>Essentials Grip bar material: metal 450 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 794 001	4005176327605	chrome	91.05
<p>Essentials Grip bar material: metal 600 mm concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 797 001	4005176327636	chrome	241.80
<p>Essentials Grip bar material: metal 940 x 680 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 799 001	4005176327971	chrome	58.43
<p>Essentials Glass shelf material: glass / metal concealed fastening 380 mm GROHE StarLight chrome finish</p>				
 	40 689 001	4005176326363	chrome	30.73
<p>Essentials Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 367 001	4005176326387	chrome	36.83
<p>Essentials Toilet roll holder material: metal with cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 385 001	4005176326356	chrome	29.90
<p>Essentials Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 374 001	4005176326400	chrome	45.08
<p>Essentials Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				













GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 407 001	4005176328350	chrome	94.30
	<p>Essentials 3-in-1 WC set</p> <p>material: glass / metal consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish</p>			
	40 775 001	4005176328626	chrome	95.53
	<p>Essentials 3-in-1 Guest bathroom accessories set</p> <p>material: metal consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish</p>			
	40 776 001	4005176328633	chrome	124.72
	<p>Essentials 4-in-1 Master bathroom accessories set</p> <p>material: metal consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish</p>			

GROHE ESSENTIALS CUBE




GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 508 001	4005176324413	chrome	32.20
<p>Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	chrome	23.07
<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219	chrome	6.47
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000)</p>				
 	40 372 001	4005176326226	chrome	7.38
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000)</p>				
 	40 756 001	4005176328381	chrome	52.05
<p>Essentials Cube Soap dispenser with holder material: glass / metal consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 755 001	4005176328374	chrome	34.72
<p>Essentials Cube Crystal glass with holder material: glass / metal consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

40 754 001	4005176328367	chrome	33.93
------------	---------------	--------	-------




Essentials Cube Soap dish with holder
 material: glass / metal
 consisting of:
 holder (40 508 001)
 soap dish (40 368 001)
 concealed fastening
GROHE StarLight chrome finish

40 510 001	4005176324420	chrome	44.27
------------	---------------	--------	-------




Essentials Cube Towel ring
 material: metal
 concealed fastening
GROHE StarLight chrome finish

40 624 001	4005176324444	chrome	55.08
------------	---------------	--------	-------




Essentials Cube Towel bar
 material: metal
 2 arms, pivotable
 439 mm
 concealed fastening
GROHE StarLight chrome finish

40 509 001	4005176324437	chrome	64.63
------------	---------------	--------	-------




Essentials Cube Towel rail
 material: metal
 558 mm
 concealed fastening
GROHE StarLight chrome finish

40 512 001	4005176324451	chrome	235.88
------------	---------------	--------	--------















Essentials Cube Multi-towel rack
 material: metal
 558 mm
 concealed fastening
GROHE StarLight chrome finish

40 511 001	4005176324475	chrome	20.55
------------	---------------	--------	-------





Essentials Cube Robe hook
 material: metal
 concealed fastening
GROHE StarLight

GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 514 001	4005176324468	chrome	74.95
<p>Essentials Cube Grip bar material: metal 340 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 507 001	4005176324598	chrome	32.83
<p>Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 623 001	4005176324482	chrome	27.28
<p>Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 513 001	4005176324604	chrome	56.13
<p>Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 757 001	4005176328497	chrome	105.22
<p>Essentials Cube 3-in-1 WC set material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 777 001	4005176328640	chrome	102.23
<p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
40 778 001	4005176328657	chrome	151.63



Essentials Cube
4-in-1 Master bathroom accessories set
 material: metal
 consisting of:
 robe hook (40 511 001)
 towel ring (40 510 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish

GROHTHERM
THERMOSTATS





Contents

Grotherm F	25
Grotherm 3000 Cosmopolitan	26
Grotherm 2000	27
Grotherm Cube	28
Grotherm 1000 Cosmopolitan M	29
Grotherm 1000	30
Grotherm 800	31
Grotherm Micro	32
Avensys	33

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43 ° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 ° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.


Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.



Always the right temperature, for ultimate convenience and safety.


GROHE TurboStat® technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically avoiding the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat®
- with GROHE TurboStat®



The GROHE TurboStat® thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH®




Safety first with 100% GROHE CoolTouch®.


GROHE's CoolTouch® technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




Safety surround = 100% GROHE CoolTouch® No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch®













Thermal image
with GROHE CoolTouch®

GROHE GROHTHERM F




GROHE GROHTHERM F

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 618 000	4005176898280	chrome	570.63
<p>Grotherm F Thermostatic Trim with integrated 2-way diverter for bath or shower with more than one outlet for use with Rapido T rough-in box 35 500 000 / 35 050 000 sold separately GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C metal handle for temperature control metal handle for Aquadimmer control with multiple function - shut off and flow control - diverter for 2 outlets 3rd outlet requires separate volume control rectangular metal wall escutcheon with hidden fixing and hidden seatings</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	27 619 000	4005176898297	chrome	497.52
<p>Grotherm F Thermostatic trim for high-flow, multiple outlet custom shower applications requires separate volume controls for use with Rapido T rough-in box 35 500 000 / 35 050 000 sold separately GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C metal handle for temperature control rectangular metal wall escutcheon with hidden fixing and hidden seatings</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	27 625 000	4005176898358	chrome	485.04
<p>Grotherm F Triple volume control trim for use with rough-in box 35 031 000 (1/2" connections) sold separately GROHE StarLight chrome finish metal handles for volume control metal wall escutcheon with hidden fixing and hidden sealing vertical and horizontal installation</p>				
	35 031 000	4005176908330		309.44
<p>GROHE Rapido C rough-in box for triple volume control</p>				
 	27 623 000	4005176898334	chrome	197.68
<p>Grotherm F Single volume control trim for use with rough-in box 35 028 000 (1/2" connections) sold separately GROHE StarLight chrome finish metal handle for volume control metal wall escutcheon with hidden fixing and hidden sealing</p>				
	35 028 000	4005176908316		111.21
<p>GROHE Rapido C rough-in box for single volume control</p>				
 	27 621 000	4005176898310	chrome	246.88
<p>Grotherm F Wall shower union with integrated shower holder vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation</p>				

Ref. No. EAN code Colour Retail Guide Price (£)

35 034 000 4005176915697 169.41



Grotherm F

Rough-in for wall shower union 27 621

for grid installation of Grotherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 flushing plug
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 1/2" connections
 installation depth 70 - 95 mm

GROHE GROHTHERM 3000 COSMOPOLITAN



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®











GROHE
EcoJoy™



GROHE
QuickFix®











GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 274 000	4005176847905	chrome	386.41
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves, dirt strainers protected against backflow covered S-unions, GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 276 000	4005176847929	chrome	485.04
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 277 000	4005176847936	chrome	474.34
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2", mousseur built-in non return valves, dirt strainers protected against backflow without connection unions</p>				
 	34 275 000	4005176847912	chrome	535.50
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" with shower set Grotherm 3000 Cosmopolitan thermostat shower mixer (34 274 000) Rainshower Cosmopolitan shower set (28 757 000)</p>				












GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 568 000	4005176895371	chrome	383.80
	19 568 LSO	4005176895395	moon white	468.59
	<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 467 000	4005176847974	chrome	297.44
	19 467 LSO	4005176997419	moon white	368.49
	<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 567 000	4005176895340	chrome	425.93
	19 567 LSO	4005176895364	moon white	528.08
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>			
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
	19 962 000	4005176982071	chrome	399.72
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body TMV2 compliant when used with 35 050 000</p>			
35 050 000	4005176982064		228.88	
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 963 000	4005176982187	chrome	335.96
<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet without concealed body set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 469 000	4005176847998	chrome	265.34
<p>Grotherm 3000 Cosmopolitan Trim for thermostatic shower valve set for final installation for 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43°C without concealed body</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	34 408 000	4005176895418	chrome	838.12
<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower 210 consisting of: set for final installation Grotherm 3000 Cosmopolitan with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rainshower shower arm modern (28 576 000) Euphoria Hand shower (27 265 000) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362 000)</p>				
 	34 399 000	4005176895401	chrome	659.79
<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: set for final installation Grotherm 3000 Cosmopolitan with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer Rainshower Cosmopolitan Headshower 160 mm (27 134 000) Rainshower shower arm modern (28 576 000) Shower outlet elbow (28 628 000) Euphoria Hand shower (27 265 000) Silverflex shower hose 1250 mm (28 362 000)</p>				
 	34 278 000	4005176848001	chrome	575.98
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" set for final installation Grotherm 3000 Cosmopolitan (19 464 000) concealed body (34 211 000) Rainshower Cosmopolitan shower set (28 757 000) Rainshower wall union 1/2" (27 057 000)</p>				

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 470 000	4005176848018	chrome	55.81
<p>Grotherm 3000 Cosmopolitan Concealed stop-valve trim GROHE StarLight chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve</p>				
  	29 811 000	4005176062711		45.11
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
  	29 813 000	4005176062735		68.65
<p>Concealed stop valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass</p>				
  	29 800 000	4005176504839		26.21
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
<p>29 802 000 4005176504853 43.66 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
<p>29 805 000 4005176504884 79.17 ditto, 1", pre-assembled headpart 1", thread union 1"</p>				

GROHE GROHTHERM 2000



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®









GROHE
EcoJoy™



GROHE
QuickFix®

GROHE GROHTHERM 2000









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 469 001	4005176926396	chrome	295.03
 	34 446 001	4005176926402	chrome	270.66
 	34 170 001	4005176926471	chrome	255.90

Grotherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch; safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
 temperature scale handle with
GROHE SafeStop safety stop at 38°C
GROHE SafeStop Plus (optional)
 additional temperature limiter at 43° C
 integrated mixed water shut off
GROHE TurboStat compact cartridge
 with wax thermoelement
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray
 removable for easy cleaning
 chrome
GROHE EcoJoy technology for less water and perfect flow









Grotherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch; safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EcoJoy technology for less water and perfect flow
 integrated flow limiter 14 l/min in the shower outlet

Grotherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch; safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus (optional)
 additional temperature limiter at 43° C
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 without connection unions
 chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 2000


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 466 001	4005176926440	chrome	347.73
	<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control shower bottom outlet 1/2" - diverter: bath/shower GROHE XL Waterfall flow strainer built-in non return valves dirt strainers protected against backflow covered S-unions integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>			
	34 484 001	4005176932519	chrome	337.03
	<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow strainer built-in non return valves dirt strainers protected against backflow integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>			
	34 281 001	4005176926501	chrome	435.11
	<p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set consisting of Grotherm 2000 thermostat shower mixer (34 169) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)</p>			
	34 195 001	4005176926631	chrome	339.22
	<p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set consisting of Grotherm 2000 thermostat shower mixer (34 169) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			

GROHE GROHTHERM 2000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 354 001	4005176926563	chrome	232.50
<p>Grotherm 2000 Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 964 000	4005176982194	chrome	251.43
<p>Grotherm 2000 Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower without concealed body TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	34 283 001	4005176926594	chrome	804.24
<p>Grotherm 2000 Perfect shower set with Power&Soul Cosmopolitan 190 consisting of with integrated 2-way diverter (19 355 001) GROHE Rapido T thermostatic mixer Power&Soul Cosmopolitan head shower (27 764 000) shower arm (28 576 000) hand shower Power&Soul Cosmopolitan 115 (27 660 000) wall connection elbow with integrated hand shower Silverflex shower hose 1.500 mm (28 364 000)</p>				
 	19 243 001	4005176926570	chrome	41.09
<p>Grotherm 2000 Concealed stop-valve trim GROHE StarLight chrome finish for concealed valves, 1/2", 3/4" installation depth adjustable 28-80 mm metal escutcheon with wall sealing shut-off valve screwed</p>				

GROHE GROHTHERM 2000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



29 800 000	4005176504839		26.21
------------	---------------	--	-------

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass


29 802 000	4005176504853		43.66
------------	---------------	--	-------

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000	4005176504884		79.17
------------	---------------	--	-------

ditto, 1", pre-assembled headpart 1", thread union 1"

18 608 001	4005176985140	chrome	41.08
------------	---------------	--------	-------



Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning







GROHE StarLight chrome finish
suitable for Grohtherm 2000

- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm











GROHE GROHTHERM CUBE



GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 509 000	4005176941801	chrome	321.44
 	<p>Grotherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>		
34 508 000	4005176941795	chrome	398.43
 	<p>Grotherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow strainer built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EcoJoy technology for less water and perfect flow</p>		
19 959 000	4005176940842	chrome	264.14
 	<p>Grotherm Cube Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with covered escutcheon and shaft sealing. covered fixing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>		
35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			

GROHE GROHTHERM CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 958 000	4005176940835	chrome	287.77
<p>Grotherm Cube Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 wall escutcheon with covered escutcheon and shaft sealing. covered fixing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower without concealed body</p>				
	35 050 000	4005176982064		228.88
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	34 506 000	4005176940804	chrome	1,105.04
<p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Grotherm Cube thermostat with integrated 2-way diverter (19 958 000) GROHE Rapido T thermostatic mixer Rainshower Allure 230 head shower 1 spray (27 479 000) Rainshower shower arm 286 mm (27 709 000) Euphoria Cube wall holder set (27 703 000) Euphoria Cube wall elbow connections (27 704 000)</p>				
 	19 910 000	4005176987014	chrome	53.32
<p>Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE StarLight chrome finish</p>				
 	29 800 000	4005176504839		26.21
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
	29 802 000	4005176504853		43.66
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
	29 805 000	4005176504884		79.17
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				
 	18 700 000	4005176940811	chrome	33.78
<p>GROHE EasyReach tray for Grotherm Cube removable for easy cleaning Da Vinci satin white finish suitable for Grotherm Cube - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p>				

GROHE GROHTHERM 1000 COSMOPOLITAN M



GROHE
StarLight®



GROHE
TurboStat®









GROHE
EcoJoy™











GROHE
DreamSpray®

GROHE GROHTHERM 1000 COSMOPOLITAN M


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 440 002	4005176311048	chrome	209.33
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 268 002	4005176310997	chrome	201.66
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions GROHE EcoJoy technology for less water and perfect flow</p>			
	34 441 002	4005176311031	chrome	254.82
	<p>Grotherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 323 002	4005176311024	chrome	247.15
	<p>Grotherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions GROHE EcoJoy technology for less water and perfect flow</p>			
	34 286 002	4005176311000	chrome	275.33
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			
	34 321 002	4005176311017	chrome	278.65
	<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>			
	34 430 000	4005176917981	chrome	232.71
	<p>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>			

GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



34 437 000	4005176918025	chrome	258.57
------------	---------------	--------	--------

Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4"

with shower set

consisting of:


Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000)

Euphoria Mono shower set (27 256 001) with **GROHE DreamSpray**

recommended pressure 0.1 - 1.0 bar

max. pressure differential 5:1

Euphoria Shower set (27 256 001)



34 448 000	4005176919183	chrome	320.98
------------	---------------	--------	--------

Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4"

GROHE StarLight chrome finish

chromed scale rings

GROHE SafeStop Plus, removable max.

temperature stop at 46° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

shower bottom outlet 1/2"

built-in non return valve

dirt strainers

protected against backflow

without connection unions

recommended pressure 0.1 - 1.0 bar

max. pressure differential 5:1

GROHE GROHTHERM 1000



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®



GROHE
EcoJoy™









GROHE
QuickFix®









GROHE
DreamSpray®





GROHE GROHTHERM 1000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 438 003	4005176309632	chrome	189.74
  <p>Grotherm 1000 New Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
34 146 003	4005176309625	chrome	182.51
  <p>Grotherm 1000 New Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions GROHE EcoJoy technology for less water and perfect flow</p>			
34 439 003	4005176310041	chrome	241.49
  <p>Grotherm 1000 New Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			









GROHE GROHTHERM 1000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 156 003	4005176310034	chrome	248.04
	<p>Grotherm 1000 New Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 557 000	4005176310003	chrome	224.33
	<p>Grotherm 1000 New Thermostatic shower mixer 1/2" with shower set consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 438 003) New Tempesta shower set II, 600 mm (27 598 000)</p>			
 	19 984 000	4005176313837	chrome	182.07
	<p>Grotherm 1000 Thermostatic shower mixer set for final installation for 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body GROHE EcoJoy technology for less water and perfect flow</p>			
	35 050 000	4005176982064		228.88
	<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			

GROHE GROHTHERM 1000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 985 000	4005176313844	chrome	206.99
<p>Grotherm 1000 Thermostatic shower mixer with integrated 2-way diverter set for final installation for 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: head and hand shower without concealed body GROHE EcoJoy technology for less water and perfect flow</p>	35 050 000	4005176982064		228.88
	19 986 000	4005176313851	chrome	206.99
<p>Grotherm 1000 Thermostatic bath mixer with integrated 2-way diverter set for final installation for 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/hand shower without concealed body GROHE EcoJoy technology for less water and perfect flow</p>	35 050 000	4005176982064		228.88
	34 582 000	4005176313820	chrome	509.98
<p>Grotherm 1000 Perfect shower set with Euphoria Cosmopolitan 180 consisting of: Grotherm 1000 set for final installation (19 985 000) GROHE Rapido T thermostatic mixer head shower Euphoria Cosmopolitan 180 (27 491 000) Rainshower shower arm 286 mm (28 576 000)</p>	34 575 000	4005176310690	chrome	390.31
	34 575 000	4005176310690	chrome	390.31
<p>Grotherm 1000 New Concealed shower set consisting of: 35 500 000 / 35 050 000 set for final installation (19 984 000) New Tempesta shower set II, 600 mm (27 598 000) elbow outlet (28 671 000)</p>				

GROHE GROHTHERM 1000

Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	19 981 000	4005176310706	chrome	36.06
Grotherm 1000 Trim set concealed valve set for final installation for concealed valves, 1/2", 3/4" without concealed body GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles metal escutcheon with wall sealing installation depth adjustable 20-80 mm				
 	29 811 000	4005176062711		45.11
Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass				
 	29 813 000	4005176062735		68.65
Concealed stop valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass				
 	29 800 000	4005176504839		26.21
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass				
29 802 000 4005176504853 43.66 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"				
29 805 000 4005176504884 79.17 ditto, 1", pre-assembled headpart 1", thread union 1"				

GROHE GROHTHERM 800



GROHE
StarLight®



GROHE
TurboStat®









GROHE
EcoJoy™



GROHE
DreamSpray®

GROHE GROHTHERM 800


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 562 000	4005176310102	chrome	164.99
	<p>Grotherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 569 000	4005176310171	chrome	208.15
	<p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 565 000	4005176310133	chrome	182.84
	<p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) New Tempesta shower set II, 600 mm (27 598 000)</p>			

GROHE GROHTHERM MICRO




GROHE GROHTHERM MICRO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



34 487 000	4005176936234	chrome	126.27
------------	---------------	--------	--------

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-45°C
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
 built-in non return valves
 dirt strainer
 without connection set









47 533 000	4005176207181	chrome	26.70
------------	---------------	--------	-------

Grotherm Micro
Connection set
 for Grotherm Micro (34 487 000)
 consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
GROHE StarLight chrome finish

GROHE AVENSYS



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 222 000	4005176815911	chrome	406.57
 	34 224 000	4005176815935	chrome	406.57
 	34 038 ILO	4005176224973	chrome/white	406.57

Avensys Modern
Dual control shower mixer 1/2"
 Thermostatic
 wall mounted, swivel inlet unions
 suitable for high / low pressure
 flow & temperature control handles
 wax thermoelement
 installation bracket for body
 built-in non return valves
 dirt strainers
 shower outlet 1/2" top or bottom
 flow limiters for high (>1.0 bar) or unequal pressures
recommended pressure 0.1 - 5.0 bar
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

Avensys Modern
Dual control shower mixer 1/2"
 Thermostatic
 suitable for high / low pressure
 concealed brass body & trim set
 flow & temperature control handles
 wax thermoelement
 installation bracket for body
 built-in non return valves
 dirt strainers
 shower outlet 1/2" top or bottom
 flow limiters for high (>1.0 bar) or unequal pressures
recommended pressure 0.1 - 5.0 bar
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

Avensys
Avensys DO8 Single Control EV
 Thermostatic
 wall mounted, swivel inlet unions
 brass body
 wax thermoelement
 factory set max. temperature 41°C
 combined flow & temperature control handle
 metal lever
 built-in non return valves
 dirt strainers
 shower outlet 1/2" top or bottom
 reversible body for crossed supplies
 flow limiters for high (>1.0 bar) or unequal pressures
GROHE StarLight chrome finish
recommended pressure 0.1 - 5.0 bar
 max. pressure differential 5:1

SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
CONCEALED SOLUTIONS






Contents

GROHE Rapido T	34
GROHE Rapido E	35
GROHE Rapido C / Concealed Valves	36

GROHE RAPIDO



Quickly installed: GROHE Rapido is the basic technology behind all concealed GROHE fittings. The practical design of Rapido enables it to be installed quickly and reliably, reducing installation time and potential faults on site.

- Ultra-flat fitting depth: only 70 mm
- Fast installation: complete mixer unit installed in the factory
- Tested safety: fitting and mixer 100% factory-tested
- More options: 3 outlets and high flow rate > 50 l/min
- Always complies with standards: protective devices according to EN 1717 can be retrofitted



RANGE

- Rapido E, Universal single-lever mixer
- Rapido T, Universal thermostat
- Rapido C, concealed valves



Ultra-flat design for universal installation. With a fitting depth of just 70 mm, GROHE Rapido fits into any wall, not something that can be said of all our competitors' products. Whether a new build or a refurbishment, wet conditions or with dry cladding, GROHE Rapido provides the perfect solution for every scenario.

Installed quickly and safely. Fitting box, mixer body and mixing cartridge form a compact unit. Assembly and 100% testing in the factory ensure a lifetime of trouble-free operation with no leaks.








































As the Rapido T thermostat has a third outlet, another standard feature, it has an even greater ability to deliver versatile showering solutions. The third outlet is controlled by connecting a concealed valve. Both top outlets can be controlled by the integrated AquaDimmer. Thanks to its excellent flow rate of over 50 litres per minute, Rapido T is also the perfect choice for a custom shower where you wish to install a head shower, hand shower and side showers.

If required, a protective device conforming to EN 1717 can be quickly retrofitted on site to replace the usual anti-vacuum device. It is also a simple matter to retrofit an integrated bath filler, combined waste and overflow set (Talentofill) for the thermostat and single lever mixer that complies with the protection standards.





GROHE RAPIDO T OVERVIEW TRIMSETS

	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Allure	 19 380 000	 19 446 000	
Allure Brilliant	 19 791 000	 19 792 000	 19 887 000
Atrio Jota	 19 398 000	 19 399 000	 19 396 000
Atrio Ypsilon	 19 394 000	 19 395 000	 19 392 000
Grandera	 19 934 000	 19 948 000 / 19 937 000	 19 941 000
GROHE Ondus®	 19 443 000	 19 442 000	
Grohtherm 1000 New	 19 984 000 / 19 985 000	 19 986 000	 19 983 000

	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Grohtherm 2000	 19 354 001	 19 355 001	 19 352 001
Grohtherm 2000 Special	 19 416 000	 19 417 000	 19 418 000
Grohtherm 3000 Cosmopolitan	 19 467 000	 19 468 000	 19 469 000
	 19 568 000	 19 567 000	
Grohtherm Cube	 19 959 000	 19 958 000	 19 961 000
Grohtherm F	 27 618 000		 27 619 000
Veris	 19 369 000	 19 364 000	

GROHE RAPIDO E OVERVIEW TRIMSETS




















	Shower trim set	Bath/shower trim set
Allure	 19 317 000	 19 315 000
Allure Brilliant	 19 789 000	 19 785 000
Atrio	 19 463 001	 19 459 001
Concetto	 19 345 001	 19 346 001
Essence New	 19 286 001	 19 285 001
Eurocube	 19 898 000	 19 896 000
Eurodisc Cosmopolitan	 19 549 002	 19 548 002
Europlus	 19 537 002	 19 536 002

	Shower trim set	Bath/shower trim set
Eurosmart Cosmopolitan	 19 383 000	 19 382 000
Eurosmart New	 19 451 002	 19 450 002
Eurostyle	 19 507 003	 19 506 003
Eurostyle Cosmopolitan	 19 507 002	 19 506 002
Grandera	 19 932 000	 19 920 000
Lineare	 19 296 000	 19 297 000
Quadra	 19 455 000	 19 456 000
Veris	 19 367 000	 19 344 000


GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart 35028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29800/29802/29805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29801/29803/29804/29806	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled ceramic headpart 29811/29813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio Jota	 19 088 000	 19 088 000	 19 088 000	 19 088 000
Atrio Ypsilon	 19 069 000	 19 069 000	 19 069 000	 19 069 000
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001

* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assembled ceramic headpart 35028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29800/29802/29805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29801/29803/29804/29806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29811/29813
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera*	 19 944 000			
Grohtherm 1000 New	 19 981 000	 19 981 000	 19 981 000	 19 981 000
Grohtherm 2000	 19 243 001	 19 243 001	 19 243 001	 19 243 001
Grohtherm 3000 Cosmo	 19 470 000	 19 470 000	 19 470 000	 19 470 000
Grohtherm F	 27 623 000			
GROHE Ondus®/ Veris*	 19 444 000			

GROHE RAPIDO T



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE RAPIDO T

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




35 050 000	4005176982064		228.88
------------	---------------	--	--------

GROHE Rapido T
Universal Thermostatic mixer
for concealed installation
 for use with bath-, shower- and central-mixer
without finishing trim set
 easy to install, pre-mounted and tested unit
GROHE TurboStat compact cartridge
 with wax thermoelement
 two top outlets 1/2", lockable
 bottom outlet 1/2" - can only be used
 with separate stopvalve
 safe to install, stable built-in-box and
 protective cap
 fixing options for solid walls and dry
 cladding
 wall sealing
 Aquadimmer-diverter for bath mixer or
 stopvalve for shower mixer in finishing
 trim set
 body in DR-brass
 built-in non return valve
 and dirt strainers
GROHE EcoJoy technology for less water and perfect flow
TMV2 compliant





29 007 000	4005176837678		138.65
------------	---------------	--	--------

Safety combination (EN 1717)
 for Rapido T 35 500 000/35 050 000
 Re-fitting set for backflow protection
 for use with inlet pop-up and waste sets
 e.g. Talentofil 28 990 000 or 28 991 000



47 780 000	4005176836541		131.06
------------	---------------	--	--------

Extension set 27.5 mm
 for Rapido T 35 500 000/35 050 000
 for use with central and shower-thermostats with shut-off valve



47 781 000	4005176836558		146.53
------------	---------------	--	--------

Extension set 27.5 mm
 for Rapido T 35 500 000/35 050 000
 for use with bath-thermostats with aquadimmer




47 186 000	4005176803901		165.81
------------	---------------	--	--------

Thermostatic compact cartridge 3/4"
 for changed waterways
GROHE TurboStat compact cartridge
 with wax thermoelement
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings

GROHE RAPIDO T

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 652 000	4005176294778		103.50




Rapid SL mounting plate
for fixing concealed fittings and room ventilation
for **studded walls**
for empty elements
for GROHE Rapido
500 x 240 x 77 mm
variable depth adjustment 75-115 mm
with waterproof plywood board for fixation
fixing material

GROHE RAPIDO E



GROHE RAPIDO E

Ref. No. EAN code Colour Retail Guide Price (£)




35 501 000 4005176833847 89.43

GROHE Rapido E
Universal Single-lever mixer
for concealed installation
without finishing trim set
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter





29 008 000 4005176837685 69.18

Safety combination (EN 1717)
 for Rapido E 35 501 000
 Re-fitting set for backflow protection
 for use with inlet pop-up and waste sets
 e.g. Talentofil 28 990 000 or 28 991 000
 replaces use of pipe interrupter, therefore no additional escutcheon necessary




46 191 000 4005176119996 chrome 113.63

Extension set 25 mm
 for Rapido E 35 501 000



46 343 000 4005176189791 chrome 161.98


Extension set 50 mm
 for Rapido E 35 501 000
 33 961 000















38 652 000 4005176294778 103.50

Rapid SL mounting plate
 for fixing concealed fittings and room ventilation
 for **studded walls**
 for empty elements
 for GROHE Rapido
 500 x 240 x 77 mm
 variable depth adjustment 75-115 mm
 with waterproof plywood board for fixation
 fixing material

GROHE RAPIDO C / CONCEALED VALVES



GROHE RAPIDO C / CONCEALED VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 028 000	4005176908316		111.21
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	35 031 000	4005176908330		309.44
<p>GROHE Rapido C / Concealed Valves Rough-in for triple volume control 27 625 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" 3 inlets and 3 outlets connection threads 1/2" installation depth 70 - 95 mm</p>				
 	38 652 000	4005176294778		103.50
<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>				
 	29 800 000	4005176504839		26.21
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
	29 802 000	4005176504853		43.66
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
	29 805 000	4005176504884		79.17
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				
 	29 811 000	4005176062711		45.11
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
	29 813 000	4005176062735		68.65
<p>ditto, 3/4"</p>				
 	45 203 000	4005176052842		16.81
<p>Extension-set 200 mm for concealed valves, 1/2", 3/4"</p>				

SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
SHOWERS





Contents

GROHE Digital	Aquasymphony	37
Shower Solutions	Shower Solutions	38
Electric Showers	Electric Showers	39
Shower Systems	SmartControl	40
	Rainshower System	41
	Euphoria XXL System	42
	Euphoria System	43
	New Tempesta Cosmopolitan System	44
	Retro-fit Shower System	45
	Shower System Accessories	46
Headshowers	Headshowers	47
Showers	Sena	48
	Rainshower	49
	Power&Soul	50
	Freehander	51
	Relexa	52
	Euphoria	53
	New Tempesta	54
	Sena Trigger sprays	55
	Tempesta Trigger spays	56
	Trigger sprays	57
	Shower hose	58
	Shower accessories	59



Innovative quality showers for luxurious revitalisation and wellbeing.

GROHE's DreamSpray® technology is at the heart of every GROHE shower. Boasting the absolute finest quality, it incorporates innovation that helps you enjoy an unparalleled showering experience.

The advanced shower engines inside the shower heads deliver the utmost precision and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, whatever your mood, you will be assured of sheer joy under the shower.

The **One-Click Showering** spray selector gives you direct access to your preferred spray pattern. Never again will you have to twist the spray face or click through several patterns to reach the one you want. Just press the corresponding button and enjoy.

With **GROHE's DropStop** technology, head showers no longer drip after you have left the shower.

Together with our **GROHE CoolTouch®**, **GROHE StarLight®** and **GROHE EcoJoy** technologies, you will have an unsurpassable showering experience.

GROHE DreamSpray® shower innovations



GROHE One-Click Showering: direct access to your preferred spray.



Simply choose between **GROHE Rain Spray** - the classic - or the air-infused **GROHE Rain O² Spray**.



Enjoy the feeling of a fingertip massage with the innovative **GROHE Bokoma Spray** engine.



SpeedClean: a simple wipe of a finger is all you need to remove any limescale. The inner water guide protects against scalding and prolongs the life of the chrome surface.

GROHE SHOWERS THE SPRAYS

GROHE DreamSpray® – Enjoy variety - rejuvenation or relaxation?

Our unique design distributes the same amount of water to each and every nozzle, resulting in an even spray. So whatever pattern suits your mood – Normal, Champagne Spray, Pure, Jet, Rain or Massage – you're guaranteed that it will be an all-over exhilarating experience.

The new sprays, GROHE PureRain Spray, GROHE Bokoma Spray and GROHE Rain O², are just the latest examples of GROHE DreamSpray® technological innovation.

Exciting innovations include the new and highly sophisticated

GROHE Bokoma Spray: eight flexible nozzles create a 'breathing' effect, imitating a relaxing fingertip massage.

The new and improved **GROHE PureRain Spray** has 50% larger and softer droplets for a more luxurious showering experience.

GROHE Rain O² technology infuses water drops with air for a fuller, richer shower spray. But there is more. Some of the latest GROHE showers offer the choice between the classic GROHE Rain Spray and GROHE Rain O². This allows you to choose between a softer or more active spray at any time for every member of your family.



Normal Spray

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



Rain Spray

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PureRain Spray

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.*



SmartRain Spray

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE Rain O² Spray

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE Bokoma Spray

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



Pure Spray

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



Jet Spray

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



Massage Spray

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



Champagne Spray

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



Deluxe Champagne Spray

An extra-rich spray bursting with soft water droplets.



GROHE TrioMassage Spray

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

* Available on all Rainshower® metal head showers including Euphoria XXL and Rainshower® systems with metal head showers.

GROHE SHOWER SYSTEMS

All-in-one stylish and versatile bathroom solutions.

GROHE Shower systems, the all-in-one solutions that comprise head shower, hand shower and shower mixer. Whether a thermostatic shower system powered by GROHE TurboStat® to ensure maximum shower comfort and safety, a one-hand mixer system driven by GROHE SilkMove® or a simple, stylish diverter system, GROHE Shower Systems are economical, easy to use and install, and beautifully designed.

Choose your favourite or upgrade!

The shower system classification shows quickly and clearly the level of comfort delivered by each category, and that there is always an opportunity to choose an even better Shower system. And, no matter which system you select, you can be sure enjoyment is 100% guaranteed.



Go for the Best

The ultimate in luxury, style and function, the **Go for the Best** Rainshower® range features XXL luxury metal shower heads with GROHE PureRain Spray and DropStop technology and is designed to maximise enjoyment and style. The GROHE CoolTouch® thermostats eliminate the risk of scalding from hot chrome surfaces, ensuring greater comfort and safety.



Go for Better

As well as GROHE's baseline technologies, the **Go for Better** Euphoria XXL luxury metal shower heads with GROHE PureRain Spray and DropStop technology to prevent after-dripping when closing the valve.



Go for the Good

High quality and comfort assured, the **Go for the Good** Tempesta and Euphoria systems include GROHE's renowned technologies, GROHE StarLight®, GROHE TurboStat® and GROHE SilkMove®. All showers are equipped with GROHE DreamSpray® technology for maximum enjoyment. Guaranteed.



THERMOSTATIC SYSTEMS

DIVERTER SYSTEMS



360mm



310mm



210mm



210mm

Rainshower® SmartControl 360 Duo
Shower system with thermostat

Rainshower® 310
Shower system with thermostat

Rainshower® 210
Shower system with thermostat and side showers

Rainshower® 210
Shower system with diverter



THERMOSTATIC SYSTEMS

SINGLE-LEVER MIXER SYSTEM



230mm



210mm



230mm



210mm

Euphoria Cube XXL 230
Shower system with thermostat

Euphoria XXL 210
Shower system with thermostat

Euphoria Cube XXL 230
Shower system with single lever mixer

Euphoria XXL Eurodisc Cosmopolitan 210
Shower system with single lever mixer



THERMOSTATIC SYSTEMS

SINGLE-LEVER MIXER SYSTEM

DIVERTER SYSTEMS



180mm



160mm



180mm



160mm

Euphoria 180
Shower system with thermostat

New Tempesta 160
Shower system with bath thermostat

Euphoria 180
Shower system with single lever mixer

New Tempesta 160
Shower system with diverter

THE SMARTER WAY TO ENJOY WATER

XXL Enjoyment & 100% Control - that's how you want to shower.


You want to enjoy your favourite spray pattern – revitalizing or relaxing, stimulating or soothing – and you want to switch patterns easily. You want your shower at exactly the right temperature – whether tension-busting hot, blood-pumping cold or just comfortably warm. And of course you're conscious of using exactly the right amount of water that you need.

With the new GROHE Rainshower® SmartControl 360 shower system you'll enjoy this personalised and luxurious showering experience every day. The new innovative controls offer direct intuitive spray-pattern selection with a personalised volume setting and memory function. Simply push to start and stop then turn to adjust the water flow.


The system also includes a Rainshower® 360mm head shower in lozenge shape that will cover your entire body. It's not just the ease of use. Ultimate enjoyment is guaranteed with the new XXL head shower. And whether you prefer refreshing tropical rainfall or a relaxing massage, your ideal spray is just a button-push away. **That's smart.**




NEW



Push the button to start the shower



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTIONATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE AQUASYMPHONY



GROHE AQUASYMPHONY

NEW

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 373 000	4005176343643	chrome	15,700.00



Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light



1016 mm x 762 mm x 155 mm
metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 cold mist spray
2 x GROHE PureRain spray 400 x 190 mm
1 x 2 XL Waterfall
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 000), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the weight requirement of the product (> 70 kg). Ceiling shower has to be controlled by 7 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l). For detailed planning please see separate planning & installation guide before start.

recommendation: 34 634 000 Grohtherm F trim set for AquaSymphony

26 376 000	4005176350818	chrome	1,500.00
------------	---------------	--------	----------



Rainshower F-Series 40" Roughing-in set for floor mounted bath spout and bath/shower mixer

for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the weight requirement of the product (> 70 kg). Ceiling shower has to be controlled by 7 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l). For detailed planning please see separate planning & installation guide before start.

Note: mounting pattern for Grohtherm F THM complete kit (34 634 000) included

26 374 000	4005176350825	chrome	765.00
------------	---------------	--------	--------

GROHE F-digital Deluxe


Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service


optional the base unit box can be placed into extra equipment 36 367 000 component to be ordered separately



GROHE AQUASYMPHONY

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 634 000	4005176343650	chrome	1,900.00

NEW



Grotherm F

Thermostat complete kit for F40" preconfigured

water control trims for Rainshower F-Series 40" AquaSymphony ceiling shower for controlling eight water outlets with special printing safety lock 43° C preinstalled

consisting of:

- 2 x thermostatic trim set with 2-way diverter (27 618 000)
- 1 x triple volume control trim (27 625 000)
- 1 x volume control (27 623 000)
- 1 x wall shower union with holder (27 621 000)
- 1 x Sena stick hand shower (28 034 000)
- 1 x Relexaflex metal 1500 mm (28 143 000)



thermostatic mixers and rough-ins have to be ordered separately:

- 2 x Rapido T universal thermostatic mixer (35 500 000)
- 4 x Rapido C rough-in box for volume control (35 028 000), mounting pattern included in rough-in set (26 376 000)
- 1 x Grotherm F rough-in box for wall shower union (35 034 000)





GROHE SHOWER SOLUTIONS










GROHE SHOWER SOLUTIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	118 332	4005176983061	chrome	2,003.27
	<p>GROHE F-digital bath/shower shower solution pack 1 Veris digital controller and digital diverter for bath (36 289 000) Rainshower modern 210 head shower (28 368 000) Rainshower shower arm 286 mm (28 576 000) Euphoria Cosmopolitan wall holder set (27 369 000) minimalist elbow, circle (27 057 000) Talentofill trim (19 952 000) Talentofill concealed system (28 990 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces SpeedClean anti-limescale system max. pressure differential 5:1</p>			
	118 334	4005176983085	chrome	2,326.34
	<p>GROHE F-digital bath/shower shower solution pack 3 Veris digital controller and digital diverter for bath (36 289 000) Veris holder plate (40 479 000) Rainshower Veris head shower (27 470 000) Rainshower shower arm 286 mm (28 576 000) Veris hand shower (27 184 000) Veris outlet elbow (27 190 000) Veris shower holder (27 188 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000) Talentofill trim (19 952 000) Talentofill concealed system (28 990 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces SpeedClean anti-limescale system max. pressure differential 5:1</p>			
	118 331	4005176983054	chrome	2,048.02
	<p>Veris bath/shower shower solution pack 6 concealed body Rapido T thermostat valve (35 500 000) set for final installation Veris trim (19 364 000) Rainshower Veris head shower (27 470 000) Rainshower shower arm 286 mm (28 576 000) Veris hand shower (27 184 000) Veris outlet elbow (27 190 000) Veris shower holder (27 188 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000) Talentofill trim (19 952 000) Talentofill concealed system (28 990 000) Veris stop valve trim (19 444 000) concealed stop valve (29 032 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces SpeedClean anti-limescale system max. pressure differential 5:1</p>			

GROHE SHOWER SOLUTIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	118 325	4005176982989	chrome	1,519.86
	118 328	4005176983023	chrome	1,575.74
	118 322	4005176982866	chrome	1,183.49
	118 329	4005176983030	chrome	1,506.60

GROHE SHOWER SOLUTIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	118 323	4005176982873	chrome	1,069.19
				
	118 326	4005176983009	chrome	1,296.38
				
	118 320	4005176982842	chrome	893.37
				
	118 327	4005176983016	chrome	1,573.19









Grotherm 3000 Cosmopolitan + Rainshower Shower Solution Pack 4
 concealed body Rapido T thermostat valve (35 500 000)
 set for final installation Grotherm 3000 Cosmopolitan (19 468 000)
 Rainshower modern 210 head shower (28 368 000)
 Rainshower shower arm 286 mm (28 576 000)
 Euphoria Cosmopolitan wall holder set (27 369 000)
 minimalist elbow, circle (27 057 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
SpeedClean anti-limescale system
 max. pressure differential 5:1

Grotherm 3000 Cosmopolitan Bath/Shower Shower Solution Pack 2
 concealed body Rapido T thermostat valve (35 500 000)
 set for final installation Grotherm 3000 Cosmopolitan (19 468 000)
 Rainshower modern 210 head shower (28 368 000)
 Rainshower shower arm 286 mm (28 576 000)
 Talentofill trim (19 952 000)
 Talentofill concealed system (28 990 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
 max. pressure differential 5:1

Grotherm 3000 Cosmopolitan + Rainshower Shower Solution Pack 1
 concealed body Rapido T thermostat valve (35 500 000)
 set for final installation Grotherm 3000 Cosmopolitan (19 467 000)
 Rainshower modern 210 head shower (28 368 000)
 Rainshower shower arm 286 mm (28 576 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
 max. pressure differential 5:1

Grotherm Cube bath/shower shower solution pack 2
 concealed body Rapido T thermostat valve (35 500 000)
 set for final installation Grotherm Cube (19 958 000)
 Rainshower Allure head shower (27 479 000)
 Rainshower square shower arm 286 mm (27 709 000)
 Allure Cascade bath spout (13 317 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
GROHE AquaDimmer Eco
 integrated **GROHE EcoButton**
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
 max. pressure differential 5:1

GROHE SHOWER SOLUTIONS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	118 321	4005176982859	chrome	974.45
<p>Grotherm Cube + Rainshower Shower Solution Pack 2 concealed body Rapido T thermostat valve (35 500 000) set for final installation Grotherm Cube (19 959 000) Rainshower Allure head shower (27 479 000) Rainshower square shower arm 286 mm (27 709 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system max. pressure differential 5:1</p>				
 	118 319	4005176982835	chrome	801.10
<p>Grotherm 2000 + Power&Soul Shower Solution Pack 3 concealed body Rapido T thermostat valve (35 500 000) set for final installation Grotherm 2000 (19 355 001) Power&Soul Cosmopolitan head shower 190 (27 764 000) Rainshower shower arm 286 mm (28 576 000) Eurosmart Cosmopolitan bath spout (13 261 000) GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermosteement GROHE SafeStop safety button at 38°C GROHE AquaDimmer Eco with multiple function: GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system max. pressure differential 5:1</p>				
 	118 318	4005176982828	chrome	643.92
<p>Grotherm 2000 + Power&Soul Shower Solution Pack 2 concealed body Rapido T thermostat valve (35 500 000) set for final installation Grotherm 2000 (19 354 001) Power&Soul Cosmopolitan head shower 190 (27 764 000) Rainshower shower arm 286 mm (28 576 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) GROHE SafeStop safety button at 38°C SpeedClean anti-limescale system max. pressure differential 5:1</p>				
 	118 317	4005176982811	chrome	679.02
<p>Grotherm 2000 + Power&Soul Shower Solution Pack 1 concealed body Rapido T thermostat valve (35 500 000) set for final installation Grotherm 2000 (19 354 001) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000) minimalist elbow, circle (27 057 000) GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) GROHE DreamSpray perfect spray pattern GROHE CoolTouch prevents scalding on hot surfaces SpeedClean anti-limescale system max. pressure differential 5:1</p>				

GROHE ELECTRIC SHOWERS



GROHE
StarLight®



GROHE
QuickFix®



GROHE
DreamSpray®

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS




FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE ELECTRIC SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 179 000	4005176304842	white/nighttime grey/ chrome	246.78
<p>New Tempesta 100 Pressure stabilized electric shower 9.5 kW Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides Dual terminal blocks for left or right hand connection Separate push button start/stop Upper rotary control with three power settings Lower rotary control for adjustment of temperature/flow „Power On“ and „Auto Reset“ LED indicators Temperature cut out Removable water inlet filter Mains Cold Water Supply Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar] New Tempesta 100 shower rail set 3 sprays New Tempesta 100 hand shower (26 135 000) shower rail 620 mm, semi-flexible (27 499 000) shower hose 1500 mm (28 161 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
	26 221 000	4005176313219	chrome/frosted granite	246.78
<p>New Tempesta 100 Pressure stabilized electric shower 9.5 kW Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides Dual terminal blocks for left or right hand connection Separate push button start/stop Upper rotary control with three power settings „Power On“ and „Auto Reset“ LED indicators Lower rotary control for adjustment of temperature/flow Temperature cut out Removable water inlet filter Mains Cold Water Supply Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar] New Tempesta 100 shower rail set 3 sprays New Tempesta 100 hand shower (26 135 000) shower rail 620 mm, semi-flexible (27 499 000) shower hose 1500 mm (28 161 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
	26 222 000	4005176313226	chrome/natural sandstone	246.78
<p>New Tempesta 100 Pressure stabilized electric shower 9.5 kW Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides Dual terminal blocks for left or right hand connection Separate push button start/stop Upper rotary control with three power settings Lower rotary control for adjustment of temperature/flow Temperature cut out „Power On“ and „Auto Reset“ LED indicators Removable water inlet filter Mains Cold Water Supply Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar] New Tempesta 100 shower rail set 3 sprays New Tempesta 100 hand shower (26 135 000) shower hose 1500 mm (28 161 000) shower rail 620 mm, semi-flexible (27 499 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				

GROHE ELECTRIC SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

26 178 000	4005176304859	white/nighttime grey/ chrome	246.78
------------	---------------	---------------------------------	--------



New Tempesta 100

Pressure stabilized electric shower 8.5kW

Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides
Dual terminal blocks for left or right hand connection
Separate push button start/stop
Upper rotary control with three power settings
Lower rotary control for adjustment of temperature/flow
Temperature cut out
'Power On' and 'Auto Reset' LED indicators
Removable water inlet filter

Mains Cold Water Supply

Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar]
New Tempesta 100 shower rail set 3 sprays
New Tempesta 100 hand shower (26 135 000)
shower rail 620 mm, semi-flexible (27 499 000)
shower hose 1500 mm (28 161 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix (upper bracket adjustable to adapt to existing holes)


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damage caused by a shower falling

GROHE SprayZoom Zoom from extra wide Rain to focussed Jet spray

28 161 000	4005176038273	chrome	34.74
------------	---------------	--------	-------



Relexaflex

Shower hose

1500 mm

for low pressure

GROHE StarLight chrome finish

GROHE SMARTCONTROL



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®



GROHE
EcoJoy™




GROHE
DreamSpray®

GROHE SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

NEW



26 250 000	4005176316999	chrome	1,195.28
------------	---------------	--------	----------

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115 (27 671 000)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water
and perfect flow

GROHE SafeStop safety button at 38°C

SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full
Flow

GROHE EasyReach shower tray
made of security glass


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

NEW



26 361 000	4005176347580	chrome	935.67
------------	---------------	--------	--------

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:

head shower Rainshower 360 MONO
GROHE PureRain/GROHE Rain O² spray*
hand shower Power&Soul 115 (27 671 000)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water
and perfect flow

GROHE SafeStop safety button at 38°C

SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full
Flow

GROHE EasyReach shower tray
made of security glass


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

NEW



26 254 000	4005176317026	chrome	410.27
------------	---------------	--------	--------

Rainshower 360

Head shower set 2 sprays, 360 mm x 220 mm

consisting of:

head shower Rainshower 360 DUO
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system


Inner WaterGuide for a longer life
requires rough-in set 26 264 000 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

NEW



26 264 000	4005176319655	chrome	103.57
------------	---------------	--------	--------

Rainshower 360
Rough-in box for head shower set 26 254 000
 inlets and outlets 1/2"
 fixing points for back wall
 leakproof housing
 removable protection cover with installation information

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE RAINSHOWER SYSTEM



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
TurboStat®




GROHE
EcoJoy™



GROHE
DreamSpray®


GROHE RAINSHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




27 174 001	4005176877162	chrome	1,793.02
------------	---------------	--------	----------

Rainshower System 400
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 400 head shower (28 778 000)
 with ball joint
 rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life



27 472 000	4005176882814	chrome	1,082.53
------------	---------------	--------	----------







Rainshower System Veris 300
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower 310 (27 471 000)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Ondus (27 185 000)
 adjustable height via gliding element
 (12 140 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE CoolTouch
GROHE StarLight chrome finish
Inner WaterGuide for a longer life



27 966 000	4005176929250	chrome	1,269.94
------------	---------------	--------	----------

Rainshower System 310
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
 minimum flow rate 7 l/min.


GROHE RAINSHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 968 000	4005176929687	chrome	1,269.94
	<p>Rainshower System 310 Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: Rainshower Cosmopolitan 310 head shower (27 477 000) with ball joint rotation angle $\pm 15^\circ$ hand shower Power&Soul Cosmopolitan 130 (27 664 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-limescale system minimum flow rate 7 l/min.</p>			
 	27 569 000	4005176894275	chrome	914.70
	<p>Rainshower F-series System 10" Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower F-Series 10" (27 271 000) with ball joint, rotation angle $\pm 20^\circ$ hand shower Sena Stick (28 034 000) adjustable height via gliding element (12 140 000) GROHE TurboStat compact cartridge with wax thermoelement metal shower hose 1750 mm (28 025 000) GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life minimum flow rate 7 l/min.</p>			
	27 469 000	4005176882593	chrome	988.82
	<p>ditto, with non-restricted flow</p>			
 	27 374 000	4005176877285	chrome	1,150.13
	<p>Rainshower System 210 Shower system with thermostat and side showers horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function metal head shower Rainshower Cosmopolitan 210 (28 368 000) with ball joint rotation angle $\pm 15^\circ$ 4 adjustable side showers metal shower hose 1750 mm (28 025 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h</p>			

GROHE RAINSHOWER SYSTEM


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 032 001	4005176877155	chrome	1,187.42
------------	---------------	--------	----------




Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 967 000	4005176929670	chrome	1,187.42
------------	---------------	--------	----------







Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower modern 210 head shower (28 368 000)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.

27 641 000	4005176901645	chrome	940.65
------------	---------------	--------	--------



Rainshower System 210
Shower system with bath thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 with ball joint, rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower Sena (28 341 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE RAINSHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	27 175 000	4005176838507	chrome	1,559.87
<p>Rainshower System 400 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm Rainshower Cosmopolitan 400 head shower (28 778 000) with ball joint rotation angle $\pm 20^\circ$ hand shower (28 034 000) adjustable height via gliding element (12 140 000) connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union metal shower hose 1750 mm GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 058 000	4005176830464	chrome	722.64
<p>Rainshower System 210 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter metal head shower Rainshower Cosmopolitan 210 (28 368 000) with ball joint rotation angle $\pm 15^\circ$ hand shower (28 034 000) adjustable height via gliding element (12 140 000) connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

GROHE EUPHORIA XXL SYSTEM



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS


CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUPHORIA XXL SYSTEM


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

26 087 000	4005176940828	chrome	1,018.26
------------	---------------	--------	----------



Euphoria Cube XXL System 230
Shower system with thermostatic mixer for wall mounting
 shower arm
 projection 400 mm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Allure head shower (27 479 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube (27 699 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
 minimum flow rate 7 l/min.

27 964 000	4005176929595	chrome	698.31
------------	---------------	--------	--------



Euphoria XXL System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 minimum flow rate 7 l/min.

GROHE EUPHORIA SHOWER SYSTEM



GROHE
SilkMove®







GROHE
StarLight®

GROHE
TurboStat®







GROHE
EcoJoy™

GROHE
DreamSpray®

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 296 001	4005176896293	chrome	547.90
	<p>Euphoria System 180 Shower system with thermostat for wall mounting consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern with ball joint, rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 615 000	4005176896330	chrome	510.30
	ditto, with 9.5 l/min flow limiter			
	27 420 001	4005176896316	chrome	513.99
	<p>Euphoria 180 Shower system with thermostat for wall mounting horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function Rain spray pattern with ball joint, rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 475 000	4005176882654	chrome	641.97
	<p>Euphoria System 180 Shower system with bath thermostat for wall mounting horizontal swivable 450 mm projection shower arm allows change between: head shower Euphoria Cosmopolitan (27 492 000) chrome plated spray plate Rain spray pattern with ball joint, rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower Euphoria 110 Massage (27 239 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 473 000	4005176882630	chrome	502.87
	<p>Euphoria System 180 Shower system with single lever for wall mounting horizontal swivable 450 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: head shower Euphoria Cosmopolitan (27 492 000) chrome plated spray plate with ball joint, rotation angle ± 15° hand shower Euphoria 110 Massage (27 239 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE SilkMove 46 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
 	27 911 000	4005176921902	chrome	663.99
	<p>Euphoria Power&Soul System 190 Shower system with diverter for wall mounting consisting of horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter Power&Soul head shower (27 766 000) with ball joint rotation angle ± 15° hand shower Power&Soul 115 (27 671 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) Silverflex shower hose 800 mm connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting minimum flow rate 7 l/min.</p>			
 	27 421 001	4005176896323	chrome	482.52
	<p>Euphoria System 180 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter head shower Euphoria Cosmopolitan (27 492 000), Rain spray pattern with ball joint, rotation angle ± 15° hand shower Euphoria 110 Massage (27 239 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting Inner WaterGuide for a longer life</p>			


GROHE NEW TEMPESTA COSMOPOLITAN SHOWER SYSTEM



GROHE NEW TEMPESTA COSMOPOLITAN SHOWER SYSTEM

Ref. No. EAN code Colour Retail Guide Price (£)

27 922 000 4005176923364 chrome 440.56





New Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 1 spray (28 232 000)
 Rain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower New Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting


GROHE RETRO-FIT SHOWER SYSTEM




GROHE RETRO-FIT SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 190 000	4005176305733	chrome	529.43
<p>Retro-fit 180 Shower system with diverter for wall mounting consisting of: horizontal swivable 450 mm projection shower arm built-in diverter allows change between: Euphoria Cosmopolitan 180 head shower 1 spray (27 492 000) Rain with ball joint rotation angle $\pm 15^\circ$ Euphoria 110 Massage hand shower 3 sprays (27 221 000) Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1.500 mm (28 364 000) angle adapter GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				






	26 191 000	4005176305740	chrome	27.38
<p>Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish</p>				

<div style="background-color: red; color: white; padding: 2px; display: inline-block;">NEW</div> 	26 362 LN0	4005176339257	white	18.40
<p>GROHE EasyReach tray for Euphoria and New Tempesta shower systems with thermostat centre distance 150 mm</p>				

GROHE SHOWER SYSTEM ACCESSORIES













GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	14 014 000	4005176929274	chrome	57.06
	Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems			
 	26 191 000	4005176305740	chrome	27.38
	Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish			
<div style="background-color: red; color: white; padding: 2px; display: inline-block;">NEW</div> 	26 362 LN0	4005176339257	white	18.40
	GROHE EasyReach tray for Euphoria and New Tempesta shower systems with thermostat centre distance 150 mm			

GROHE HEAD SHOWERS













GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
NEW	26 254 000	4005176317026	chrome	410.27
		Rainshower 360 Head shower set 2 sprays, 360 mm x 220 mm consisting of: head shower Rainshower 360 DUO GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 000 – to be ordered separately		
NEW	26 264 000	4005176319655	chrome	103.57
		Rainshower 360 Rough-in box for head shower set 26 254 000 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information		
	26 066 000	4005176937200	chrome	508.74
		Rainshower Cosmopolitan 310 Head shower set 380 mm consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system		
	26 056 000	4005176937101	chrome	498.76
		ditto, with non-restricted flow		
	26 067 000	4005176937217	chrome	435.74
		Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system		
	26 057 000	4005176937118	chrome	446.32
		ditto, with non-restricted flow		
	26 068 000	4005176937224	chrome	443.54
		Rainshower Veris 300 Head shower set 286 mm consisting of: Head shower Rainshower Veris (27 471 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system		
	26 058 000	4005176937125	chrome	447.93
		ditto, with non-restricted flow		

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)				
 	26 069 000	4005176937231	chrome	426.07				
Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Veris (27 471 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system								
	26 059 000	4005176937132	chrome	430.29				
ditto, with non-restricted flow								
 	26 070 000	4005176937248	chrome	385.48				
Rainshower F-Series 10\" data-bbox="85 432 275 532"/>  					26 060 000	4005176937149	chrome	401.05
ditto, with non-restricted flow								
 	26 071 000	4005176937255	chrome	387.07				
Rainshower F-Series 10\" data-bbox="85 612 275 642"/>  					26 064 000	4005176937187	chrome	473.79
Rainshower Allure 230 Head shower set 286 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system								
	26 054 000	4005176937088	chrome	464.50				
ditto, with non-restricted flow								
 	26 065 000	4005176937194	chrome	451.03				
Rainshower Allure 230 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) shower arm Rainshower ceiling 142 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system								
	26 055 000	4005176937095	chrome	451.03				
ditto, with non-restricted flow								


GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 062 000	4005176937163	chrome	362.22
<p>Rainshower Cosmopolitan 210 Head shower set 286 mm consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system starting at 0.5 bar flow pressure</p>				
	26 052 000	4005176937064	chrome	369.46
<p>ditto, with non-restricted flow</p>				
 	26 063 000	4005176937170	chrome	351.82
<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system starting at 0.5 bar flow pressure</p>				
	26 053 000	4005176937071	chrome	351.82
<p>ditto, with non-restricted flow</p>				
 	26 072 000	4005176937262	chrome	190.27
<p>Euphoria Cosmopolitan 180 Head shower set 286 mm head shower Euphoria Cosmopolitan (27 492 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	26 073 000	4005176937279	chrome	194.76
<p>Euphoria Cube 150 Head shower set 286 mm head shower Euphoria Cube 150 (27 705 000) Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	26 267 000	4005176319853	chrome	35.00
<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure Min. recommended pressure 0.1 bar</p>				

GROHE HEAD SHOWERS

NEW

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 373 000	4005176343643	chrome	15,700.00





Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 155 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 1 x 2 XL Waterfall
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 000), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections & all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the weight requirement of the product (> 70 kg). Ceiling shower has to be controlled by 7 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l). For detailed planning please see separate planning & installation guide before start.

recommendation: 34 634 000 Grotherm F trim set for AquaSymphony

26 376 000	4005176350818	chrome	1,500.00
------------	---------------	--------	----------




Rainshower F-Series 40"
Roughing-in set for floor mounted bath spout and bath/shower mixer
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 Waterways: Brass
 1/2" connections

The ceiling construction must be appropriate for the weight requirement of the product (> 70 kg). Ceiling shower has to be controlled by 7 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l). For detailed planning please see separate planning & installation guide before start.


Note: mounting pattern for Grotherm F THM complete kit (34 634 000) included

27 286 000	4005176860737	chrome	1,505.04
------------	---------------	--------	----------











Rainshower F-Series 20"
Ceiling shower 1 spray
 Rain
 508 x 508 mm
 connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 939 001	4005176927287	chrome	2,419.66
------------	---------------	--------	----------















Rainshower F-Series 15"
Ceiling shower 3 sprays
 Rain, Bokoma Spray, Waterfall and combinations
 381 mm (width) x 17 mm (height) x 456 mm (depth)
 metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
 minimum flow rate 20 l/min.
 flow of single spray at 3 bar:
 1 x Rain spray 300 mm: ca. 20 l/min
 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
 4 x Bokoma Spray with adjustment angle 20°: 20 l/min
 head shower has to be controlled by 4 outlets
 recommendation: **Grotherm F** thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 938 001	4005176927072	chrome	2,419.66
	<p>Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: minimum flow rate 20 l/min. 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately head shower has to be controlled by 4 outlets recommendation: Grotherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000</p>			
	26 042 000	4005176935954		166.35
	<p>Rainshower F-Series 15" Roughing-in set for floor mounted bath spout and bath/shower mixer for use with Rainshower F-Series 15" Multi Spray head shower 295mm (width) x 121mm (height) x 181mm (depth) Max. installation depth: 91mm Min. wall thickness: not less than 200mm Minimum screw-in depth of stud bolts: 14mm Full metal construction Waterways: Brass 1/2" connections</p>			
	27 467 000	4005176882609	chrome	512.93
	<p>Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 285 000	4005176860713	chrome	357.19
	<p>Rainshower F-Series 10" Head shower 1 spray Rain spray 254 x 254 mm metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 271 LSO	4005176898556	moon white	502.39
	27 271 000	4005176860690	chrome	375.05
	ditto, with non-restricted flow			
	27 251 000	4005176856327	chrome	91.96
	27 251 LSO	4005176870125	moon white	123.89
	<p>Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>			











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 253 000	4005176856365	chrome	141.83
<p>Rainshower F-Series 5" Head shower 1 spray wall mounted 127 x 127 mm flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>				
 	27 193 000	4005176842337	chrome	1,217.43
<p>GROHE Ondus 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure diameter 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497</p>				
 	27 287 000	4005176842061	chrome	467.46
<p>GROHE Ondus 210 Head shower 1 spray $\varnothing 210$ mm GROHE StarLight chrome finish SpeedClean anti-limescale system This headshower should only be used in conjunction with shower arm 28 497 000, 28 576 000, 28 361 000 or 28 982 000</p>				
 	27 861 000	4005176918131	chrome	518.49
<p>Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 470 000	4005176882531	chrome	381.61
<p>Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 863 000	4005176918155	chrome	530.84
<p>Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 479 000	4005176883309	chrome	389.24
<p>Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 778 000	4005176820526	chrome	947.25
<p>Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497</p>				
 	27 477 000	4005176883286	chrome	411.99
<p>Rainshower Cosmopolitan 310 Head shower 1 spray Rain \varnothing 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 368 00E	4005176867385	chrome	303.15
<p>Rainshower Cosmopolitan 210 Head shower 1 spray spray pattern Rain \varnothing 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	28 368 000	4005176267253	chrome	303.15
<p>ditto, with non-restricted flow</p>				
 	27 134 000	4005176836060	chrome	126.57
<p>Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray \varnothing 162 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 375 000	4005176267338	chrome	363.78
<p>Rainshower Rustic 210 Head shower 1 spray Rain spray pattern normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	28 369 000	4005176267260	chrome	332.57
<p>ditto, with non-restricted flow</p>				
 	27 128 000	4005176835995	chrome	129.10
<p>Rainshower Rustic 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray ball joint with turning angle 15° ± 15° connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system recommended for use with Rainshower shower arms</p>				
 	27 370 000	4005176877773	chrome	151.39
<p>Rainshower Solo 190 Head shower 1 spray Rain spray Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 373 000	4005176877902	chrome	155.84
<p>Rainshower Icon 190 Head shower 1 spray Rain spray Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	27 371 000	4005176877889	chrome	157.40
<p>ditto, with non-restricted flow</p>				
 	27 439 000	4005176880490	chrome	208.35
<p>Rainshower Icon 190 Head shower 1 spray Rain spray chrome plated spray plate Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	27 437 000	4005176880476	chrome	212.52
<p>ditto, with non-restricted flow</p>				













GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 976 000	4005176932816	chrome	352.18
Rainshower Grandera 210 Head shower 1 spray Rain metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
 	27 974 000 27 974 IGO	4005176932793 4005176933486	chrome chrome/gold	359.22 467.46
Grandera 210 Head shower 1 spray 221 x 221 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
 	27 765 000	4005176913129	chrome	127.73
Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 764 000	4005176913112	chrome	118.64
Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 767 000	4005176913150	chrome	114.27
Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O ² , Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system				
	27 766 000	4005176913143	chrome	112.03
ditto, with non-restricted flow				

GROHE HEAD SHOWERS


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 308 000	4005176254949	chrome	108.59
	Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 530 000	4005176889219	chrome	405.60
	Relexa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 062 000	4005176831669	chrome	264.86
	Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.			
 	27 065 000	4005176832109	chrome	179.20
	Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 067 000	4005176832123	chrome	107.41
	Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 066 000	4005176832116	chrome	107.41
	Relexa 65 Side shower 2 sprays Normal, Eco spray ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 492 000	4005176885556	chrome	121.51
Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
	27 491 000	4005176885549	chrome	123.94
ditto, with non-restricted flow				
 	28 233 000	4005176868016	chrome	75.25
Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
	28 232 000	4005176868009	chrome	76.76
 	28 737 000	4005176872983	chrome	63.29
Euphoria Rustic 130 Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
 	27 705 000	4005176907166	chrome	119.58
Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 606 000	4005176896163	chrome	47.78
New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ø 100 mm connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 591 000	4005176895890	chrome	50.07
New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ø 100 mm connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life				

GROHE HEAD SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 610 000	4005176895685	chrome	46.36













New Tempesta Rustic 100
Head shower 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 094 000	4005176601132	chrome	41.66
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 189 000	4005176075650	chrome	197.94
<p>Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 002 000	4005176858796	chrome	150.76
<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	chrome	119.87
<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 286 000	4005176198526	chrome	87.20
<p>Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 982 000	4005176829987	chrome	111.14
<p>Rainshower Shower arm 378 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 361 000	4005176295157	chrome	100.18
<p>Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
	28 576 000	4005176274022	chrome	63.90
<p>Ditto, projection 286 mm</p>				
 	28 384 000	4005176267451	chrome	150.07
<p>Rainshower Rustic Shower arm 272 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 488 000	4005176885525	chrome	63.90
<p>Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
 	27 709 000	4005176909092	chrome	92.19
<p>Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish</p>				
 	28 497 000	4005176270338	chrome	53.72
<p>Rainshower Shower ceiling arm 292 mm connection thread 1/2" can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	28 724 000	4005176812644	chrome	48.68
<p>ditto, length 142 mm</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 484 000	4005176885488	chrome	57.95
<p>Rainshower Shower ceiling arm 292 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	27 485 000	4005176885495	chrome	47.22
<p>ditto, 142 mm length</p>				
 	27 711 000	4005176909115	chrome	78.46
<p>Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 986 000	4005176933011	chrome	81.30
	27 986 IGO	4005176933547	chrome/gold	104.83
<p>Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
 	27 982 000	4005176932878	chrome	70.44
	27 982 IGO	4005176933523	chrome/gold	93.31
<p>Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
	27 978 000	4005176932830	chrome	59.84
	27 978 IGO	4005176933509	chrome/gold	77.08
<p>ditto, 142 mm length</p>				
 	28 541 000	4005176040528	chrome	106.63
<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	28 429 000	4005176601910	chrome	37.27
<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				

GROHE SENA



GROHE
StarLight®



GROHE
EcoJoy™



GROHE
DreamSpray®

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS





CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE SENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 341 000	4005176259463	chrome	123.50
	Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	28 034 000	4005176231810	chrome	118.45
	ditto, with non-restricted flow			
 	28 581 000	4005176276996	chrome	175.71
	Sena Shower rail set 1 spray hand shower Sena Stick (28 034 000) shower rail 600 mm (28 580 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) angle adapter (28 389 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	28 347 000	4005176262791	chrome	186.44
	ditto, with non-restricted flow			
 	28 348 000	4005176263262	chrome	118.40
	Sena Wall holder set 1 spray metal hand shower Sena Stick (28 034 000) wall shower holder (28 690 000) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	28 308 000	4005176254949	chrome	108.59
	Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 580 000	4005176276965	chrome	155.14
	Sena Shower rail, 600 mm vertically adjustable glider with shower holder GROHE StarLight chrome finish			
	28 346 000	4005176262760	chrome	189.91
	ditto, 900 mm rail			

GROHE SENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 690 000	4005176256196	chrome	83.63
<p>Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish</p>				
 	28 389 000	4005176269837	chrome	10.56
<p>Sena Adapter 1/2\" x 1/2\" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>				

GROHE RAINSHOWER



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
EcoJoy™











GROHE
QuickFix®











GROHE
DreamSpray®

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 756 000	4005176819667	chrome	119.47
<p>Rainshower Cosmopolitan 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 755 000	4005176819650	chrome	107.53
<p>Rainshower Cosmopolitan 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 758 001	4005176875533	chrome	210.08
<p>Rainshower Cosmopolitan 160 Shower rail set 4 sprays hand shower Cosmopolitan (28 756 000) shower rail, 600 mm (28 797 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) Twistfree preventing the hose from twisting</p>				
	28 763 001	4005176875557	chrome	209.53
<p>ditto, 900 mm rail</p>				
 	28 757 001	4005176875526	chrome	187.35
<p>Rainshower Cosmopolitan 130 Shower rail set 3 sprays hand shower Cosmopolitan (28 755 000) shower rail, 600 mm (28 797 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting</p>				
	28 762 001	4005176875540	chrome	202.00
<p>ditto, 900 mm rail</p>				

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 765 000	4005176820120	chrome	100.04
<p>Rainshower Classic 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 764 000	4005176820113	chrome	85.06
<p>Rainshower Classic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 768 001	4005176875571	chrome	197.35
<p>Rainshower Classic 160 Shower rail set 4 sprays Hand shower Classic (28 765 000) shower rail, 600 mm (28 797 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting</p>				
	28 770 001	4005176875595	chrome	193.21
<p>ditto, 900 mm rail</p>				
 	28 767 001	4005176875564	chrome	178.32
<p>Rainshower Classic 130 Shower rail set 3 sprays hand shower Classic (28 764 000) shower rail, 600 mm (28 797 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish Twistfree preventing the hose from twisting GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes</p>				
	28 769 001	4005176875588	chrome	182.78
<p>ditto, 900 mm rail</p>				

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 127 000	4005176835988	chrome	107.53
<p>Rainshower Rustic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 139 000	4005176836688	chrome	199.27
<p>Rainshower Rustic 130 Shower rail set 3 sprays hand shower Rustic 130 (27 127 000) shower rail, 600 mm (28 666 000) shower hose 1750 mm (28 410 000) soap dish GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 283 000	4005176861444	chrome	100.74
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Ø 150 mm Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>				
	27 276 000	4005176861437	chrome	118.10
<p>ditto, with non-restricted flow</p>				
 	27 443 001	4005176880506	red	98.75
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>				
	27 443 000	4005176880025	red	98.76
<p>ditto, with non-restricted flow</p>				
 	27 444 001	4005176880520	orange	98.75
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>				
	27 444 000	4005176880049	orange	98.76
<p>ditto, with non-restricted flow</p>				

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 446 001	4005176880544	yellow	99.74
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system GROHE StarLight chrome finish Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 446 000	4005176880063	yellow	98.76
	ditto, with non-restricted flow			
 	27 447 001	4005176880568	pink	98.75
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 447 000	4005176880087	pink	98.76
	ditto, with non-restricted flow			
 	27 448 001	4005176880582	purple	99.74
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 448 000	4005176880100	purple	98.76
	ditto, with non-restricted flow			
 	27 449 001	4005176880605	blue	98.75
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 449 000	4005176879982	blue	98.76
	ditto, with non-restricted flow			









GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 629 000	4005176900730	chrome/natural sandstone	100.74
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>			
	27 628 000	4005176900723	chrome/natural sandstone	98.76
	ditto, with non-restricted flow			
 	27 632 000	4005176900754	chrome/limestone	100.74
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>			
	27 630 000	4005176900747	chrome/limestone	98.76
	ditto, with non-restricted flow			
 	27 634 000	4005176900778	chrome/fired clay	100.74
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>			
	27 633 000	4005176900761	chrome/fired clay	98.76
	ditto, with non-restricted flow			
 	27 636 000	4005176900792	chrome/sheer marble	100.74
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>			
	27 635 000	4005176900785	chrome/sheer marble	98.76
	ditto, with non-restricted flow			









GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 638 000	4005176900815	chrome/misty slate	100.74
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 637 000	4005176900808	chrome/misty slate	98.76
	ditto, with non-restricted flow			
	27 640 000	4005176900839	chrome/frosted granite	100.74
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 639 000	4005176900822	chrome/frosted granite	98.76
	ditto, with non-restricted flow			
	27 377 000	4005176877476	chrome	54.33
	Rainshower Icon 100 Hand shower 1 spray Rain Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 375 000	4005176877452	chrome	54.33
	ditto, with non-restricted flow			
	26 115 DU0	4005176982309	purple	71.40
	26 115 DP0	4005176982316	pink	71.40
	26 115 YF0	4005176982293	yellow	71.40
	26 115 TY0	4005176982323	blue	72.83
	Rainshower Icon 100 Hand shower 1 spray Rain spray Ø 100 mm with white rubber flower Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 115 YR0	4005176982286	orange	71.40
	26 115 DG0	4005176982170	red	71.40
ditto, with yellow rubber flower				

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 402 001	4005176877919	chrome	204.09
	<p>Rainshower Icon 150 Shower rail set 2 sprays consisting of: hand shower Icon 150 (27 283 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>			
	27 277 001	4005176875489	chrome	189.99
	ditto, with non-restricted flow			
 	27 378 000	4005176877780	chrome	151.63
	<p>Rainshower Icon 100 Shower rail set 1 spray hand shower Icon 100 (27 377 000) shower rail, 600 mm (28 797 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>			
	27 379 000	4005176877797	chrome	164.29
	ditto, 900 mm hose			
 	27 381 000	4005176877810	chrome	105.55
	<p>Rainshower Icon 100 Wall holder set 1 spray hand shower Icon 100 (27 377 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>			
 	27 383 000	4005176877827	chrome	88.84
	<p>Rainshower Icon 100 Wall holder set 1 spray hand shower Icon 100 (27 377 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>			


GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 272 000	4005176860836	chrome	111.36
<p>Rainshower Solo 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 376 000	4005176877469	chrome	52.90
<p>Rainshower Solo 100 Hand shower 1 spray Rain Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 273 001	4005176875502	chrome	190.51
<p>Rainshower Solo 150 Shower rail set 2 sprays hand shower Solo 150 (27 272 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 339 000	4005176872266	chrome	147.29
<p>Rainshower Solo 100 Shower rail set 1 spray hand shower Solo 100 (27 376 000) shower rail, 600 mm (28 797 000) Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				

GROHE RAINSHOWER

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 274 000	4005176861383	chrome	113.59
------------	---------------	--------	--------



Rainshower Eco 120

Hand shower 2 sprays

Rain, SmartRain

Eco function (reduction of flow rate)

Elbow adapter for the combination of handshowers with shower sets

GROHE StarLight chrome finish

GROHE DreamSpray perfect spray pattern

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Universal Mounting System. Fits all standard shower hoses

GROHE POWER&SOUL



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
EcoJoy™











GROHE
QuickFix®













GROHE
DreamSpray®

GROHE POWER&SOUL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 668 000	4005176905698	chrome	107.53
<p>Power&Soul Cosmopolitan 160 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 664 000	4005176905469	chrome	96.78
<p>Power&Soul Cosmopolitan 130 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 661 000	4005176905438	chrome	86.19
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 744 000	4005176912900	chrome	185.36
<p>Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays consisting of: hand shower Power&Soul Cosmopolitan 160 (27 669 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 746 000	4005176912924	chrome	188.58
<p>ditto, 900 mm</p>				

GROHE POWER&SOUL









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 732 000	4005176910920	chrome	170.92
<p>Power&Soul Cosmopolitan 130 Shower rail set 4+ sprays consisting of: hand shower Power&Soul Cosmopolitan 130 (27 664 000) shower rail 600mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 734 000	4005176910944	chrome	172.29
<p>ditto, 900 mm</p>				
 	27 753 000	4005176913006	chrome	157.92
<p>Power&Soul Cosmopolitan 115 Shower rail set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) shower rail 600mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 755 000	4005176913020	chrome	159.70
<p>ditto, 900 mm rail</p>				
 	27 741 000	4005176911125	chrome	131.76
<p>Power&Soul Cosmopolitan 130 Wall holder set 4+ sprays hand shower Power&Soul Cosmopolitan 130 (27 664 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 838 000	4005176916168	chrome	107.53
<p>Power&Soul Cosmopolitan 115 Wall holder set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 765 000	4005176913129	chrome	127.73
<p>Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

GROHE POWER&SOUL











Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 764 000	4005176913112	chrome	118.64



Power&Soul Cosmopolitan 190
Wall holder set 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
 ball joint with turning angle ± 15°
 connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 675 000	4005176905766	chrome	88.27
<p>Power&Soul 160 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 671 000	4005176905728	chrome	66.40
<p>Power&Soul 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 748 000	4005176912948	chrome	174.13
<p>Power&Soul 160 Shower rail set 4+ sprays consisting of: hand shower Power&Soul 160 (27 675 000) shower rail 600mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 750 000	4005176912962	chrome	178.95
<p>ditto, 900 mm</p>				
 	27 736 000	4005176910968	chrome	160.49
<p>Power&Soul 130 Shower rail set 4+ sprays consisting of: hand shower Power&Soul 130 (27 573 000) shower rail 600mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>				

GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 757 000	4005176913044	chrome	144.29
<p>Power&Soul 115 Shower rail set 2 sprays hand shower Power&Soul 115 (27 671 000) shower rail 600mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 759 000	4005176913068	chrome	157.29
<p>ditto, 900 mm rail</p>				
 	27 742 000	4005176911132	chrome	112.34
<p>Power&Soul 130 Wall holder set 4+ sprays hand shower Power&Soul 130 (27 573 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 839 000	4005176916175	chrome	90.04
<p>Power&Soul 115 Wall holder set 2 sprays consisting of: hand shower Power&Soul 115 (27 671 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>				
 	27 767 000	4005176913150	chrome	114.27
<p>Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 785 000	4005176913983	chrome	101.95
<p>Power&Soul Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish</p>				
	27 784 000	4005176913976	chrome	85.70
<p>ditto, shower rail 600 mm</p>				

GROHE FREEHANDER



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS





FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE FREEHANDER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 004 000	4005176239540	chrome	536.76
	<p>Freehander Shower system for wall mounting with two rotating shower heads adjustable for use as head or side shower 1 shower head with wide, Pulsator and Eco spray 1 shower head with wide and pulsator spray lockable both heads with SpeedClean anti lime-scale system self stopping joint Grohclick elements for shower hose and handshower GROHE StarLight chrome finish</p>			
 	27 005 000	4005176239557	chrome	536.76
	<p>Freehander Shower concealed with two rotating shower heads adjustable for use as head or side shower 1 shower head with wide, Pulsator and Eco spray 1 shower head with wide and pulsator spray lockable both heads with SpeedClean anti lime-scale system self stopping joint GROHE StarLight chrome finish</p>			

GROHE RELEXA



GROHE
StarLight®



GROHE
EcoJoy™




GROHE
DreamSpray®

GROHE RELEXA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 530 000	4005176889219	chrome	405.60
------------	---------------	--------	--------



Relexa Deluxe 130

Head shower 4 sprays

Normal, Rain, Champagne spray, Champagne spray Deluxe

GROHE EcoJoy 9.5 l/min flow limiter

GROHE DreamSpray perfect spray pattern











GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

GROHE RELEXA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 796 000	4005176824296	chrome	107.31
<p>Relexa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 793 000	4005176823961	chrome	68.11
<p>Relexa 100 Trio Hand shower 3 sprays Wide Spray/ Needle Jet / Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 062 000	4005176831669	chrome	264.86
<p>Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 065 000	4005176832109	chrome	179.20
<p>Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 067 000	4005176832123	chrome	107.41
<p>Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 066 000	4005176832116	chrome	107.41
<p>Relexa 65 Side shower 2 sprays Normal, Eco spray ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 094 000	4005176601132	chrome	41.66
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 189 000	4005176075650	chrome	197.94
<p>Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 002 000	4005176858796	chrome	150.76
<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	chrome	119.87
<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 286 000	4005176198526	chrome	87.20
<p>Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE EUPHORIA



GROHE
StarLight®



GROHE
CoolTouch®



GROHE
EcoJoy™















GROHE
QuickFix®













GROHE
DreamSpray®





GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 239 000	4005176854323	chrome	53.06
<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 221 000	4005176854125	chrome	50.71
<p>ditto, with non-restricted flow</p>				
 	27 220 000	4005176854118	chrome	35.03
<p>Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 224 000	4005176854156	chrome	25.36
<p>Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 243 001	4005176899799	chrome	92.79
<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1.500 mm (28 364 000) GROHE EasyReach tray (27 596 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 231 001	4005176899553	chrome	87.30
<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 221 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				


GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 230 001	4005176899546	chrome	79.69
<p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 256 001	4005176899805	chrome	71.69
<p>Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499 000) shower hose 1500 mm (28 161 000) soap dish GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 225 001	4005176899508	chrome	87.91
<p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 355 000	4005176874451	chrome	83.98
<p>Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting</p>				
 	27 354 000	4005176874444	chrome	45.89
<p>Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				









GROHE EUPHORIA











		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		27 499 000	4005176886041	chrome	58.85
<p>Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish</p>					
		27 500 000	4005176886058	chrome	67.30
<p>ditto, 900 mm</p>					
		27 596 000	4005176895944		5.89
<p>GROHE EasyReach tray acrylic</p>					

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 400 000	4005176877292	chrome	39.73
<p>Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 367 000	4005176875939	chrome	39.73
 	27 369 000	4005176875953	chrome	62.58
<p>Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056 000) Silverflex shower hose 1.500 mm (28 364 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Min. recommended pressure 0.5 bar</p>				
 	26 072 000	4005176937262	chrome	190.27
<p>Euphoria Cosmopolitan 180 Head shower set 286 mm head shower Euphoria Cosmopolitan (27 492 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 492 000	4005176885556	chrome	121.51
<p>Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	27 491 000	4005176885549	chrome	123.94
<p>ditto, with non-restricted flow</p>				
 	28 233 000	4005176868016	chrome	75.25
<p>Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	28 232 000	4005176868009	chrome	76.76
<p>ditto, with non-restricted flow</p>				


GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 888 000	4005176921179	chrome	78.75
	Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 884 001	4005176919695	chrome	78.75
	ditto, with non-restricted flow			
 	27 891 000	4005176921209	chrome	207.39
	Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
 	27 890 000	4005176921193	chrome	204.94
	Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) Shower Rail 900mm (27 841 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
 	27 889 000	4005176921186	chrome	118.40
	Euphoria Cube+ Stick Wall holder set 1 spray hand shower, metal (27 888 000) wall shower holder (27 706 000) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 699 000	4005176907104	chrome	37.97
<p>Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 698 000	4005176907098	chrome	39.87
<p>ditto, with non-restricted flow</p>				
 	27 700 000	4005176907111	chrome	176.28
<p>Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) Shower Rail 900mm (27 841 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 703 000	4005176907142	chrome	67.40
<p>Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 702 000	4005176907135	chrome	64.19
<p>ditto, with non-restricted flow</p>				
 	26 073 000	4005176937279	chrome	194.76
<p>Euphoria Cube 150 Head shower set 286 mm head shower Euphoria Cube 150 (27 705 000) Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 705 000	4005176907166	chrome	119.58
<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

GROHE EUPHORIA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 737 000	4005176872983	chrome	63.29



Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE NEW TEMPESTA



GROHE
StarLight®



GROHE
CoolTouch®












GROHE
EcoJoy™













GROHE
DreamSpray®











GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 608 000	4005176895661	chrome	39.70
	New Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 085 000	4005176940538	chrome	36.72
	ditto, with non-restricted flow			
 	27 609 000	4005176895678	chrome	75.99
	New Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608 000) shower rail, 600 mm (27 519 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 086 000	4005176940545	chrome	71.69
	ditto, with non-restricted flow			
 	27 805 000	4005176914133	chrome	57.31
	New Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608 000) wall shower holder adjustable (27 595 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 610 000	4005176895685	chrome	46.36
	New Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 519 000	4005176886485	chrome	57.11
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight			
	27 520 000	4005176886492	chrome	65.76
	ditto, 900 mm			









GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 575 001	4005176940149	chrome	36.10
<p>New Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O², Rain Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 573 001	4005176940293	chrome	35.93
<p>ditto, with non-restricted flow</p>				
 	27 574 001	4005176940132	chrome	29.05
<p>New Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O², Rain Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 572 001	4005176940286	chrome	28.13
<p>ditto, with non-restricted flow</p>				
 	27 571 001	4005176940170	chrome	20.99
<p>New Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	26 130 000	4005176985355	chrome	29.36
<p>ditto, but for low pressure</p>				
 	26 082 001	4005176940163	chrome	25.50
<p>New Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	26 083 001	4005176940415	chrome	52.25
<p>New Tempesta Cosmopolitan 100 Shower rail set 1 spray consisting of: hand shower (26 082 001) shower rail, 600mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				











GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 580 001	4005176940347	chrome	66.34
<p>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 575 001) shower rail, 600mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 787 001	4005176940378	chrome	66.34
<p>ditto, with non-restricted flow</p>				
 	27 579 001	4005176940330	chrome	57.90
<p>New Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 574 001) shower rail, 600mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 786 001	4005176940361	chrome	57.42
<p>ditto, with non-restricted flow</p>				
 	27 578 10E	4005176940309	chrome	51.00
<p>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower (27 571 10E) shower rail, 600mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 578 001	4005176940354	chrome	52.06
<p>ditto, with non-restricted flow</p>				
 	27 584 001	4005176940491	chrome	44.38
<p>New Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574 001) wall shower holder adjustable (27 595 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 588 001	4005176940514	chrome	39.98
<p>New Tempesta Cosmopolitan 100 Wall holder set 3 sprays consisting of: hand shower (27 574 001) wall shower holder non-adjustable (27 594 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

















GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 084 001	4005176940521	chrome	29.41
<p>New Tempesta Cosmopolitan 100 Wall holder set 1 spray consisting of: hand shower (26 082 001) wall shower holder non-adjustable (27 594 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 591 000	4005176895890	chrome	50.07
<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ø 100 mm connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 521 000	4005176886508	chrome	57.11
<p>New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight</p>				
	27 522 000	4005176886515	chrome	65.76
<p>ditto, 900 mm</p>				
 	27 596 000	4005176895944		5.89
<p>GROHE EasyReach tray acrylic</p>				











GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 421 001	4005176895999	chrome	32.78
	<p>New Tempesta 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	28 578 001	4005176895975	chrome	34.27
	ditto, with non-restricted flow			
 	28 419 001	4005176895982	chrome	25.71
	<p>New Tempesta 100 Hand shower 3 sprays GROHE Rain O², Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	28 261 001	4005176895968	chrome	24.76
	ditto, with non-restricted flow			
 	27 597 00E	4005176895951	chrome	19.09
	<p>New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 597 000	4005176914287	chrome	19.99
	ditto, with non-restricted flow			
 	28 422 001	4005176985546	chrome	19.24
	<p>New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses for low pressure Min. recommended pressure 0.1 bar</p>			
 	27 923 000	4005176923371	chrome	17.31
	<p>New Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses</p>			
	27 852 000	4005176917493	chrome	17.65
	ditto, with non-restricted flow			
	28 214 002	4005176896002	chrome	19.61
	ditto, but for low pressure			











GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 600 000	4005176896033	chrome	57.16
<p>New Tempesta 100 Shower rail set 3 sprays hand shower (28 419 001) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
 	27 645 000	4005176904813	chrome	64.03
<p>New Tempesta 100 Shower rail set 4 sprays consisting of: hand shower (28 421 001) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 795 000	4005176914317	chrome	62.77
<p>27 795 000 4005176914317 chrome 62.77 ditto, with non-restricted flow</p>				
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 644 000	4005176904806	chrome	55.64
<p>New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419 001) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 794 000	4005176914300	chrome	56.75
<p>27 794 000 4005176914300 chrome 56.75 ditto, with non-restricted flow</p>				
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 598 00E	4005176896019	chrome	47.08
<p>New Tempesta 100 Shower rail set 2 sprays consisting of: hand shower (27 597 00E) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
 	27 598 000	4005176914294	chrome	50.29
<p>27 598 000 4005176914294 chrome 50.29 ditto, with non-restricted flow</p>				
 	28 438 001	4005176985553	chrome	52.26
<p>New Tempesta 100 Shower rail set 2 sprays hand shower (28 422 001) shower rail, 600 mm (27 523 000) shower hose 1500 mm (28 161 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling for low pressure Min. recommended pressure 0.1 bar</p>				

GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 <p>WELL Upgrade Volume Water Efficiency Label</p> 	27 924 000	4005176923784	chrome	44.22
	<p>New Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923 000) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 853 000	4005176917509	chrome	44.22
	ditto, with non-restricted flow			
 	27 799 000	4005176914362	chrome	29.49
	<p>New Tempesta 100 Wall holder set 2 sprays hand shower (27 597 000) wall shower holder (28 605 000), non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
 	28 792 001	4005176985560	chrome	34.44
	<p>New Tempesta 100 Wall holder set 2 sprays hand shower (28 422 001) wall shower holder (28 605 000) non-adjustable shower hose 1500 mm (28 161 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling for low pressure Min. recommended pressure 0.1 bar</p>			
 	28 278 002	4005176985386	chrome	30.74
	<p>New Tempesta 100 Wall holder set 1 spray hand shower (28 241 002) wall shower holder (28 605 000) non-adjustable shower hose 1500 mm (28 161 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling for low pressure Min. recommended pressure 0.1 bar</p>			
 	26 267 000	4005176319853	chrome	35.00
	<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure Min. recommended pressure 0.1 bar</p>			

GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 606 000	4005176896163	chrome	47.78
<p>New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ø 100 mm connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 523 000	4005176886522	chrome	64.73
<p>New Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight</p>				
	27 524 000	4005176886539	chrome	73.07
<p>ditto, 900 mm</p>				
 	27 596 000	4005176895944		5.89
<p>GROHE EasyReach tray acrylic</p>				
 	28 541 000	4005176040528	chrome	106.63
<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	28 429 000	4005176601910	chrome	37.27
<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				

GROHE SENA TRIGGER SPRAYS



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS


FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE SENA TRIGGER SPRAYS









Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 332 000	4005176332135	chrome	149.12
Sena Trigger Spray 35 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335 000)			
GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting Min. recommended pressure 0.5 bar			
26 329 000	4005176332128	chrome	148.20
ditto, hose 1.000 mm			

GROHE TEMPESTA TRIGGER SPRAYS



GROHE TEMPESTA TRIGGER SPRAYS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 353 000	4005176333866	chrome	29.63
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) Silverflex Longlife shower hose 1500 mm (26 346 000) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 513 001	4005176333842	chrome	27.60
<p>dito, with 1250mm hose</p>				
 	26 354 000	4005176333873	chrome	31.67
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 514 001	4005176333910	chrome	52.67
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) angle valve 1/2" (22 958) Silverflex Longlife shower hose 1250 mm (26 335 000) GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				

GROHE TRIGGER SPRAYS



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS









FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES











GROHE TRIGGER SPRAYS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 512 000	4005176886386	chrome	29.07
<p>Trigger Spray 30 Hand shower 1 spray for use with spray combinations Universal Mounting System. Fits all standard shower hoses</p>				
 	27 513 000	4005176886393	chrome	51.71
<p>Trigger Spray 30 Wall holder set 1 spray hand shower with trigger control (27 512 000) wall shower holder (28 605 000) shower hose 28 102 000 GROHE StarLight chrome finish</p>				
 	27 812 000	4005176222009	chrome	50.76
<p>Trigger Spray 30 Wall holder set 1 spray hand shower (28 020 000) wall shower holder (28 605 000) shower hose 28 102 000</p>				
 	27 514 000	4005176886409	chrome	83.22
<p>Trigger Spray Wall holder set 1 spray hand shower with trigger control (27 512 000) wall shower holder (28 605 000) shower hose 28 102 000 angle valve 1/2" (22 940 000) GROHE StarLight chrome finish angle valve 1/2" (22 958)</p>				









GROHE SHOWER HOSES



GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 417 000	4005176264702	chrome	35.66
	Rotaflex Metal Longlife Metal hose 1500 mm 1/2" x 1/2" Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar Rotation cone for Twistfree function Cone with silicone tape to prevent turning of hand shower during usage GROHE StarLight chrome finish			
 	28 145 000	4005176601354	chrome	64.20
	Relaxflex Metal Longlife Metal hose 2000 mm 1/2" x 1/2" Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar GROHE StarLight chrome finish			
	28 143 000	4005176601347	chrome	54.19
	28 143 LSO	4005176842269	moon white	81.12
	28 143 KSO	4005176842252	velvet black	52.71
	ditto, 1500mm hose			
	28 142 000	4005176601330	chrome	49.39
	ditto, 1250 mm			
 	28 140 000	4005176601323	chrome	34.74
	Relaxflex Metal Longlife Metal hose 2000 mm 1/2" x 1/2" GROHE StarLight chrome finish			
	28 105 000	4005176601217	chrome	30.49
	ditto, 1500mm hose			
 	26 346 000	4005176332173	chrome	23.32
	Silverflex Longlife Shower hose 1500 mm 1/2" x 1/2" strengthened model pressure resistance up to 12 bar plastic material with smooth surface flexible, easy cleaning kink proofing Rotation cone for Twistfree function GROHE StarLight chrome finish			
 	27 137 000	4005176836237	chrome	38.50
	Silverflex Longlife Shower hose 2000 mm 1/2" x 1/2" plastic material with smooth surface flexible, easy cleaning kink proofing Rotation cone for Twistfree function GROHE StarLight chrome finish			
	28 388 000	4005176295362	chrome	35.84
	ditto, 1750mm hose			
	28 364 000	4005176295294	chrome	33.35
	ditto, 1500mm hose			
	28 362 000	4005176295225	chrome	27.64
	ditto, 1250 mm			

GROHE SHOWER HOSES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)	
		28 413 000	4005176264665	chrome	41.19	
		Rotaflex Shower hose 2 000 mm 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish				
		28 410 000	4005176264627	chrome	37.27	
		28 409 000	4005176264580	chrome	34.74	
ditto, 1750mm hose ditto, 1500mm hose						
		28 155 000	4005176601576	chrome	37.10	
		Relexaflex Shower hose 2000 mm 1/2" x 1/2" GROHE StarLight chrome finish				
		28 154 000	4005176601552	chrome	35.06	
		28 151 000	4005176601514	chrome	30.24	
		28 150 000	4005176601439	chrome	27.64	
ditto, 1250 mm						
		28 161 000	4005176038273	chrome	34.74	
Relexaflex Shower hose 1500 mm for low pressure GROHE StarLight chrome finish						
		28 158 000	4005176601606	chrome	45.10	
Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish						













GROHE SHOWER ACCESSORIES











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 055 000	4005176830433	chrome	37.98
<p>Rainshower Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	4005176031595	chrome	31.65
<p>Relaxa Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	4005176895937	chrome	17.31
<p>Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				



GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 188 000	4005176842160	chrome	85.06
GROHE Ondus Hand shower holder wall mounted non-adjustable metal GROHE StarLight finish				
 	28 690 000	4005176256196	chrome	83.63
Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish				
 	27 056 000	4005176830440	chrome	26.03
Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish				
 	27 074 000	4005176833083	chrome	29.96
Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish				
 	27 075 000	4005176833090	chrome	29.96
Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE StarLight chrome finish				
 	27 706 000	4005176908439	chrome	71.60
Allure Brilliant Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish				

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 693 000	4005176907043	chrome	19.76
<p>Euphoria Cube Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	28 622 000	4005176041297	chrome	26.55
<p>Relaxa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	27 594 000	4005176895920	chrome	11.54
<p>New Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	28 605 000	4005176041105	chrome	18.37
<p>Relaxa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				

GROHE SHOWER ACCESSORIES



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 151 000	4005176837012	chrome	101.05

Pull-out shower

for bath rim installation and under tiled surround

Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)

The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish

 	27 531 000	4005176889486	chrome	224.39
---	------------	---------------	--------	--------













Pull-out shower

for bath rim installation and under tiled surround

Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)

The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish













GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 190 000	4005176842221	chrome	97.68
<p>GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow GROHE StarLight finish</p>				
 	27 057 000	4005176830457	chrome	46.72
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 076 000	4005176833106	chrome	46.72
<p>Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 707 000	4005176908446	chrome	79.60
<p>Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish</p>				
 	27 704 000	4005176907159	chrome	25.50
<p>Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish</p>				
<div style="background-color: red; color: white; padding: 2px; display: inline-block;">NEW</div>  	26 370 000	4005176341380	chrome	19.90
<p>Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish</p>				













GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 405 000	4005176264559	chrome	42.80
Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish				
 	28 671 000	4005176103070	chrome	33.35
Relaxa Shower outlet elbow, 1/2" male thread Duo (28 419 000) Duo (28 261 000) Trio (28 421 000) Trio (28 578 000) GROHE StarLight chrome finish				
	28 680 000	4005176116780	chrome	33.35
ditto, protected against backflow				
 	28 626 000	4005176041358	chrome	41.38
Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap				
	28 678 000	4005176116711	chrome	41.38
ditto, protected against backflow				
	28 636 000	4005176078606	chrome	41.38
ditto, for IG-combination				
 	28 406 000	4005176264566	chrome	44.76
Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish				
 	28 628 000	4005176041396	chrome	42.80
Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish				
	28 679 000	4005176116759	chrome	42.80
ditto, protected against backflow				



GROHE SHOWER ACCESSORIES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		28 580 000	4005176276965	chrome	155.14
		Sena Shower rail, 600 mm vertically adjustable glider with shower holder GROHE StarLight chrome finish			
		28 346 000	4005176262760	chrome	189.91
		ditto, 900 mm rail			
		28 797 001	4005176870941	chrome	102.72
		Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder adjustable distance between wall brackets to adapt to existing drill holes GROHE StarLight chrome finish			
		28 819 001	4005176870958	chrome	118.23
		ditto, projection 900 mm			
		27 136 001	4005176870965	chrome	127.69
		ditto, 1150 mm			
		27 784 000	4005176913976	chrome	85.70
		Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish			
		27 785 000	4005176913983	chrome	101.95
		ditto, 900mm hose			
		28 587 000	4005176282966	chrome	167.68
		Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
		27 892 000	4005176921216	chrome	162.46
		Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish			
		27 841 000	4005176916670	chrome	167.04
		ditto, 900mm			
		27 499 000	4005176886041	chrome	58.85
		Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
		27 500 000	4005176886058	chrome	67.30
		ditto, 900 mm			









GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 519 000	4005176886485	chrome	57.11
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight			
 	27 520 000	4005176886492	chrome	65.76
	ditto, 900 mm			
 	27 521 000	4005176886508	chrome	57.11
	New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight			
 	27 522 000	4005176886515	chrome	65.76
	ditto, 900 mm			
 	27 523 000	4005176886522	chrome	64.73
	New Tempesta Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight			
 	27 524 000	4005176886539	chrome	73.07
	ditto, 900mm			

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	27 206 000	4005176845444		15.70
	27 596 000	4005176895944		5.89

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 304 000	4005176600142	chrome	60.63
<p>Riser pipe 1300 mm shower riser Ø 18 mm union nut 3/4" 1300 mm high projection 330 mm GROHE StarLight chrome finish</p>				
 	28 708 000	4005176602375	chrome	73.85
<p>Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wood screws GROHE StarLight chrome finish</p>				
 	28 389 000	4005176269837	chrome	10.56
<p>Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>				
 	28 817 000	4005176602962	chrome	11.56
<p>Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish</p>				

GROHE
KITCHEN FITTINGS





Contents

Water Systems	GROHE Blue Chilled & Sparkling	60
	GROHE Blue Home	61
	GROHE Blue Pure	62
	GROHE Blue Accessories	63
	GROHE Red	64
Premium Lines	K7	65
	Foot Control	66
	Minta / Minta Touch	67
	Zedra / Zedra Touch	68
	K4	69
	Essence	70
	Eurocube	71
Competence Lines	Ambi	72
	Parkfield	73
	Europlus	74
	Eurodisc Cosmopolitan	75
	Eurodisc	76
	Concetto	77
	Eurostyle Cosmopolitan	78
	Eurosmart Cosmopolitan	79
	Eurosmart	80
	Euroeco / Euroeco Special	81
	Costa	82
	BauEdge	83
	BauLoop	84
	Soap dispensers	85

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



RealSteel

Made of solid stainless steel, a robust material with anti-bacterial properties.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur Spray

Increases operating radius of the tap and offers different sprays.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guaranteed easy retraction and smooth docking for your pull-out spray head, every time.



SpeedClean
Remove limescale with a single wipe.



StopValve
Includes a dishwasher shut-off valve on the tap body.



PreWindow
To open the window, just lift up the tap and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen tap – saving time, money and the environment.



ChildLock
Integrated safety mechanism prevents unintentional opening by young children.



Titanium Inside
All boilers in our GROHE Red® collection are made from titanium.

GROHE BLUE®

NO NEED TO CARRY HEAVY WATER BOTTLES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue® water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue® brings it to you straight from the tap.

FIND OUT THE WAYS IN WHICH GROHE BLUE® BRINGS BENEFITS TO YOUR HOME:

TASTE

GROHE's filters remove impurities to give water a pure, fresh taste that even beats bottled water

HEALTH & WELLNESS

removing even small particles but leaving behind precious minerals, GROHE Blue® makes it easy to embrace the health-giving properties of water

CONVENIENCE

no more carrying heavy bottled water home

SUSTAINABILITY

kinder to the environment, with less waste on packaging and processing compared to bottled water respecting water and the environment.





GROHE BLUE® CHILLED & SPARKLING DUO

Kitchen tap and GROHE Blue® filtered, chilled and sparkling water in one.



C SPOUT



U SPOUT



MINTA



K7



MONO

MONO

Water dispenser for GROHE Blue® filtered, chilled and sparkling water

GROHE BLUE® PURE DUO

Kitchen tap and GROHE Blue® filtered, water in one.



C SPOUT



U SPOUT



MINTA



K7



MONO

MONO

Water dispenser for GROHE Blue® filtered water.

GROHE RED®

STREAMLINE YOUR KITCHEN

Never wait for the kettle to boil again. With the innovative GROHE Red® system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red® you still have your standard kitchen mixer, but a second lever provides kettle-hot water on tap.



THE BENEFITS ARE CRYSTAL CLEAR

CLEAN, FRESH TASTE

filtered water heated to 99 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP

no need for the clutter of a kettle. GROHE Red® fulfils all your water needs from a single tap

NO MORE WAITING

kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE

you only take the exact amount of hot water you need, so you save on water and energy consumption



GROHE RED® DUO

Kitchen tap and GROHE Red® boiling water in one.

WITH 4-LITER BOILER

WITH 8-LITER COMBI-BOILER

Suitable for kitchens that only have a cold water supply



C SPOUT

U SPOUT

C SPOUT

U SPOUT

GROHE RED® MONO

Water dispenser for GROHE Red® boiling water.

WITH 4-LITER BOILER

WITH 8-LITER COMBI-BOILER

Suitable for kitchens that only have a cold water supply



C SPOUT

U SPOUT

C SPOUT

U SPOUT

GROHE EASYTOUCH



LOVE AT FIRST TOUCH

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE Touch tap? It lets you control the flow of water with a simple touch of the wrist or forearm, making your kitchen more hygienic, convenient and instinctive to use. Change the way you control your kitchen with just a single touch.





Footcontrol

Never enough hands? Busy cooks often have their hands full, and that's why we've created the Foot Control foot-activated tap, offering you unlimited freedom and convenience. Simply tap the base of the kitchen cabinet with your foot to start the flow of water, and touch again to stop. Great for filling heavy pots and perfect for keeping your tap clean and hygienic, Foot Control is an innovative solution that gives you total control.







GROHE BLUE CHILLED & SPARKLING



GROHE BLUE CHILLED & SPARKLING

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 323 001	4005176987946	chrome	2,139.83
	31 323 DC1	4005176987953	supersteel	2,246.82
	<p>GROHE Blue Chilled & Sparkling Starter kit consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for 3 types of filtered and chilled table water still, medium, sparkling headpart 1/2" GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel area 180° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			
	<p>31 324 001 4005176987960 chrome 2,139.83 31 324 DC1 4005176987977 supersteel 2,221.43</p> <p>GROHE Blue Chilled & Sparkling Starter kit consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation U spout separate handle for 3 types of filtered and chilled table water still, medium, sparkling headpart 1/2" GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel area 180° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			
	31 347 002	4005176988059	chrome	2,058.78
	31 347 DC2	4005176988066	supersteel	2,199.70
	<p>GROHE Blue Minta Chilled and Sparkling Starter kit consisting of: GROHE Blue Minta single-lever sink mixer with filtration function monobloc installation separate handle for 3 types of filtered and chilled table water still, medium, sparkling headpart 1/2" GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			




GROHE BLUE CHILLED & SPARKLING

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 346 001	4005176988035	chrome	2,342.10
	31 346 DC1	4005176988042	supersteel	2,576.31
				
				
	<p>GROHE Blue K7 Chilled and Sparkling Starter kit consisting of: GROHE Blue K7 single-lever sink mixer with filtration monobloc installation separate handle for 3 types of filtered and chilled table water still, medium, sparkling headpart 1/2"</p> <p>GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved</p> <p>GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			
	31 355 001	4005176988073	chrome	2,309.99
	31 355 DC1	4005176988080	supersteel	2,435.18
				
				
	<p>GROHE Blue K7 Chilled and Sparkling Starter kit consisting of: GROHE Blue K7 single-lever sink mixer with filter function and SpeedClean side spray two hole installation separate handle for 3 types of filtered and chilled table water still, medium, sparkling headpart 1/2"</p> <p>GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved</p> <p>GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			
	31 302 001	4005176988097	chrome	1,904.02
	31 302 DC1	4005176988103	supersteel	2,094.42
				
				
	<p>GROHE Blue Mono Chilled and Sparkling Starter kit consisting of: GROHE Blue Minta Mono tap with filter function monobloc installation handle for 3 types of filtered and chilled table water still, medium, sparkling GROHE StarLight finish swivel tubular spout flexible connection hoses swivel area 140° GROHE Blue Cube 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved</p> <p>GROHE Blue size S filter, filter head with flexible adjustment GROHE Blue 425gr CO₂-carbonization bottle Min. recommended pressure 2.0 bar</p>			

GROHE BLUE HOME




GROHE BLUE HOME

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
NEW	31 454 000	4005176323003	chrome	2,004.35
	31 454 DC0	4005176323010	supersteel	2,178.65
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling L-spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling C-spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			
NEW	31 455 000	4005176323027	chrome	1,960.78
	31 455 DC0	4005176323034	supersteel	2,091.50
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling U spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling U spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			
NEW	31 456 000	4005176327377	chrome	1,960.78
	31 456 DC0	4005176327384	supersteel	2,091.50
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling U spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			
	<p>GROHE Blue Home Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function separate handle for 2 types of filtered and chilled table water still and sparkling U spout separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler power input 270 Watt, 230 V, 50 Hz delivers 5 liters of chilled water per hour adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter CE approved GROHE Blue filter size S, filter head with flexible water hardness adjustment GROHE Blue 425 g CO₂-carbonization bottle min. recommended pressure 2.0 bar</p>			

GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 498 000	4005176356360	chrome	1,895.42
31 498 DC0	4005176356377	supersteel	2,026.15



GROHE Blue Home Starter kit

consisting of:
 GROHE Blue Home pillar tap with filter function
 handle for 2 types of filtered and chilled table water
 still and sparkling
 C-spout
 flexible connection hoses
 GROHE Blue Home cooler
 power input 270 Watt, 230 V, 50 Hz
 delivers 5 liters of chilled water per hour
 adjustable for GROHE Blue filter size S, GROHE Blue activated carbon filter and
 GROHE Blue magnesium+ filter
 CE approved
 GROHE Blue filter size S, filter head with flexible water hardness adjustment
GROHE Blue 425 g CO₂-carbonization bottle
min. recommended pressure 2.0 bar

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES

GROHE BLUE PURE



GROHE
SilkMove®



GROHE
StarLight®

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE BLUE PURE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 344 001	4005176987861	chrome	958.13
31 344 DC1	4005176987878	supersteel	1,053.95




GROHE Blue K7 Pure Starter kit

consisting of:
GROHE Blue K7 single-lever sink mixer with filtration
monobloc installation
separate handle for filtered water
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
min. recommended pressure 2.0 bar

31 354 001	4005176987908	chrome	916.27
31 354 DC1	4005176987915	supersteel	999.00




GROHE Blue K7 Pure Starter kit

consisting of:
GROHE Blue K7 single-lever sink mixer with filter function and **SpeedClean** side spray
two hole installation
separate handle for filtered water
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
min. recommended pressure 2.0 bar

31 301 001	4005176987922	chrome	540.65
31 301 DC1	4005176987939	supersteel	591.77



GROHE Blue Mono Pure Starter kit

consisting of:
GROHE Blue Minta Mono tap with filter function
monobloc installation
handle for filtered table water












GROHE StarLight finish
swivel tubular spout
swivel area 150°
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment
min. recommended pressure 2.0 bar

GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 404 001	4005176984068		77.08
<p>GROHE Blue Filter size S BWT replacement filter for GROHE Blue capacity 600 l at 15° KH 5-stage filter</p>				
 	40 430 001	4005176984075		159.44
<p>GROHE Blue Filter size M BWT replacement filter for GROHE Blue capacity 1500 l at 15° KH 5-stage filter</p>				
 	40 412 001	4005176984082		212.58
<p>GROHE Blue Filter size L BWT replacement filter for GROHE Blue capacity 3000 l at 15° KH 5-stage filter</p>				
 	40 547 001	4005176984099		90.48
<p>GROHE Blue Active carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° KH Upto 3000 Liters 3-stage filter</p>				
 	40 691 001	4005176984129		96.33
<p>GROHE Blue Magnesium+ Filter BWT replacement filter for GROHE Blue for recharge of the water with magnesium capacity 400 l at 15° dGH 5-stage filter</p>				
	64 508 001	4005176984112		118.02
<p>GROHE Blue Filter Head for use with GROHE Blue BWT filters</p>				

GROHE BLUE ACCESSORIES


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 434 001	4005176985294		67.88
<p>GROHE Blue Cleaning cartridge for 100% biological disinfection of the GROHE Blue chiller and filter head including spray head and water test stripes</p>				
	40 694 000	4005176985300		67.88
<p>GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead Only use in combination with 40434001</p>				
 	40 437 000	4005176885471		56.43
<p>GROHE Blue 6 Water glasses 6 crystal glasses with GROHE Blue decor volume 0.25 l</p>				
 	40 405 000	4005176860812		58.38
<p>GROHE Blue Glass carafe crystal glass with stainless steel plug volume 1l</p>				

GROHE RED



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 058 000	4005176880827	chrome	1,474.12
	<p>GROHE Red Duo Faucet and single-boiler (4 liters) monobloc installation C-spout GROHE ChildLock handle certified safety handle with a pull and turn closure headpart 1/2" GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight finish GROHE CoolTouch insulated spout swivel area 180° separate water ways flexible connection hoses protected against backflow connection for GROHE Red boiler GROHE Red single boiler CE approved power consumption 2100 W power supply 230 V 50 Hz 30 VA standby power consumption 15 W measurements boiler: 325 x 210 x 300 mm GROHE Blue 600 l filter Min. recommended pressure 2.0 bar</p>			
	30 153 000	4005176904127	chrome	1,474.12
	<p>GROHE Red Duo Faucet and single-boiler (4 liters) monobloc installation U spout GROHE ChildLock handle certified safety handle with a pull and turn closure headpart 1/2" GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight finish GROHE CoolTouch insulated spout swivel area 180° separate water ways flexible connection hoses protected against backflow connection for GROHE Red boiler GROHE Red single boiler CE approved power consumption 2100 W power supply 230 V 50 Hz 30 VA standby power consumption 15 W measurements boiler: 325 x 210 x 300 mm GROHE Blue 600 l filter Min. recommended pressure 2.0 bar</p>			
	30 060 000	4005176880841	chrome	1,318.19
	<p>GROHE Red Mono Pillar tap and single-boiler (4 liters) GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock handle certified safety handle with a pull and turn closure headpart 1/2" GROHE StarLight finish GROHE CoolTouch insulated spout stop limiter flexible connection hoses protected against backflow connection for GROHE Red boiler GROHE Red single boiler CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W measurements boiler: 325 x 210 x 300 mm GROHE Blue 600 l filter Min. recommended pressure 2.0 bar</p>			

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 155 000	4005176904165	chrome	1,310.71



GROHE Red Mono
Pillar tap and single-boiler (4 liters)
GROHE Red Mono pillar tap
 monobloc installation
 U spout
GROHE ChildLock handle
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE CoolTouch
 insulated spout
 stop limiter
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red single boiler
 CE approved
 power supply 230 V 50 Hz 30 VA
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 325 x 210 x 300 mm
GROHE Blue 600 l filter
Min. recommended pressure 2.0 bar

GROHE K7













GROHE
SilkMove®



GROHE
StarLight®

GROHE K7

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 950 000	4005176879838	chrome	596.28
	32 950 DC0	4005176879845	supersteel	752.16
	<p>K7 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>			
	31 379 000	4005176938085	chrome	573.89
	31 379 DC0	4005176938092	supersteel	708.27
	<p>K7 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>			
	32 175 000	4005176860232	chrome	547.46
	32 175 DC0	4005176860249	supersteel	723.92
	<p>K7 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur adjustable flow rate limiter swivel cast spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			
	32 176 000	4005176860256	chrome	600.94
	32 176 DC0	4005176860263	supersteel	778.48
	<p>K7 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet swivel area 140° metal lever protected against backflow flexible connection hoses rapid installation system</p>			
	32 179 000	4005176860447	chrome	818.50
	32 179 DC0	4005176860454	supersteel	923.61
	<p>K7 Sink mixer 1/2" with SpeedClean metal side spray GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur swivel cast spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			

GROHE FOOT CONTROL



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS






FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES









GROHE FOOT CONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
NEW	30 311 000	4005176351259	chrome	472.22
	30 311 DC0	4005176351266	supersteel	546.30
 	<p>Essence Foot Control Electronic single-lever sink mixer 1/2" L-spout Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 28 mm ceramic cartridge with GROHE SilkMove pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			
	30 312 000	4005176351273	chrome	701.85
NEW	30 312 DC0	4005176351280	supersteel	840.74
 	<p>K7 Foot Control Electronic single-lever sink mixer 1/2" medium spout Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			
	30 309 000	4005176351235	chrome	240.74
NEW	<p>Foot Control Adaptor Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets</p>			
				











GROHE MINTA / MINTA TOUCH



GROHE MINTA / MINTA TOUCH


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
NEW	31 360 001	4005176343025	chrome	570.83
	31 360 DC1	4005176343032	supersteel	761.37
		Minta Touch Electronic single-lever sink mixer 1/2" L-spout Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system		
NEW	31 358 001	4005176343001	chrome	602.78
	31 358 DC1	4005176343018	supersteel	795.98
		Minta Touch Electronic single-lever sink mixer 1/2" C-spout Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull-out mousseur spray diverter: mousseur/shower jet adjustable flow rate limiter automatic return to mousseur swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system		
	31 375 000	4005176934155	chrome	207.61
	31 375 DC0	4005176934162	supersteel	264.91
		Minta Sink mixer 1/2" L-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses rapid installation system		
	32 168 000	4005176824425	chrome	276.54
	32 168 DC0	4005176824432	supersteel	372.70
		Minta Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system		

GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 274 000	4005176314988	chrome	240.50
	30 274 DC0	4005176314995	supersteel	405.67
	<p>Minta Sink mixer 1/2" L-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 917 000	4005176230950	chrome	230.86
	32 917 DC0	4005176804946	supersteel	288.16
	<p>Minta Sink mixer 1/2" C-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses connector set 3/8" rapid installation system optional temperature limiter (46 308 000)</p>			
	32 918 000	4005176230967	chrome	279.07
	32 918 DC0	4005176804953	supersteel	324.70
	<p>Minta Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			
	32 321 000	4005176830228	chrome	294.80
	32 321 DC0	4005176830235	supersteel	375.69
	<p>Minta Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out mousseur spray adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 488 000	4005176289552	chrome	230.86
	32 488 DC0	4005176804939	supersteel	309.40
	<p>Minta Sink mixer 1/2" U spout, monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout rapid installation system flexible connection hoses optional temperature limiter (46 308 000)</p>			


GROHE MINTA / MINTA TOUCH

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



32 067 000	4005176811142	chrome	279.07
32 067 DC0	4005176811166	supersteel	284.65

Minta
Sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system



32 322 000	4005176830242	chrome	294.80
32 322 DC0	4005176830259	supersteel	394.10

Minta
Sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel tubular spout, integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system


GROHE ZEDRA / ZEDRA TOUCH



GROHE ZEDRA / ZEDRA TOUCH


NEW

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 219 001	4005176343063	chrome	687.80
30 219 DC1	4005176343070	supersteel	890.17




Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 automatically stops after 60 sec.
 (factory set)
 type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

32 294 001	4005176932380	chrome	375.03
32 294 SD1	4005176932397	stainless steel	532.32




Zedra
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

32 553 000	4005176864506	chrome	367.05
32 553 SD0	4005176864520	stainless steel	530.12



Zedra
Sink mixer 1/2"
 monobloc installation, **GROHE StarLight finish**
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter, swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

32 296 000	4005176864599	chrome	327.83
32 296 SD0	4005176864612	stainless steel	469.26







Zedra
Sink mixer 1/2"
 monobloc installation, **GROHE StarLight finish**
GROHE SilkMove 46 mm ceramic cartridge
 pull-out mousseur spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 protected against backflow
 flexible connection hoses

GROHE K4



GROHE K4

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 782 000	4005176819827	chrome	431.82
<p>K4 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses</p>				
 	33 786 000	4005176819865	chrome	394.70
<p>K4 Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>				

GROHE ESSENCE



GROHE
SilkMove®



GROHE
StarLight®

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE ESSENCE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



30 269 000	4005176314902	chrome	206.50
30 269 DC0	4005176314919	supersteel	301.06

Essence
Sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter







30 270 000	4005176314926	chrome	246.50
30 270 DC0	4005176314933	supersteel	361.50

Essence
Sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter

GROHE EUROCUBE



GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 395 000	4005176304774	chrome	453.80
	31 395 DC0	4005176304767	supersteel	480.13
	<p>Eurocube Sink mixer 1/2" monobloc installation GROHE StarLight finish 28 mm ceramic cartridge with GROHE SilkMove diverter: mousseur/shower jet swivel spout swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system</p>			
	31 255 000	4005176901416	chrome	246.08
		<p>Eurocube Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel cast spout swivel area 360° flexible connection hoses rapid installation system</p>		

GROHE AMBI



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS





FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE AMBI

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	30 189 000	4005176914102	chrome	222.15
	<p>Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system min. recommended pressure 0.4 bar</p>			
 	30 190 000	4005176914119	chrome	227.16
	<p>Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system min. recommended pressure 0.4 bar</p>			


GROHE PARKFIELD



GROHE PARKFIELD

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

30 215 000	4005176982019	chrome	291.71
------------	---------------	--------	--------











Parkfield
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EUROPLUS



GROHE EUROPLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 930 002	4005176865558	chrome	251.75
	<p>Europlus Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>			
	33 933 002	4005176865572	chrome	294.58
	<p>Europlus Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>			
	32 941 002	4005176879050	chrome	235.39
	<p>Europlus Sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur adjustable flow rate limiter swivel cast spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			
	32 942 002	4005176879067	chrome	284.65
	<p>Europlus Sink mixer 1/2" low spout, monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel area 120° metal lever, protected against backflow flexible connection hoses rapid installation system</p>			

GROHE EURODISC COSMOPOLITAN











GROHE
SilkMove®



GROHE
StarLight®

GROHE EURODISC COSMOPOLITAN

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 259 002	4005176888182	chrome	187.93
<p>Eurodisc Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 122 002	4005176888199	chrome	286.44
<p>Eurodisc Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout swivel tubular spout adjustable flow rate limiter swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		33 770 002	4005176888137	chrome	224.69
<p>Eurodisc Cosmopolitan Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		32 257 002	4005176886591	chrome	265.56
<p>Eurodisc Cosmopolitan Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					

GROHE EURODISC



GROHE
SilkMove®



GROHE
StarLight®

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE EURODISC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



33 770 001	4005176828959	chrome	185.53
-------------------	----------------------	---------------	---------------

Eurodisc
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system













32 257 001	4005176834165	chrome	265.56
-------------------	----------------------	---------------	---------------

Eurodisc
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system


GROHE CONCETTO



GROHE CONCETTO

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 661 001	4005176886751	chrome	173.33
		32 661 DC1	4005176890987	supersteel	217.13
<p>Concetto Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° mousseur flexible connection hoses rapid installation system</p>					
		32 663 001	4005176886768	chrome	224.69
		32 663 DC1	4005176890994	supersteel	284.65
<p>Concetto Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		31 483 001	4005176341038	chrome	217.12
		31 483 DC1	4005176341076	supersteel	390.85
<p>Concetto Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out mousseur spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		31 128 001	4005176886737	chrome	192.59
		31 128 DC1	4005176891007	supersteel	236.80
<p>Concetto Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		31 129 001	4005176886744	chrome	246.09
		31 129 DC1	4005176891021	supersteel	277.91
<p>Concetto Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					

GROHE CONCETTO



Ref. No.	EAN code	Colour	Retail Guide Price (£)
32 659 001	4005176886713	chrome	151.05
32 659 DC1	4005176890772	supersteel	200.08

Concetto
Sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS











CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 975 002	4005176886638	chrome	171.19
		Eurostyle Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system			
		31 126 002	4005176886645	chrome	203.29
		Eurostyle Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
		31 482 002	4005176341021	chrome	230.52
		Eurostyle Cosmopolitan Sink mixer 1/2" monobloc installation high spout GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out mousseur spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
		30 221 002	4005176984235	chrome	108.10
		Eurostyle Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter			
		31 124 002	4005176886614	chrome	192.59
		Eurostyle Cosmopolitan Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system			

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

33 977 002	4005176886560	chrome	146.68
------------	---------------	--------	--------



Eurostyle Cosmopolitan
Sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUROSMART COSMOPOLITAN









GROHE
SilkMove®



GROHE
StarLight®







GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 843 000	4005176874840	chrome	134.66
	Eurosmart Cosmopolitan Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system			
	30 193 000	4005176919459	chrome	151.05
	Eurosmart Cosmopolitan Sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system			
	32 842 000	4005176874833	chrome	119.24
	Eurosmart Cosmopolitan Sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system			

GROHE EUROSMART



GROHE EUROSMART


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 202 002	4005176861956	chrome	114.49
	Eurosmart Sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter			
	33 281 002	4005176861932	chrome	108.47
	Eurosmart Sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system integrated temperature limiter			
	30 260 002	4005176310386	chrome	125.00
	Eurosmart Sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system			

GROHE EUROECO SPECIAL



GROHE EUROECO / EUROECO SPECIAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



32 786 000	4005176871863	chrome	183.71
------------	---------------	--------	--------


Euroeco Special
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable temperature limiter
 laminar flow straightener 9 l/min.
 swivel tubular spout
 selectable swivel area : 0° / 150° / 360°
 metal lever, lever length 120 mm
 flexible connection hoses

GROHE COSTA



GROHE COSTA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




31 819 001	4005176843471	chrome	106.47
------------	---------------	--------	--------

Costa S
Sink mixer 1/2"
metal handles
heat-insulated
screwable
GROHE StarLight finish
Carbodur headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses

GROHE BAUEDGE



Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



31 367 000	4005176934346	chrome	92.00
------------	---------------	--------	-------

BauEdge
Sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
 GROHE Longlife 28 mm ceramic cartridge
 mousseur
 swivel tubular spout
 swivel area 360°
 metal lever
 flexible connection hoses
 rapid installation system


GROHE BAULOOP



GROHE BAULOOP

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

31 368 000	4005176934483	chrome	92.00
------------	---------------	--------	-------



BauLoop
Sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
mousseur
swivel tubular spout
swivel area 360°
metal lever
flexible connection hoses
rapid installation system

GROHE SOAP DISPENSERS



GROHE SOAP DISPENSERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 535 000	4005176905490	chrome	49.37
	40 535 DC0	4005176905520	supersteel	64.57
	Cosmopolitan Soap Dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
	40 536 000	4005176905506	chrome	44.45
	40 536 DC0	4005176905537	supersteel	57.98
	Contemporary Soap Dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
	40 553 000	4005176911422	chrome	61.73
	40 553 DC0	4005176911439	supersteel	76.23
	Zedra Soap Dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
	40 537 000	4005176905513	chrome	48.73
	Authentic Soap Dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			

SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
COMMERCIAL FITTINGS





Contents

Electronic Fittings	Allure E	86
	Essence E	87
	Bluetooth	88
	Europlus E	89
	Eurosmart Cosmopolitan E	90
Special Thermostats	Euroeco Cosmopolitan E	91
	Grohtherm Ergomix	92
	Grohtherm 2000 Special	93
	Automatic 2000	94
Single-Lever Mixers	Grohtherm XL	95
	Commercial Showers	96
	Euroeco Special	97
	Hospita	98
	Euroeco Single Sequential	99
Self-closing Fittings	Eurodisc SE	100
	Eurosmart Cosmopolitan T	101
	Euroeco Cosmopolitan T	102

GROHE POWERBOX



The genuine energy saver for sanitary rooms

Electronic fittings capable of operating by producing their own electricity: An economically and ecologically progressive idea that has now become reality with the GROHE power box. Infrared controlled fittings, for example in airports, public sanitary rooms or leisure facilities, can now operate autonomously, without depending on power supplies. The power box combines optimum hygiene via touch-free controls with minimum energy consumption for electronics.

This is how it works: A turbine in the power box is driven by the water supply each time the fitting is operated. This converts kinetic energy into electrical energy and stores it to operate the infrared electronics. Using the generator for as little as 60 seconds delivers enough electricity to power the fitting for 24 hours.

- New standards regarding sustainability and protection of resources through energy conservation
- High efficiency and autonomy: especially in sanitary rooms where establishing a power supply is difficult or rather prone to disruptions
- Exceptional ease of servicing the power box with a service life of 10 years: a reduction in maintenance and lower operating costs
- Perfect support for demand driven and hygienically recommended water delivery with touch-free controls
- Unique storage technology: Efficient energy storage



New functionality in three designs

The power box can be combined with three different wash basin fittings: Europlus E and Eurosmart Cosmopolitan E models with integrated temperature-mixing can be powered via the power box. The Euroeco Cosmopolitan E for cold or premixed water can additionally be fitted with a Grohtherm Micro for thermostatic safety.

TECHNICAL FEATURES:

<p>Flow pressure min. 0.5 bar/recommended 1.5 bar</p> <hr/> <p>Faucets group I (DIN 4109)</p> <hr/> <p>Flow rate 6 l/Min.; pressure-independent</p> <hr/> <p>Cleaning stop function via the fitting's IR sensor</p>	<p>Independent power supply for infrared wash basin fittings in rooms with heavy traffic - no battery or power connection required</p> <hr/> <p>Generates its own power from the water flow for operating the electronics</p>	<p>Integrated storage unit for initial release and activation after a longer period of inactivity</p> <hr/> <p>A 60 second water flow is sufficient for 24 operating hours, a 260 second water flow is sufficient for 100 operating hours</p>	<p>Protection class: IP 44 Simple installation with flexible hose connectors for the water supply</p> <hr/> <p>Can be combined with Grohtherm Micro</p>
---	---	---	---

PRODUCT RANGE

Powerbox is combined with:

- Euroeco Cosmopolitan E
- Eurosmart Cosmopolitan E
- Europlus E

GROHE ELECTRONIC CONTROLS

THE LATEST GENERATION WITH BI-DIRECTIONAL DATA EXCHANGE.

GROHE Electronic products are equipped with the latest infrared control to allow bi-directional data exchange. These infrared products are not only receiving control commands for monitoring and settings, they also send out usage data and settings.

The fitting automatically “recognises” the presence of the user in the detection area. The detection zone can be adjusted depending on the usage, eg in hospitals, wall fittings can be changed from hand to body detection, to fulfil all requirements.

GROHE Electronic products are sustainable in terms of maintenance and life cycles. Due to their low energy requirements, the batteries have a long service life: up to seven years at 150 cycles per day. Alternatively, all electronic devices also can be powered by a mains connection (230V).

GROHE Electronic products demonstrate their high “intelligence” with seven programmable options, eg for thermal disinfection or for automatic interval flushing with adjustable flush duration and cleaning mode.

The latest generation of GROHE Electronic products have a single infrared window, which is recognised by the “eye” of the infrared control, and which now blinks yellow (red previously).

- Reliable functioning
- Reliable detection with a 30-degree detection angle
- Unique low-energy electronics
- Seven easily accessible, comprehensive programmes
- Simple adjustments and readout of consumption data through bidirectional data exchange via remote control

Adjustments using sensor system

Seven programmable options with the following content

Automatic flushing function
(Off, 24 or 72hrs to prevent water stagnation)

Automatic flush duration
(60, 300 or 600sec)

Thermal disinfection
(3.5 or 11 min or continuous operation)

Sensor-controlled: stops automatically when a hand approaches

Cleaning stop
(Off or 180sec, easy operation for cleaning personnel)

Battery voltage indicator:
blinking LED light = low battery charge

4 levels of charge are displayed:
>60%, >40%, >20%, <20%

AUTOMATIC HYGIENE FLUSHING



THERMAL DISINFECTION



CLEANING MODE



BATTERY VOLTAGE INDICATOR



NEW REMOTE CONTROL: SMART EQUIPMENT FOR DATA EXCHANGE

The new GROHE remote control is a prerequisite for data exchange with GROHE infrared products installed in washbasins, urinals and WCs. It is not only logical and easy to use, it comes equipped with extra functionality.

Consumption data can be customised using several settings. Running times as well as automatic cleaning and interval flushing are particularly easily activated. Thermal disinfection (with countdown function) is activated by the push of a button as and when required.

This new data exchange technology connected to the new remote control provides maintenance personnel with all necessary product and usage data on the easy-to-read display, allowing for long-term operational efficiencies. Maintenance has been simplified by the easy-to-use controls, and operational costs are easier to determine, and can therefore be reduced on the long term.



Additional adjustments via remote control	Usage data via remote control (Monitoring)
Reading, saving and sending of the product profile (one profile per product type)	Monitoring of consumption and flow-rate data
Automatic flushing function, flexible in 4hr intervals (4-80 hrs)	Total running time or number of flushes
Automatic flush duration in 30sec intervals (30-600 sec)	Number of days in the function
Thermal disinfection in 1min intervals (2-23min)	Number of cycles of the solenoid valve
Activation of thermal disinfection by the simple push of a button	Reset solenoid valve counter for service measures
Cleaning stop with three different time settings (180, 320, 560 sec)	Number of pre-flushes and cleaning flushes
Total run time of water flow per activation (6-420 sec)	Number of power drops
Run-on time after leaving the detection zone is individually adjustable in 1sec intervals (0-19sec)	Software version, serial number and production date of the infrared product
	Battery Level

GROHE ELECTRONIC CONTROLS


GROHE IR TECHNOLOGY WITH BLUETOOTH COMMUNICATION. MOBILE CONTROL AND MONITORING VIA APP

Fast information of all infrared products in public sanitary spaces. Now you can connect selected infrared products (via an app) with a Smartphone or Tablet PC. With the IR remote app from GROHE –which can be Password protected – you have several additional setup options with insight into even more information.

Easy to use for the installer or the maintenance staff who can have a complete overview of infrared products (WC, Urinal, washbasin and shower) with the Bluetooth communication module.

In comparison with the GROHE remote control, more information and programme settings are available, for example: program the start of the stagnation cycle, switch off the products for a certain time, save 3 profiles per product category, one click thermal disinfection, password protection, assign a name or a code to every product. This is possible with selected hardwired infrared products which are equipped with a Bluetooth module.

The GROHE IR remote app is free in App stores for iPhones and Android systems available.



Additional adjustments via GROHE IR Remote App	GROHE IR Remote App
<p>Comfortable user friendly setting options</p> <ul style="list-style-type: none"> • Password protected <hr/> <ul style="list-style-type: none"> • Settings interval and flush time of the stagnation flush <hr/> <ul style="list-style-type: none"> • Start time of the stagnation flush <hr/> <ul style="list-style-type: none"> • Setting of thermal disinfection <hr/> <ul style="list-style-type: none"> • One click thermal disinfection incl. timer function <hr/> <ul style="list-style-type: none"> • More precise cleaning mode timings <hr/> <ul style="list-style-type: none"> • Switch off product (2 time slots) 	<p>improved maintenance information by reading out service data</p> <ul style="list-style-type: none"> • Readout, save and send: 1 out of 3 profiles per product category <hr/> <ul style="list-style-type: none"> • Detection of 10 products at the same time <hr/> <ul style="list-style-type: none"> • Easy product select by app <hr/> <ul style="list-style-type: none"> • Assign name to every product <hr/> <ul style="list-style-type: none"> • Overview overall user and usage information <hr/> <ul style="list-style-type: none"> • Overview user and usage information <hr/> <ul style="list-style-type: none"> • Average usage of the last 30 days <hr/> <ul style="list-style-type: none"> • Number, time and timings thermal disinfection <hr/> <ul style="list-style-type: none"> • Reset of usage or settings to factory default <hr/> <ul style="list-style-type: none"> • Improved information for service and maintenance: <hr/> <ul style="list-style-type: none"> • Last stagnation flushes, actuations and thermal disinfection. <hr/> <ul style="list-style-type: none"> • Software version

GROHE ALLURE E



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE ALLURE E


Ref. No. EAN code Colour Retail Guide Price (£)



36 098 000 4005176870217 chrome 802.45

Allure E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


monobloc installation
6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainer
rapid installation system
multistage battery status display
automatically stops after 60 sec.
(factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days
without use
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 234 000 4005176870231 chrome 875.57

Allure E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set

monobloc installation
6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
multistage battery status display
automatically stops after 60 sec.
(factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days
without use
CE approved
type of protection faucet IP 59K



36 095 000 4005176870187 chrome 886.37


Allure E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

monobloc installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
U spout
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days
without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K
requires additional power supply 36 338 000

GROHE ALLURE E


BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES

Ref. No. EAN code Colour Retail Guide Price (£)




36 097 000 4005176870200 chrome 834.55

Allure E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
 monobloc installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
 GROHE EcoJoy 6.0 l/min. flow limiter
 integrated mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 automatically stops after 60 sec. (factory set)
 additional functions and precise settings by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3,5 or 11 min
 CE approved
 type of protection faucet IP 59K
requires additional power supply 36 338 000




36 235 000 4005176870248 chrome 1,074.93

Allure E
Infra-red electronic basin mixer 1/2" wall mounted
 wall spout, transformer 230 V AC/12 V DC
GROHE StarLight chrome finish
 GROHE EcoJoy 6.0 l/min. flow limiter
 IR-electronic with detection in the handwashing area
 integrated mousseur
 automatically stops after 60 sec. (factory set), additional functions and precise settings by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3,5 or 11 min
 CE approved



36 264 000 4005176888250 256.78








Roughing-in set for infra-red electronic
 Allure E 36 235 000, Europlus E 36 042 000, Essence E 36 252 000
 for installation with pre-mixed or cold water
 installation box for water group with protecting block
 installation box for infra-red sensor with protecting block
 connecting box for mains supply 230 V
 water group with stop valve and flush elbow



38 748 001 4005176863387 422.62

Rapid SL for basin
 with Roughing-in Set for infra-red electronic
 Europlus E 36 042 000, Essence E 36 252 000 and Allure E 36 235 000
1.13 m installation height
 for on-the-wall installations or studded walls
 powder coated steel frame
 self-supporting
 for dry-cladding, completely pre-assembled
 for single or series installation
 quick adjustment, lockable
 fixing material
 wash basin fixing bolts with fixing device for ceramic
 variable distance of fixing bolts
 PE-outlet bend 50 mm dia
 seal Ø 32 mm
 CE approved
 for installation with pre-mixed or cold water
without front wall brackets
38 558 00M (pair)

GROHE ALLURE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 407 000	4005176318801		237.68
	<p>Remote control for all GROHE infra-red products functions for single eye infra-red electronics as of 06/2015 monitoring auto flush cycles solenoid cycles thermal disinfection cycles total running time or number of flushes configuration detection range shut-off delay auto flush thermal disinfection cleaning mode service send and save profile battery status reset to factory or user settings hard and software version 3 x 1.5 V DC (AAA) battery supply</p>			
 	36 210 000	4005176207112	chrome	48.21
	<p>Socket for spout elevation for extension of the outlet height Essence E, Allure E, Europlus E and Eurodisc SE suitable for single hole mixers consisting of: metal socket 25 mm mounting-set GROHE StarLight chrome finish</p>			
	36 209 000	4005176207105	chrome	66.07
	<p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Essence E, Allure E, Europlus E and Eurodisc SE consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish</p>			
 	36 338 000	4005176896743		86.55
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief</p>			

GROHE ESSENCE E





GROHE
StarLight®



GROHE
EcoJoy™

GROHE ESSENCE E


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



36 092 000	4005176869952	chrome	676.74
------------	---------------	--------	--------

Essence E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


monobloc installation
6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
multistage battery status display
automatically stops after 60 sec. (factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K



36 093 000	4005176869969	chrome	570.63
------------	---------------	--------	--------

Essence E Infra-red electronic basin tap 1/2"

for cold or premixed water
monobloc installation
6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hose
dirt strainer
rapid installation system
multistage battery status display
automatically stops after 60 sec. (factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K



36 094 000	4005176869976	chrome	658.01
------------	---------------	--------	--------


Essence E Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set

6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
safety shutdown circuit
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
multistage battery status display
automatically stops after 60 sec. (factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

GROHE ESSENCE E

BATH FITTINGS
THERMOSTATS
CONCEALED SOLUTIONS
SHOWERS
KITCHEN FITTINGS
COMMERCIAL FITTINGS
SHOWER TOILET
INSTALLATION SYSTEMS
FLUSHING SYSTEMS
ACTUATIONS
CONNECTION AND SECURITY TECHNOLOGY
SPARE PARTS AND ACCESSORIES



Ref. No. EAN code Colour Retail Guide Price (£)



36 088 000 4005176869921 chrome 660.27

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


monobloc installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
automatically stops after 60 sec. (factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal disinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K
requires additional power supply 36 338 000



36 091 000 4005176869945 chrome 691.90

Essence E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set


with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
integrated mousseur
solenoid valve integrated in housing
flexible connection hoses
dirt strainers
rapid installation system
automatically stops after 60 sec. (factory set)
additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal disinfection for 3,5 or 11 min
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K
requires additional power supply 36 338 000



36 252 000 4005176870255 chrome 812.94

Essence E
Infra-red electronic basin mixer 1/2" wall mounted

wall spout, transformer 230 V AC/12 V DC
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
IR-electronic with detection in the handwashing area
integrated mousseur
automatically stops after 60 sec. (factory set), additional functions and precise settings by remote control 36 407
automatic flushing after 1 or 3 days without use
thermal disinfection for 3,5 or 11 min
cleaning mode can be activated for 3 minutes with sensor
CE approved




36 264 000 4005176888250 256.78

Roughing-in set for infra-red electronic
Allure E 36 235 000, Europlus E 36 042 000, Essence E 36 252 000
for installation with pre-mixed or cold water
installation box for water group with protecting block
installation box for infra-red sensor with protecting block
connecting box for mains supply 230 V
water group with stop valve and flush elbow

GROHE ESSENCE E


Ref. No. EAN code Colour Retail Guide Price (£)

38 748 001 4005176863387 422.62




Rapid SL for basin
with Roughing-in Set for infra-red electronic
Europlus E 36 042 000, Essence E 36 252 000
and Allure E 36 235 000
1.13 m installation height
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
CE approved
for installation with pre-mixed or cold water
without front wall brackets 38 558 00M (pair)

36 407 000 4005176318801 237.68



Remote control for all GROHE infra-red products
functions for single eye infra-red electronics
as of 06/2015
monitoring
auto flush cycles
solenoid cycles
thermal disinfection cycles
total running time or number of flushes
configuration
detection range
shut-off delay
auto flush
thermal disinfection
cleaning mode
service
send and save profile
battery status
reset to factory or user settings
hard and software version
3 x 1.5 V DC (AAA) battery supply

36 210 000 4005176207112 chrome 48.21




Socket for spout elevation
for extension of the outlet height
Essence E, Allure E, Europlus E and Eurodisc SE
suitable for single hole mixers
consisting of:
metal socket 25 mm
mounting-set
GROHE StarLight chrome finish

36 209 000 4005176207105 chrome 66.07



Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Essence E, Allure E, Europlus E and Eurodisc SE
consisting of:
special mixing device for actuation by
screwdriver
metallic cap
GROHE StarLight chrome finish

36 338 000 4005176896743 86.55




Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE BLUETOOTH MONITORING



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 411 000	4005176320552	chrome	647.45



Europlus E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves

and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

requires additional power supply 36 338 000

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 413 000	4005176320576	chrome	580.30

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves

and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

requires additional power supply 36 338 000

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 409 000	4005176320538	chrome	466.23



**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

solenoid valve

dirt strainer

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

thermal disinfection

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

requires additional power supply 36 338 000

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 414 000	4005176320583	chrome	1,392.27

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
 swivel cast spout 219 mm
 with swivel stop at 130° or fixed
 projection 287 mm
 laminar mousseur 9 l/min
 S-unions
 escutcheon covers for S-unions
 non-return valve
 dirt strainers
 for use with connection set
 39 383 000
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 monitoring
 password protected app detects up to 10 products at a time
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
 service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K



System requirements: Apple
 iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3
 Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android
 min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


39 383 000	4005176356926		86.45
------------	---------------	--	-------

Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
 fitting support
 2 fitting connections DN 15
 power supply connector
 wall installation
 for use with Eurosmart Cosmopolitan E thermostat 230 V



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 410 000	4005176320545	chrome	547.18



Eurosmart Cosmopolitan E Bluetooth Infra-red electronic basin tap

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box

36 336 000/36 337 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.

chrome escutcheon and spout
projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



36 337 000 4005176896736

111.73

Euroeco Cosmopolitan E Concealed mounting box

wall installation

for installation with pre-mixed or cold water


suitable for IR-sets for final installation

stop valve

connection housing for power supply

suitable for

36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000 4005176896729

259.62

Eurosmart Cosmopolitan E Concealed mounting box

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation


2 stop valves

non-return valve

suitable for

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 412 000	4005176320569	chrome	675.80



Eurosmart Cosmopolitan E Bluetooth Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

36 339 000	4005176896842		162.24
------------	---------------	--	--------

Eurosmart Cosmopolitan E Concealed mounting box with mixture

wall installation

suitable for IR-sets for final installation

2 stop valves


housing with mixing device

non-return valve

connection housing for power supply


suitable for

36 315 000, 36 412 000, 36 376 000



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 503 000	4005176320507	chrome	517.70



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U**

37 338 000

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish

flow pressure min 0.5 bar

operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication

Bluetooth transmitter frequency: 2.4 GHz

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected app detects up to 10 products at a time

auto flush cycles and timing last auto flush

usage per day over 30 days

configuration

detection range and shut off delay

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

CE approved

hard and software version

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android

min 4" display with OS Version 4.3 – 5.x


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

37 338 000	4005176837920		109.68
------------	---------------	--	--------



GROHE Rapido U

roughing-in set for urinal

**for manual actuation or Tectron
infra-red electronic 6 V or 230 V**

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply

installation box with gasket

fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 505 SD0	4005176321016	stainless steel	610.20

Tectron Skate Bluetooth Infra-red electronic for WC

for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected app detects up to 10 products at a time
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini 2/3
Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 504 000	4005176320521	chrome	696.48

Tectron Skate Bluetooth
Infra-red electronic for WC
 for flushing cistern GD 2
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with additional manual actuation
GROHE StarLight finish
 front plate 156 x 197 mm
 servo motor

with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 monitoring
 password protected app detects up to 10 products at a time
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 configuration
 detection range and shut off delay
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
 service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

System requirements: Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3
 Apple operating system: iOS 8.0 and above (32/64 bit)

System requirements Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.




36 338 000	4005176896743		86.55
------------	---------------	--	-------

Switch mode power supply
 for one eye infra-red wash basin mixer
 switch mode power supply with operating voltage
 100-230 V AC, 50 - 60 Hz
 for concealed socket with cover and strain relief



GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 407 000	4005176318801		237.68



Remote control for all GROHE infra-red products
functions for single eye infra-red electronics
as of 06/2015

monitoring
auto flush cycles
solenoid cycles
thermal disinfection cycles
total running time or number of flushes
configuration
detection range
shut-off delay
auto flush
thermal disinfection
cleaning mode
service
send and save profile
battery status
reset to factory or user settings
hard and software version
3 x 1.5 V DC (AAA) battery supply

GROHE EUROPLUS E



GROHE
StarLight®




GROHE
EcoJoy™

GROHE EUROPLUS E

Ref. No. EAN code Colour Retail Guide Price (£)

36 207 001 4005176929373 chrome 609.98




**Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 208 001 4005176929380 chrome 573.31
ditto, without mixing device


36 387 000 4005176983207 chrome 780.64



**Europlus E
Powerbox**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
including Powerbox self-generating power system
monobloc installation
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407

36 239 001 4005176929410 chrome 1,010.24










**Europlus E
Infrared electronic wash basin thermostat, 1/2"**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
wall mounted
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
3 modes to start mixer: hand-hand, hand-body or body-body reflection
temperature scale handle with safety stop
between 35°C and 45°C
laminar flow straightener 9 l/min.
non-return valve
dirt strainers
swivel cast spout
192 mm
projection 264 mm
swivel range stop at 130°, lockable
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection IP 69K (planned)

36 240 001 4005176929427 chrome 1,043.42
ditto, swivel cast spout 160 mm, projection 232 mm







GROHE EUROPLUS E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 407 000	4005176318801		237.68
	Remote control for all GROHE infra-red products functions for single eye infra-red electronics as of 06/2015 monitoring auto flush cycles solenoid cycles thermal disinfection cycles total running time or number of flushes configuration detection range shut-off delay auto flush thermal disinfection cleaning mode service send and save profile battery status reset to factory or user settings hard and software version 3 x 1.5 V DC (AAA) battery supply			
 	36 210 000	4005176207112	chrome	48.21
	Socket for spout elevation for extension of the outlet height Essence E, Allure E, Europlus E and Eurodisc SE suitable for single hole mixers consisting of: metal socket 25 mm mounting-set GROHE StarLight chrome finish			
	36 209 000	4005176207105	chrome	66.07
	Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Essence E, Allure E, Europlus E and Eurodisc SE consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish			
 	36 338 000	4005176896743		86.55
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief			









GROHE EUROSMART COSMOPOLITAN E



GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 327 001	4005176305771	chrome	336.10
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 331 001	4005176305795	chrome	349.92
	ditto, with pop-up waste set 1 1/4"			
	36 330 001	4005176305788	chrome	354.29
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with hidden mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 325 001	4005176305764	chrome	342.72
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K requires additional power supply 36 338 000</p>			

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 332 000	4005176896682	chrome	1,435.11
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) 3 modes to start mixer: hand-hand, hand-body or body-body reflection laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 333 000	4005176896699	chrome	1,091.33
	ditto, projection 255 mm			
	36 337 000	4005176896736		111.73
	<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000</p>			
	36 336 000	4005176896729		259.62
	<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for</p>			
	36 315 000	4005176896590	chrome	445.80
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar flow straightener 9 l/min. chrome escutcheon chrome spout projection 170 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 339 000 CE approved noise classification 1 in accordance with DIN4109</p>			

GROHE EUROSMART COSMOPOLITAN E


Ref. No. EAN code Colour Retail Guide Price (£)



36 339 000 4005176896842

162.24


**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000



36 407 000 4005176318801

237.68

Remote control for all GROHE infra-red products
functions for single eye infra-red electronics
as of 06/2015
monitoring
auto flush cycles
solenoid cycles
thermal disinfection cycles
total running time or number of flushes
configuration
detection range
shut-off delay
auto flush
thermal disinfection
cleaning mode
service
send and save profile
battery status
reset to factory or user settings
hard and software version
3 x 1.5 V DC (AAA) battery supply



36 338 000 4005176896743

86.55

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief


GROHE EUROECO COSMOPOLITAN E



GROHE EUROECO COSMOPOLITAN E


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 271 000	4005176893193	chrome	304.20
------------	---------------	--------	--------




Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
 dirt strainers
 solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 269 000	4005176893179	chrome	314.69
------------	---------------	--------	--------



Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
 dirt strainers
 solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K
requires additional power supply 36 338 000

36 384 000	4005176982774	chrome	486.76
------------	---------------	--------	--------




Euroeco Cosmopolitan E
Powerbox
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 infra-red electronic basin tap 1/2"
 without mixing device
 including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
 flexible connection hose
 dirt strainer
 rapid installation system
Powerbox
 power generator with water turbine
 internal energy saving unit
 with use of 60 s/24 h stand-by, 260 s/100 h stand-by
 with additional backup power
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407

GROHE EUROECO COSMOPOLITAN E


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 274 000	4005176893223	chrome	365.39
------------	---------------	--------	--------




Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 metal body
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved

36 273 000	4005176893216	chrome	426.58
------------	---------------	--------	--------




Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 chrome escutcheon
 chrome spout
 projection 172 mm
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings by remote control 36 407
 set for final installation for concealed fitting box
 36 336 000/36 337 000
 CE approved
 noise classification 1 in accordance with DIN4109

36 337 000	4005176896736		111.73
------------	---------------	--	--------



Euroeco Cosmopolitan E
Concealed mounting box
 wall installation
 for installation with pre-mixed or cold water
 suitable for IR-sets for final installation
 stop valve
 connection housing for power supply
 suitable for
 36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000

36 336 000	4005176896729		259.62
------------	---------------	--	--------




Eurosmart Cosmopolitan E
Concealed mounting box
 with integrated pre-adjustable thermostatic mixer
 wall installation
 suitable for IR-sets for final installation
 2 stop valves
 non-return valve
 suitable for

GROHE EUROECO COSMOPOLITAN E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


36 407 000	4005176318801		237.68
------------	---------------	--	--------



Remote control for all GROHE infra-red products

functions for single eye infra-red electronics as of 06/2015

- monitoring
- auto flush cycles
- solenoid cycles
- thermal disinfection cycles
- total running time or number of flushes
- configuration
- detection range
- shut-off delay
- auto flush
- thermal disinfection
- cleaning mode
- service
- send and save profile
- battery status
- reset to factory or user settings
- hard and software version
- 3 x 1.5 V DC (AAA) battery supply



36 338 000	4005176896743		86.55
------------	---------------	--	-------

Switch mode power supply


for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE GROHTHERM ERGOMIX




GROHE GROHTHERM ERGOMIX

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 020 000	4005176201295	chrome	875.56



**Grotherm Ergomix
Thermostat basin mixer 1/2"**
for elbow lever action
wall mounted
metal lever 250 mm
swivel area 100°
metal stop
ceramic headpart 1/2"
wax thermoelement
temperature scale handle
with pre-adjustable
safety stop between 35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 255 mm
covered S-unions
lockable
GROHE StarLight chrome finish

34 021 000	4005176201301	chrome	862.16
------------	---------------	--------	--------









**Grotherm Ergomix
Thermostat basin mixer 1/2"**
for elbow lever action
wall mounted
metal lever 170 mm
swivel area 100°
metal stop
ceramic headpart 1/2"
wax thermoelement
temperature scale handle
with pre-adjustable
safety stop between 35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 195 mm
covered S-unions
lockable
GROHE StarLight chrome finish









GROHE GROHTHERM 2000 SPECIAL



GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 205 000	4005176809996	chrome	403.01
<p>Grotherm 2000 Special Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish</p>				
 	34 255 000	4005176837722	chrome	392.31
<p>Grotherm 2000 Special Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves without connection unions without escutcheons protected against backflow GROHE StarLight chrome finish</p>				
 	34 202 000	4005176808661	chrome	495.73
<p>Grotherm 2000 Special Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish GROHE ErgoPlus GROHE SafetyPlus</p>				

GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 254 000	4005176837715	chrome	475.53
<p>Grohtherm 2000 Special Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch; safety housing metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" mousseur built-in non return valves without connection unions without escutcheons protected against backflow dirt strainers GROHE StarLight chrome finish</p>				
 	19 416 000	4005176831492	chrome	341.31
<p>Grohtherm 2000 Special Thermostatic shower mixer set for final installation for 35 500 000 / 35 050 000 without concealed body GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 volume handle with individually adjustable economy stop escutcheon- and shaft-sealing metal escutcheon, covered coupling TMV2 compliant when used with 35 050 000</p>				
 	19 417 000	4005176831508	chrome	388.39
<p>Grohtherm 2000 Special Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 500 000 / 35 050 000 without concealed body metal wing handles GROHE StarLight chrome finish temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 Aquadimmer with multiple function shut off and flow control diverter for 2 outlets escutcheon- and shaft-sealing metal escutcheon, covered coupling</p>				
 	47 780 000	4005176836541		131.06
<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with central and shower-thermostats with shut-off valve</p>				
<p>47 781 000 4005176836558 ditto, for use with bath-thermostats with aquadimmer</p>				
<p>146.53</p>				

GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 007 000	4005176837678		138.65
	Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000			
 	18 978 000	4005176028809	chrome	153.73
	Pillar union, 3/4", pair GROHE StarLight chrome finish			
	18 370 000	4005176885228	chrome	68.55
	Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud			
 	12 051 000	4005176213588	chrome	37.63
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for Euroeco Special and safety mixers Grotherm 3000 Grotherm Ergomix Europlus GROHE StarLight chrome finish			
	47 763 000	4005176824166	chrome	67.15
	Metal handle temperature control vandalism hampering individual fixing of a temperature			
	07 749 000	4005176018695	chrome	81.36
	Handle for shut-off valve, metallic for Automatic 2000 vandal-proof GROHE StarLight chrome finish			

GROHE GROHTHERM 2000 SPECIAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
47 735 000	4005176810084		13.35



Handle for disabled use
antibacterial equipped material
to be mounted on the volume handle

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS


FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE AUTOMATIC 2000













GROHE AUTOMATIC 2000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 309 000	4005176199486	chrome	300.11
	<p>Automatic 2000 Special In-line thermostat, 1/2" without flow control wax thermoelement nickel-plated lockable temperature stop between 35 and 41°C integrated non-return valve accessible strainers GROHE StarLight chrome finish max. pressure differential 5:1 TMV3 approved product</p>			
 	12 400 000	4005176004582	chrome	35.55
	<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>			
 	12 407 000	4005176004629	chrome	103.61
	<p>Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish</p>			
	47 095 000	4005176128646	chrome	67.05
	<p>Handle for shut-off valve pre-adjustable flow volume</p>			

GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 085 000	4005176207068	chrome	1,677.02
<p>Grotherm XL Thermostat mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish</p>				
 	35 087 000	4005176207082	chrome	1,946.21
<p>Grotherm XL Thermostat mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish</p>				
 	12 411 000	4005176004667	chrome	82.40
<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 1</p>				
 	12 417 000	4005176004681	chrome	64.49
<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	12 424 000	4005176004735	chrome	82.71
<p>Straight union, male 1 1/4", nut 1 1/2" nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				

GROHE GROHTHERM XL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	12 428 000	4005176004759	chrome	124.84
<p>Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 2</p>				
 	12 432 000	4005176004773	chrome	140.08
<p>Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	12 444 000	4005176004834	chrome	147.43
<p>Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	12 436 000	4005176004797	chrome	148.47
<p>Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
	47 569 000	4005176214189	chrome	351.95
<p>Loose key and shield</p>				

GROHE COMMERCIAL SHOWERS



GROHE
StarLight®













GROHE
DreamSpray®

GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 587 000	4005176282966	chrome	167.68
<p>Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish</p>				
 	28 671 000	4005176103070	chrome	33.35
<p>Relexa Shower outlet elbow, 1/2" male thread Duo (28 419 000) Duo (28 261 000) Trio (28 421 000) Trio (28 578 000) GROHE StarLight chrome finish</p>				
 	28 405 000	4005176264559	chrome	42.80
<p>Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish</p>				
 	28 406 000	4005176264566	chrome	44.76
<p>Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish</p>				
	115 219	4005176910067	chrome	24.65
<p>Shower hose Non EPDM Health Care construction 1500 mm chrome finish</p>				
	115 220	4005176910074	chrome	246.49
<p>Shower hose Non EPDM Health Care construction Pack of 10 1500 mm chrome finish</p>				

GROHE COMMERCIAL SHOWERS


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 161 000	4005176038273	chrome	34.74
Relexaflex Shower hose 1500 mm for low pressure GROHE StarLight chrome finish				
 	28 142 000	4005176601330	chrome	49.39
Relexaflex Metal Longlife Metal hose 1250 mm, Longlife, GROHE StarLight chrome finish				
	28 143 000	4005176601347	chrome	54.19
	28 143 KS0	4005176842252	velvet black	52.71
	28 143 LS0	4005176842269	moon white	81.12
ditto, 1500mm hose				
 	28 145 000	4005176601354	chrome	64.20
Relexaflex Metal Longlife Metal hose 2000 mm 1/2" x 1/2" Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar GROHE StarLight chrome finish				
 	28 150 000	4005176601439	chrome	27.64
Relexaflex Shower hose 1250 mm kink proof GROHE StarLight chrome finish				
	28 151 000	4005176601514	chrome	30.24
ditto, 1500mm hose				
	28 154 000	4005176601552	chrome	35.06
ditto, 1750mm hose				
	28 155 000	4005176601576	chrome	37.10
ditto, 200 mm				
 	28 189 000	4005176075650	chrome	197.94
Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system				

GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 002 000	4005176858796	chrome	150.76
<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	chrome	119.87
<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 094 000	4005176601132	chrome	41.66
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 429 000	4005176601910	chrome	37.27
<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 541 000	4005176040528	chrome	106.63
<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				

GROHE COMMERCIAL SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 304 000	4005176600142	chrome	60.63



Riser pipe 1300 mm
 shower riser Ø 18 mm
 union nut 3/4"
 1300 mm high
 projection 330 mm
GROHE StarLight chrome finish

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUROECO SPECIAL



GROHE
SilkMove®



GROHE
StarLight®









GROHE
TurboStat®













GROHE
EcoJoy™








GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 762 000	4005176871023	chrome	133.98
	<p>Euroeco Special Basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system, flexible connection hoses</p>			
	32 763 000	4005176871030	chrome	181.00
	Ditto, with pop up waste set			
	32 765 000	4005176871054	chrome	246.97
	<p>Euroeco Special Single-lever basin mixer 1/2" monobloc installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 766 000	4005176871061	chrome	256.79
	Ditto, with pop up waste set			
	30 208 000	4005176927836	chrome	203.99
	<p>Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses</p>			
	32 778 000	4005176871788	chrome	253.23
	32 778 000	4005176871788	chrome	253.23
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast spout projection 205 mm metal lever, lever length 170 mm S-unions</p>			
	32 779 000	4005176871795	chrome	287.10
	ditto, with lockable S unions, projection 221 mm			

GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 767 000	4005176871078	chrome	269.24
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 196 mm metal lever, lever length 120 mm S-unions</p>				
	32 771 000	4005176871719	chrome	305.83
<p>ditto, with lockable S unions, projection 214 mm</p>				
 	32 773 000	4005176871733	chrome	281.47
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min. projection 256 mm metal lever, lever length 170 mm S-unions</p>				
	32 774 000	4005176871740	chrome	320.09
<p>ditto, with lockable S unions, projection 274 mm</p>				
	32 775 000	4005176871757	chrome	333.46
<p>ditto, with lockable S unions, projection 342 mm</p>				
 	32 784 000	4005176871849	chrome	108.05
<p>Euroeco Special Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter</p>				
 	35 501 000	4005176833847		89.43
<p>GROHE Rapido E Universal Single-lever mixer for concealed installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter</p>				
 	32 786 000	4005176871863	chrome	183.71
<p>Euroeco Special Sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever, lever length 120 mm flexible connection hoses</p>				









GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 870 000	4005176876523	chrome	86.58
	Euroeco Special Lever 115 mm for Euroeco special single-lever mixer GROHE StarLight chrome finish			
	32 871 000	4005176876530	chrome	101.50
ditto, length 160 mm				
<hr/>				
	12 051 000	4005176213588	chrome	37.63
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for Euroeco Special and safety mixers Grohtherm 3000 Grohtherm Ergomix Europlus GROHE StarLight chrome finish			
				
<hr/>				
	34 487 000	4005176936234	chrome	126.27
	Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-45°C thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set			
				
<hr/>				
	47 533 000	4005176207181	chrome	26.70
	Grohtherm Micro Connection set for Grohtherm Micro (34 487 000) consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE StarLight chrome finish			
				

GROHE HOSPITA











GROHE HOSPITA

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		30 978 000	4005176098918	chrome	171.16
<p>Sink pillar tap, 1/2", cold GROHE StarLight chrome finish</p>					
		20 025 000	4005176099403	chrome	111.81
<p>Pillar tap GROHE StarLight chrome finish</p>					
		45 316 000	4005176099267	chrome	62.14
<p>Lever marking: blue/red projection 100 mm for use with ceramic headparts GROHE StarLight chrome finish</p>					
		45 314 000	4005176099250	chrome	69.34
<p>Lever projection 150 mm marking: blue/red for use with ceramic headparts GROHE StarLight chrome finish</p>					

GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 789 000	4005176871894	chrome	213.99
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses,</p>			
	32 788 000	4005176871887	chrome	229.15
	Ditto, with pop up waste set			
	32 790 000	4005176871900	chrome	296.02
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 795 000	4005176871955	chrome	369.13
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever, lever length 170 mm S-unions</p>			
	32 792 000	4005176871924	chrome	384.62
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 196 mm metal lever, lever length 120 mm S-unions</p>			
	32 793 000	4005176871931	chrome	408.36
	ditto, projection 256 mm			

GROHE EUROECO SINGLE SEQUENTIAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
46 278 000	4005176131868		89.10



Ceramic cartridge

46 686 000	4005176883088	chrome	24.79
------------	---------------	--------	-------



Lever 120 mm
for Euroeco Special
single sequential basin mixer
metal, 120 mm
GROHE StarLight chrome finish

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE EURODISC SE



GROHE EURODISC SE

Ref. No. EAN code Colour Retail Guide Price (£)


36 233 000 4005176283338 chrome 458.29



Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter

6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
start-stop function
self-closing electronic
safety stop after 180 sec.
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K


36 244 000 4005176252624 chrome 713.29



Eurodisc SE
Self-closing shower thermostat , 1/2"

6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with safety stop
between 35°C and 45°C
non-return valve, dirt strainers, top outlet 3/4"
start-stop function
self-closing electronic
external access to flow time adjustment
activation of permanent run for thermal
disinfection for 3.5 min
CE approved



36 247 000 4005176252655 chrome 641.97



Eurodisc SE
Self-closing shower thermostat , 1/2"

6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with safety stop
between 35°C and 45°C
non-return valve, dirt strainers
start-stop function
self-closing electronic
activation of permanent run for thermal
disinfection for 3.5 min
Automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3,5 or 11 min
CE approved


36 014 000 4005176286889 183.71



Eurodisc SE
Concealed mounting box 1/2"

wall installation
suitable for final installation set
36 247 000
2 stop valves

36 210 000 4005176207112 chrome 48.21



Socket for spout elevation


for extension of the outlet height
Essence E, Allure E, Europlus E and Eurodisc SE
suitable for single hole mixers
consisting of:
metal socket 25 mm
mounting-set
GROHE StarLight chrome finish

GROHE EURODISC SE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 209 000	4005176207105	chrome	66.07



Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Essence E, Allure E, Europlus E and Eurodisc SE
consisting of:
special mixing device for actuation by
screwdriver
metallic cap
GROHE StarLight chrome finish



12 407 000	4005176004629	chrome	103.61
------------	---------------	--------	--------

Wall union, male 1/2"
connection pipe Ø 18 mm
connector set 3/4"
male thread 1/2"
escutcheon
GROHE StarLight chrome finish

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS







CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE EUROSMART COSMOPOLITAN T











GROHE EUROSMART COSMOPOLITAN T

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		36 317 000	4005176896514	chrome	235.84
		Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses, non-return valve dirt strainers			
		36 318 000	4005176896521	chrome	237.18
		Ditto, with pop up waste set			
		36 319 000	4005176896538	chrome	419.06
		Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min. swivel cast spout 200 mm swivel range stop at 130°, lockable 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) S-unions, non-return valve dirt strainers			
		36 320 000	4005176896545	chrome	342.33
		Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers			
		36 321 000	4005176896552	chrome	325.43
		Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box for use with 36 322 000 without concealed body			
		36 322 000	4005176896569		124.12
		Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000			

GROHE EUROECO COSMOPOLITAN T



GROHE EUROECO COSMOPOLITAN T

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 265 000	4005176893131	chrome	103.61
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	4005176893148	chrome	93.26
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flow limiter 9 l/min. 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				
 	36 268 000	4005176893162	chrome	102.59
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	4005176893155	chrome	82.74
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				

SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE SENSIA®
SHOWER TOILETS





Contents

Shower toilets	GROHE Sensia IGS	103
	GROHE Sensia Arena	104

GROHE SENSIA® IGS

Ultimate freshness – completely intuitive.

GROHE Sensia® IGS makes a trip to the toilet a pleasant experience. This shower toilet will routinely impress with its elegant design and many high-tech details every day. These include an innovative controller that works by rotation and pressure, as well as the intuitive remote control with touchscreen. Define your individual feelgood programme – say, water temperature and type of spray – and save it. You can reset the functions to suit you at any time. GROHE Sensia® IGS also means a shiny clean toilet, thanks to its numerous innovative hygiene functions. For example, the spray arm head is automatically cleaned before and after each use. The spray arm and the warm-air dryer are perfectly positioned for the user, being integrated directly into the ceramic. For total peace of mind, the complete shower system carries out thermal cleansing at regular intervals using water at a temperature of 70°C. An automatic descaling programme is also available. You can't get more thorough than that. Let GROHE Sensia® IGS give you a complete feeling of perfect hygiene.



A touch screen remote control



Fully ceramic WC Pan



Integrated odour absorption



Metal controller



LED display with discrete nocturnal lighting



Integrated de-scaling mode



Shower with multiple jets (massage, pulse, swing, pulse, lady shower) & warm air dryer



Detachable seat & lid

GROHE SENSIA® ARENA

Intelligent technology meets innovative design. GROHE design – clear and distinct.

The breathtakingly beautiful GROHE Sensia® Arena shower toilet integrates GROHE's lozenge design element and combines it with the very best current technical features. This smart, functional toilet in the unmistakable GROHE style was created under the aegis of GROHE Senior Vice President of Design, Paul Flowers. The floor-standing and the wall-mounted toilets are both visually stunning and their perfect ergonomics have been tailored exactly to the needs and requirements of our sophisticated customers. This includes the unique GROHE DreamSpray® technology, which allows you to experience an especially gentle cleansing by employing a shower stream enriched with air. This elegant shower toilet introduces a whole arena of technical and visual innovations: the rimless design of the toilet ceramic; integrated odour extraction; the warm-air dryer, the automatic open and close function lid and the automatic flush (exclusive to the floor-standing toilet). Just a few of the many new features.

Look forward to a sensational shower toilet with the look of an elegant traditional toilet but brimming with the latest Japanese technology. Clear the stage for a magnificent entrance!



GROHE SENSIA IGS



GROHE SENSIA ARENA



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE SENSIA ARENA

NEW



Ref. No.	EAN code	Colour	Retail Guide Price (£)
39 354 SH0	4005176335532	alpine white	2,476.78

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

- 2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
- separate water way for lady spray
- oscillating spray (automatic forward and reverse motion of the spray)
- pulsating spray for massage
- adjustable spray intensity
- automatic pre- and post-rinsing of spray nozzle with fresh water
- integrated instant heater provides unlimited warm water
- adjustable temperature

Additional functions

- warm air dryer with adjustable temperature
- odor extraction with filter
- Duroplast WC seat and lid with automatic opening/close function
- infra-red user detection
- seat control operation
- power switch
- inside bowl night light
- hidden water supply and power supply connection
- remote control
- smart phone app for iOS and Android

includes:

- manual remote controller with wall-mounted holder
- active carbon filter for odour absorption
- water supply connection set for concealed cistern
- fastening material
- nozzle guard
- cable with system plug on device
- pressure 0.05 - 1 MPa (0.5 - 10 bar)
- nominal voltage 220-240 V AC
- main frequency 50-60 Hz
- type of protection IPX4
- complies with EN 1717
- CE approved

39 112 001	4005176359262		333.32
------------	---------------	--	--------

Rapid SL for GROHE Sensia shower WC

flushing cistern GD 2 with connections for Grohe Sensia shower toilets (Sensia IGS/Sensia Arena)

with small maintenance access

1.13 m installation height

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or series installation

quick adjustment, lockable

fixing material
TUV approved

2 WC fixing bolts

fixing device for ceramic
distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

rear water supply

low noise (group I acc. to

German Noise Specification)

DIN approved

insulated against condensation

½" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase


for vertical or horizontal use

2 wall brackets with fixing material

universal water connection for shower toilets Sensia Arena and Sensia IGS

concealed socket for mains supply

positioning help for electrical connection



SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
INSTALLATION SYSTEMS





Contents

Rapid SL	Rapid SL for WC	105
	Rapid SL for Urinal	106
	Rapid SL for Wash Basin and Bidet	107
	Rapid SL for the Disabled	108
	Rapid SL Fitting Supports	111
	Rapid SL Accessories	112

GROHE RAPID SL

THE BENEFITS AT A GLANCE


Fast and simple installation for the WC – in individual as well as in-row installation – depends on all components being in perfect harmony with each other. Numerous special technical features and benefits from both product areas are combined to create a time-saving and economical solution.

ELEMENT

- [1] Points for securing the on-the-wall installation accessories, depth adjustment from the front and swivelling wall brackets
- [2] Wall support with quick-adjustment and additional fine adjustment
- [3] Universal for individual and row installation as well as for utilisation in lightweight studded wall partitions
- [4] Powder-coated surface
- [5] Points for securing studded wall partitions and element cladding
- [6] Noise separation of fittings and fixing devices according to DIN 4109
- [7] Load capacity 400 kg for WC, 150 kg for wash basin
- [8] Ø 90 outlet bend with reducer Ø 90/110
- [9] For 50/75 mm deep C profiles and element rails, element installation without fixing on the floor
- [10] 200 mm height adjustment

FLUSHING SYSTEM

- [11] Shaft for the installation of pipes at the back, water inlet from the left/right or back
 - [12] Filler valve, faucets group I, fills a flow volume of six litres in 30 seconds; it can be used with a flow pressure of at least 0.5 bar.
 - [13] ½" water inlet can be installed without tools with angle stop valve, replaceable spindle
 - [14] Depending on the tile pattern or design requirements, the WC actuation plates can be installed either horizontally or vertically with the variable inspection chamber.
 - [15] Tool-free latching of inspection shaft, frame for actuation plate is mounted with two screws only, for vertical or horizontal use
 - [16] A QR code printed on each GD2 cistern links to information such as product number, spare parts and technical drawings.
 - [17] Pneumatic discharge valve with only one hose connection offering 3 modes of operation:
 - Dual flush
 - Start/stop
 - Single flush
 - [18] SpareFlush eliminates problems when flushing the WC, thanks to a safety flush volume of three litres always being available in addition to the normal flush volume of six litres.
-




GROHE RAPID SL FOR WC



GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


38 827 000	4005176870477		347.03
------------	---------------	--	--------



38 827 000 4005176870477

Rapid SL 4in 1 set for WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
DIN approved, insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
with **GROHE Fresh** retrofit set
including wall plate Skate Cosmopolitan
for dual flush or start & stop actuation
for vertical and horizontal installation
156 x 197 mm, chrome, made of ABS
GROHE StarLight chrome finish
WC set for noise protection

38 888 000	4005176879630		377.63
------------	---------------	--	--------




38 888 000 4005176879630

Rapid SL 4 in 1 set for WC
with flushing cistern 6 - 9 l
1.0 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
test approval applied for, insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
for horizontal installation
accessories for on-the-wall installation
with **GROHE Fresh** retrofit set
including wall plate Skate Cosmopolitan
156 x 197 mm, chrome, made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
and perfect flow

GROHE RAPID SL FOR WC


Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 885 000	4005176879609		385.18



Rapid SL 4 in 1 set for WC with flushing cistern 6 - 9 l 0.82 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
for horizontal installation
accessories for on-the-wall installation
with **GROHE Fresh** retrofit set
including wall plate Skate Cosmopolitan
156 x 197 mm, chrome, made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
and perfect flow

38 721 001	4005176863431		322.56
------------	---------------	--	--------




Rapid SL 3 in 1 set for WC flushing cistern GD 2 with small maintenance access

1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, for single or series installation
quick adjustment, lockable
fixing material, TÜV approved, 2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
including wall plate Skate Air
for dual flush or start & stop actuation
for vertical installation, 156 x 197 mm
chrome, made of ABS
GROHE StarLight chrome finish

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 772 001	4005176863288		322.56
------------	---------------	--	--------



38 772 001 4005176863288

Rapid SL 3 in 1 set for WC

flushing cistern GD 2
with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, for single or series installation
quick adjustment, lockable
fixing material, TÜV approved, 2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
including wall plate Skate Cosmopolitan
for dual flush or start & stop actuation
for vertical and horizontal installation
156 x 197 mm, chrome, made of ABS
GROHE StarLight chrome finish

38 860 000	4005176878084		322.56
------------	---------------	--	--------


38 860 000 4005176878084

Rapid SL 3 in 1 set for WC

flushing cistern GD 2
with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
water supply from left/right or back
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
including wall plate Nova Cosmopolitan
for dual flush or start & stop actuation
GROHE StarLight chrome finish



GROHE RAPID SL FOR WC


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	118 152	4005176981951		352.19
	118 599	4005176993527		342.70

Rapid SL 3 in 1 set for WC
with flush cistern 6 l
1.0 m installation height
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
2 WC fixing bolts
fixing material
TÜV approved
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
test approval applied for insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
protecting block
with wall brackets for on-the-wall installations including wall plate Skate Cosmopolitan
for dual flush or start & stop actuation
horizontal installation
156 x 197 mm
chrome
made of ABS
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

Rapid SL 3 in 1 set for WC
with flush cistern 6 l
1.0 m installation height
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
test approval applied for insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
protecting block
with wall brackets for on-the-wall installations including wall plate Nova Cosmopolitan
for dual flush or start & stop actuation
horizontal installation
156 x 197 mm
chrome
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 761 000	4005176841620		342.38



38 761 000 4005176841620

**Rapid SL 3 in 1 set for WC
with flushing cistern 6 - 9 l
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved, 2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

front actuation

water supply from left/right or back
test approval applied for
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union, protecting block

with wall brackets for on-the-wall installations

including wall plate **Skate Air**, for dual flush or start & stop actuation, for
horizontal installation
156 x 197 mm, chrome
made of ABS


GROHE EcoJoy technology for less water

and perfect flow

GROHE StarLight chrome finish

38 773 000 4005176850288

352.18



**Rapid SL 3 in 1 set for WC
with flushing cistern 6 - 9 l
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved, 2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

front actuation

water supply from left/right or back
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
protecting block

with wall brackets for on-the-wall installations

including wall plate **Skate Cosmopolitan**
for dual flush or start & stop actuation
for horizontal installation, 156 x 197 mm
chrome, made of ABS


GROHE EcoJoy technology for less water

and perfect flow

GROHE StarLight chrome finish

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 868 000	4005176878091		342.38




Rapid SL 3 in 1 set for WC with flushing cistern 6 - 9 l 0.82 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
2 wall brackets with fixing material
including wall plate Nova Cosmopolitan
for dual flush or start & stop actuation
156 x 197 mm, chrome, made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water
and perfect flow

38 947 000	4005176911217		330.42
------------	---------------	--	--------


Rapid SL 2-in-1 set for WC with flushing cistern 6 - 9 l 1.0 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable, fixing material
TÜV approved, 2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
accessories for on-the-wall installation
GROHE EcoJoy technology for less water
and perfect flow



GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 948 000	4005176911224		330.42



**Rapid SL 2-in-1 set for WC
with flushing cistern 6 - 9 l
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

front actuation


water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
protecting block

with wall brackets for on-the-wall installations

GROHE EcoJoy technology for less water
and perfect flow


GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 528 001	4005176863943		318.18



Rapid SL WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
without front wall brackets
38 558 00M (pair)


38 536 001	4005176863929		318.18
------------	---------------	--	--------



Rapid SL WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
DIN approved
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
accessories for on-the-wall installation


GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
39 002 000	4005176936920		333.32



Rapid SL WC
flushing cistern GD 2
with flush pipe for external odour extraction
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
DIN approved
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
without front wall brackets
38 558 00M (pair)


39 112 001	4005176359262		333.32
------------	---------------	--	--------



Rapid SL for GROHE Sensia IGS shower WC
flushing cistern GD 2 with connections for Grohe Sensia shower toilets (Sensia IGS/Sensia Arena)
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
rear water supply
low noise (group I acc. to German Noise Specification)
DIN approved
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
2 wall brackets with fixing material
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection

GROHE RAPID SL FOR WC


Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 994 000	4005176932335		286.66



Rapid SL WC
for small, narrow bathrooms
flushing cistern 80 mm
with small maintenance access
1.13 m installation height
element width 0.62 m
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use
accessories for on-the-wall installation
GROHE EcoJoy technology for less water
and perfect flow

38 995 000	4005176932342		309.99
------------	---------------	--	--------


Rapid SL WC
for small, narrow bathrooms
flushing cistern 80 mm
with small maintenance access
1.13 m installation height
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
low noise (group I acc. to
German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use
accessories for on-the-wall installation
GROHE EcoJoy technology for less water
and perfect flow



GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 525 001	4005176863967		330.42
------------	---------------	--	--------



Rapid SL WC

1.0 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or series installation
quick adjustment, lockable
fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

front actuation

water supply from left/right or back

insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

without front wall brackets


38 558 00M (pair)

without wall plate/actuation

GROHE EcoJoy technology for less water

and perfect flow

38 526 000	4005176291050		337.03
------------	---------------	--	--------



Rapid SL WC

0.82 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or series installation

fixing material

2 WC fixing bolts

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm


reducer Ø 90/110 mm

inlet and outlet connecting set

front actuation

insulated against condensation


GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 786 001	4005176864025		336.54
------------	---------------	--	--------



Rapid SL for urinal
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
PE-outlet bend 50 mm dia
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
without front wall brackets
38 558 00M (pair)


GROHE RAPID SL FOR WASH BASIN AND BIDET



GROHE RAPID SL FOR WASH BASIN AND BIDET


Ref. No. EAN code Colour Retail Guide Price (£)

38 554 001 4005176863806 184.45




Rapid SL for basin
for single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
2 noise protected fitting connections ½"
without front wall brackets
38 558 00M (pair)

39 052 000 4005176935961 166.66




Rapid SL for basin
height adjustable
for single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
2 noise protected fitting connections ½"
without front wall brackets
38 558 00M (pair)

38 748 001 4005176863387 422.62



Rapid SL for basin
with Roughing-in Set for infra-red electronic
Europlus E 36 042 000, Essence E 36 252 000
and Allure E 36 235 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame
self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
CE approved
for installation with pre-mixed or cold water
without front wall brackets
38 558 00M (pair)


38 541 000 4005176291234 184.45



Rapid SL for basin
1.0 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
PE-outlet bend 50 mm dia
without front wall brackets
38 558 00M (pair)

GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No. EAN code Colour Retail Guide Price (£)



38 553 001 4005176863813

258.75



Rapid SL for bidet
1.13 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
for single or series installation
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts
PE-outlet bend 50 mm dia, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
without front wall brackets
38 558 00M (pair)



38 545 000 4005176291272

263.92

Rapid SL for bidet
1.0 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
height adjustable fitting connections
for single or series installation
PE-outlet bend 50 mm dia
fixing material for bidet



38 543 000 4005176291258

263.92

Rapid SL for bidet
0.82 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
height adjustable fitting connections
for single or series installation
PE-outlet bend 50 mm dia
fixing material for bidet


GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED


Ref. No. EAN code Colour Retail Guide Price (£)

38 675 001 4005176863516 417.84



Rapid SL WC
flushing cistern 6 l
1.13 m installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or series installation
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
without front wall brackets
38 558 00M (pair)


39 140 000 4005176315268 499.32



A	1130	1090
B	280	230
C	960	910
D	1000	950
E	1060	1010
F	460	410

Rapid SL WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height
with fixing element for back support and bars
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
accessories for on-the-wall installation

38 541 000 4005176291234 184.45



Rapid SL for basin
1.0 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
PE-outlet bend 50 mm dia
without front wall brackets
38 558 00M (pair)


GROHE RAPID SL FOR THE DISABLED

Ref. No.

EAN code

Colour

Retail Guide
Price (£)



38 559 001

4005176863776

160.67

Rapid SL
Fixing element
to fix **support** for the disabled
1.13 m installation height
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
without front wall brackets
38 558 00M (pair)

BATH FITTINGS

THERMOSTATS

CONCEALED
SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL
FITTINGS

SHOWER TOILET

INSTALLATION
SYSTEMS

FLUSHING
SYSTEMS

ACTUATIONS







CONNECTION
AND SECURITY
TECHNOLOGY

SPARE PARTS AND
ACCESSORIES

GROHE RAPID SL FITTING SUPPORTS















GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 998 000	4005176262586		88.07
<p>Rapid SL fitting support for exposed fittings for studded walls for empty elements 2 noise protected fitting connections 1/2" fixing material</p>				
 	38 652 000	4005176294778		103.50
<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>				
 	38 548 001	4005176863851		86.23
<p>Rapid SL empty element 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TÜV approved without front wall brackets 38 558 00M (pair)</p>				

GROHE RAPID SL ACCESSORIES



GROHE RAPID SL ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 548 001	4005176863851		86.23
<p>Rapid SL empty element 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TÜV approved without front wall brackets 38 558 00M (pair)</p>				
 	37 310 000	4005176148538		35.31
<p>element bar fixing material 1 piece 2600 x 36 x 20 mm</p>				
 	38 733 000	4005176837289		32.34
<p>Rapid SL mounting angle for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces</p>				
 	38 562 001	4005176863752		125.33
<p>Rapid SL set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°</p>				
 	38 563 000	4005176291463		28.38
<p>Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves</p>				
 	38 779 000	4005176855306		102.35
<p>Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm</p>				

GROHE RAPID SL ACCESSORIES



Ref. No.	EAN code	Colour	Retail Guide Price (£)
42 766 000	4005176222115		10.82
Distance pipe 3"			

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE
FLUSHING SYSTEMS





Contenuti

Flushing Cisterns	111
Accessories for Flushing Cisterns	112
Electronic Actuators for WC	113
Electronic Actuators for Urinal	114
Urinal Flush Valves	115

GROHE FLUSHING CISTERNS



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES


GROHE FLUSHING CISTERNS

Ref. No. EAN code Colour Retail Guide Price (£)




37 762 SH0 4005176213250 **alpine white** **64.20**

Flushing cistern for WC
non-interruptible flush cycle
min. recommended
static pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
side inlet




37 945 SH0 4005176256387 **alpine white** **64.20**

Concealed cistern, 6 l
non-interruptible flush cycle
ABS flush pipe 180 mm x 320 mm
min. recommended
static pressure 0.2 bar
connection from left / right or back




38 661 000 4005176294907 **181.00**

WC concealed cistern
adjustment ex factory 6 l and 3 l
with small maintenance access
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
connection from left/right/back or top
low noise (group I acc. to
German Noise Specification)
DIN approved
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
flush pipe insulated against condensation
fixing brackets
GROHE EcoJoy technology for less water
and perfect flow



38 863 000 4005176832345 **126.23**











Flushing cistern for WC 80 mm
with small maintenance access
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply connection from top
low noise (group I acc. to
German Noise Specification)
with plaster base coating made of vinyl fleece
with push fit flexible hose union
with angle valve 1/2"
Shortable inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets



38 422 000 4005176275203 **191.70**

Flushing cistern for WC
0.82 m installation height
front actuation
insulated against condensation
415 x 140 x 360 mm
fixing brackets


GROHE FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 691 000	4005176815454		106.82
<p>Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush connection from left / right or back insulated against condensation with angle stop valve 1/2" and flush pipe fixing brackets min. recommended static pressure 0.2 bar can be adjusted to reduce flushing volume air button front actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation</p>				
 	39 053 000	4005176935978		85.39
<p>Concealed flushing cistern 6 l / 3 l Dual Flush water supply from bottom min. recommended pressure 0.2 bar acoustic group I round push button actuation Ø 50 mm with Eco button actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
 	39 054 000	4005176936289		85.39
<p>Concealed flushing cistern 6 l / 3 l Dual Flush water supply from left/right or back min. recommended pressure 0.2 bar acoustic group I round push button actuation Ø 50 mm with Eco button actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
 	39 055 000	4005176936296		68.04
<p>Concealed flushing cistern 6 l / 3 l Dual Flush water supply from left/right or back min. recommended pressure 0.2 bar acoustic group I fixing brackets flush pipe WC inlet connector without push button actuation GROHE EcoJoy technology for less water and perfect flow</p>				
 	39 056 000	4005176936302	chrome	19.84
<p>Round push button actuation Ø 50 mm with Eco button in combination with bath furniture or removable claddings for cistern inspection for combination with flushing cistern 39 055 000 for walls 18 -24 mm thickness GROHE StarLight chrome finish</p>				

GROHE FLUSHING CISTERNS













Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

39 057 000	4005176936319	chrome	19.84
------------	---------------	--------	-------



Square push button actuation 52 mm with Eco button
in combination with bath furniture or
removable claddings for cistern
inspection
for combination with flushing cistern 39 055 000
for walls 18 -24 mm thickness
GROHE StarLight chrome finish

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 095 000	4005176145124		30.20
	Filling valve 3/8"			
 	42 181 000	4005176286872		32.74
	Filling valve 1/2" (UK)			
 	37 101 SH0	4005176141942	alpine white	8.40
	Flush pipe 190 x 210 mm			
 	38 735 000	4005176837500		60.63
	Adaptor concealed installation dual flush discharge valve AV1 consisting of valve seat for 6 l or 3 l without wall plate			
 	38 736 000	4005176837517		51.19
	Dual flush valve set 6 - 9 l adjustable dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation			
 	42 137 000	4005176259524		21.47
	Servo discharge valve			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 489 000	4005176167386		8.84
	Extension length 200 mm			
 	37 119 000	4005176144370		3.61
	Connector Ø 55 mm			
	43 544 000	4005176157738		6.36
	Outlet piston			
 	38 714 000	4005176828454		12.66
	WC wall plate extension set 70 mm with pneumatic discharge valve			

GROHE ELECTRONIC ACTUATIONS FOR WC




GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 698 SD1	4005176929571	stainless steel	716.64
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved</p>			
 	38 699 001	4005176929588	chrome	716.64
	<p>Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			
 	37 419 000	4005176933806	chrome	623.64
	37 419 SD0	4005176933813	stainless steel	623.64
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for single flush actuation for flushing cistern GD 2 servo motor concealed installation hidden fixing screws front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 407 000	4005176318801		237.68
------------	---------------	--	--------



Remote control for all GROHE infra-red products

functions for single eye infra-red electronics
as of 06/2015

- monitoring
- auto flush cycles
- solenoid cycles
- thermal disinfection cycles
- total running time or number of flushes
- configuration
- detection range
- shut-off delay
- auto flush
- thermal disinfection
- cleaning mode
- service
- send and save profile
- battery status
- reset to factory or user settings
- hard and software version
- 3 x 1.5 V DC (AAA) battery supply

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS

ACTUATIONS







CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES









GROHE ELECTRONIC ACTUATIONS FOR URINAL



GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 336 001	4005176929540	chrome	439.53
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U CE approved</p>			
 	37 337 001	4005176929557	chrome	454.48
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U or Rapido UMB CE approved</p>			
 	37 321 001 37 321 SD1	4005176929496 4005176929502	chrome stainless steel	433.94 523.31
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U CE approved</p>			


GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 324 001	4005176929526	chrome	410.35
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U or Rapido UMB CE approved</p>			
 	37 338 000	4005176837920		109.68
	<p>GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in shortable inspection shaft incl. protection</p>			
 	38 787 000	4005176855689		90.59
	<p>GROHE Rapido UMB roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-in</p>			
 	36 407 000	4005176318801		237.68
	<p>Remote control for all GROHE infra-red products functions for single eye infra-red electronics as of 06/2015 monitoring auto flush cycles solenoid cycles thermal disinfection cycles total running time or number of flushes configuration detection range shut-off delay auto flush thermal disinfection cleaning mode service send and save profile battery status reset to factory or user settings hard and software version 3 x 1.5 V DC (AAA) battery supply</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No. EAN code Colour Retail Guide Price (£)

36 157 000 4005176140556 50.07



Extension cable
length 3.00 m
for radar detector
remote installation

GROHE URINAL FLUSH VALVES



BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS

FLUSHING SYSTEMS


ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE URINAL FLUSH VALVES

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




37 396 000	4005176907968	chrome	101.65
------------	---------------	--------	--------

Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon

37 044 000	4005176160776		15.26
------------	---------------	--	-------

Urinal inlet connector, 1/2"



SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
ACTUATIONS





Contents

WC	Wall Plates for WC	116
	GROHE Fresh	117
Urinal	Wall Plates for Urinal	118

GROHE WC & URINAL ACTUATIONS SELECTION GUIDE










WC	Manual actuation start & stop				Manuel electronic	Infra-red electronic	Radio electronic		Pneumatic actuation	Push button
										
 <p>38 528 001 38 643 001 38 661 000</p>	<p>38 564 vertical installation</p> <p>38 565 horizontal installation</p>	<p>38 672 SD0 vertical installation</p>	<p>38 573 vertical and horizontal installation</p>	<p>38 574 vertical and horizontal installation</p>	<p>37 419 vertical installation</p>	<p>38 699 001</p>	<p>39 141 000</p>	<p>38 759 SD1 38 758</p>	<p>37 059</p> <p>37 060</p>	<p>38 934 SD0</p>
 <p>38 525 001 38 415 001 38 422 000</p>	<p>38 565 horizontal installation</p>		<p>38 573 horizontal installation</p>	<p>38 574 horizontal installation</p>					<p>37 060</p>	
 <p>38 519 001 37 153 000</p>		<p>38 445 SD0 vertical installation</p>	<p>37 547 vertical installation</p>	<p>37 063 vertical installation</p>						

Urinal	Manual actuation					Infra-red electronic		Radio electronic
								
 38 511 001 38 387 000 Radio electronic								38 386 Set for final installation 37 002 000 Tiling set
 38 787 000 GROHE Rapido UMB manuel / 6 V	38 846	38 857	38 784	38 804	38 808	37 337 001	37 324 001	
 38 786 001 37 785 000 37 338 000 manuel / 230 V / 6 V	38 846	38 857	38 784	38 804	38 808	37 336 001/ 37 337 001	37 321 001/ 37 324 001	













GROHE WALL PLATES FOR WC









GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 915 KSO	4005176897108	velvet black	789.97
	38 915 LSO	4005176897115	moon white	789.97
	<p>GROHE Ondus Digtecture Light WC wall plate for dual flush or start & stop actuation for touch-free flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow</p>			
	38 809 000	4005176864681	chrome	465.42
		<p>Nova Cosmopolitan Light WC wall plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 765 000	4005176846830	chrome	59.35
		<p>Nova Cosmopolitan WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 847 KIO	4005176878596	velvet black	89.33
	38 847 LI0	4005176878688	White/Chrome	91.12
	38 847 XG0	4005176878701	black graphics	91.12
	38 847 LSO	4005176879753	moon white	85.29
		<p>Nova Cosmopolitan WC wall plate with printed graphics for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS</p>		
	38 766 000	4005176847134	chrome	139.87
		<p>GROHE Ondus WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		

GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 957 000	4005176914409	chrome	58.33
<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material</p>				
 	38 958 000	4005176914416	chrome	50.00
<p>Covering frame for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage</p>				
 	38 821 000	4005176868986	chrome	195.95
<p>Skate Cosmopolitan WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm made of brass GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
 	38 732 SD0	4005176847691	stainless steel	133.75
<p>Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh</p>				
 	38 732 000	4005176836114	chrome	67.23
<p>Skate Cosmopolitan WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish</p>				
	38 732 BR0	4005176873676	titanium	109.31
<p>ditto, with anti-fingerprint surface</p>				
 	38 844 000	4005176874963	chrome	65.27
	38 844 SH0	4005176874970	alpine white	52.60
	38 844 P00	4005176875687	matt chrome	63.99
<p>Arena Cosmopolitan WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish</p>				
	38 858 000	4005176876714	chrome	65.27
<p>ditto, horizontal installation</p>				











GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 505 000	4005176290053	chrome	62.42
	38 505 SH0	4005176290046	alpine white	44.08
	38 505 P00	4005176290060	matt chrome	68.57
	Skate Air WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish			
	38 506 000	4005176290121	chrome	63.66
ditto, horizontal installation				
	38 862 000	4005176832314	chrome	68.57
	38 862 SH0	4005176832338	alpine white	58.13
	38 862 P00	4005176832321	matt chrome	67.23
	Skate WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 861 000	4005176832284	chrome	65.91
	Surf WC wall plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
				


GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 564 000	4005176291784	chrome	61.16
<p>Skate Air WC wall plate for single flush actuation for pneumatic drop valve for vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>				
	38 565 000	4005176291845	chrome	61.16
<p>ditto, horizontal installation</p>				
 	38 573 000	4005176292316	chrome	61.16
<p>Skate WC wall plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation 156 x 197 mm made of ABS</p>				
 	38 574 000	4005176292385	chrome	61.16
<p>Surf WC wall plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation 156 x 197 mm made of ABS</p>				
 	37 059 000	4005176142857	chrome	118.40
<p>Air button GROHE StarLight chrome finish wall plate Surf 156 x 197 mm</p>				
 	37 060 000	4005176142901	chrome	57.78
<p>Air button GROHE StarLight chrome finish push button actuation with escutcheon 100 mm dia pneumatic hose 1500 mm long</p>				
 	38 488 000	4005176289866	chrome	34.42
<p>Air button with 750 mm air hose for panel thickness up to 30 mm made of ABS for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				

GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 496 000	4005176289958	chrome	112.77
<p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	38 771 000	4005176848551	chrome	42.08
<p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture or removable claddings for cistern inspection for material thickness from 18 -24 mm with 600 mm air hose GROHE StarLight chrome finish</p>				
 	38 820 000	4005176868405	chrome	38.52
<p>Air button 60 x 60 mm with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	37 761 000	4005176213243	chrome	34.42
<p>Air button for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000	4005176828454		12.66
<p>WC wall plate extension set 70 mm with pneumatic discharge valve</p>				

GROHE FRESH



GROHE
StarLight®



GROHE
EcoJoy™

BATH FITTINGS

THERMOSTATS

CONCEALED SOLUTIONS

SHOWERS

KITCHEN FITTINGS

COMMERCIAL FITTINGS

SHOWER TOILET

INSTALLATION SYSTEMS



FLUSHING SYSTEMS

ACTUATIONS

CONNECTION AND SECURITY TECHNOLOGY

SPARE PARTS AND ACCESSORIES

GROHE GROHE FRESH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 805 000	4005176865596	chrome	112.73
	38 796 000	4005176857034		57.79

**Skate Cosmopolitan Set Fresh
WC wall plate**

for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

GROHE Fresh retro-fit set

for GROHE flushing cisterns with
pneumatic flush valve and small
inspection shaft

**not suitable for Skate Cosmopolitan with
wood or glass or metal surface**

fixing frame with opening function
with box for support of aromatic tabs
for all GROHE wall plates
156 x 197 mm

GROHE WALL PLATES FOR URINAL



GROHE WALL PLATES FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 784 000	4005176855535	chrome	107.17
<p>Skate Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 804 000 38 804 SH0	4005176861512 4005176861529	chrome alpine white	100.08 87.69
<p>Nova Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 857 000 38 857 SH0	4005176875694 4005176875793	chrome alpine white	109.31 95.41
<p>Arena Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 808 000	4005176864056	chrome	83.46
<p>Surf Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				

SPARE PARTS AND ACCESSORIES

CONNECTION AND SECURITY TECHNOLOGY

ACTUATIONS

FLUSHING SYSTEMS

INSTALLATION SYSTEMS

SHOWER TOILET

COMMERCIAL FITTINGS

KITCHEN FITTINGS

SHOWERS

CONCEALED SOLUTIONS

THERMOSTATS

BATH FITTINGS

GROHE
CONNECTION AND SECURITY TECHNOLOGY





Contents













Angle Valves

WAS valves







119

120

GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 037 000	4005176305535	chrome	9.77
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 041 000	4005176305573	chrome	9.35
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 029 000	4005176305467	chrome	8.12
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister pack GROHE StarLight finish</p>				
 	22 032 000	4005176305481	chrome	9.58
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister pack GROHE StarLight finish</p>				
 	22 939 000	4005176829369	chrome	16.05
<p>Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 940 000	4005176829376	chrome	17.84
<p>Angle valve 1/2" without connector set 1/2" for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				


GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 917 000	4005176501388	chrome	42.56
<p>Atlanta Angle valve 1/2" wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut \varnothing 10mm marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 012 000	4005176906343	chrome	38.70
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	22 013 000	4005176909689	chrome	42.89
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				

GROHE WAS VALVES

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


NEW



22 035 000	4005176305511	chrome	17.58
------------	---------------	--------	-------

Original WAS combination service valve 1/2"
 pre-roughened connection thread for easy sealing
 wall connection 1/2"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve
 long connecting shaft
 ergonomic handle
 marking: neutral
 metal push-on escutcheon Ø 55 mm

NEW



22 033 000	4005176305498	chrome	19.50
------------	---------------	--------	-------

Original WAS combination service valve 3/8"
 wall connection 3/8"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve
 long connecting shaft
 ergonomic handles
 marking: neutral
 metal push-on escutcheon Ø 55 mm

GROHE
SPARE PARTS AND ACCESSORIES











Contents






Spare Parts and Accessories

121

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 374 000	4005176169076		81.95
	Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000	4005176008283		81.95
	Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 409 000	4005176177668		45.48
	ditto, for open water heater			
	46 386 000	4005176169410		102.07
	Cartridge GROHE SilkMove			
	46 278 000	4005176131868		89.10
	Ceramic cartridge			
	46 308 000	4005176131769	chrome	32.45
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 375 000	4005176169083	chrome	33.10
	Temperature limiter for 35mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			







GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 450 000	4005176076190	white	131.66
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000	4005176061592		131.66
	ditto, for inverted waterways, 1/2"			
	47 310 000	4005176079238		165.81
	Wax thermo-element-cartridge wax element			
	47 379 000	4005176203169		227.58
	ditto, for inverted waterways, 3/4"			
	47 349 000	4005176141461		108.03
	Wax thermo-element-cartridge 3/8" wax element			
	47 217 000	4005176241246		131.66
	Thermo-element wax element with non-rising spindle			
	47 657 000	4005176262838		250.15
	ditto, for inverted waterways, 1/2"			
	47 220 000	4005176241253		165.81
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000	4005176262845		50.00
	ditto, for inverted waterways, 3/4"			
	47 532 000	4005176206795		176.33
	Thermostatic cartridge			








GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	00 798 000	4005176229008	chrome	26.61
	wax thermo-element			
	47 598 000	4005176229169		248.39
	Control unit			
	47 600 000	4005176228995		211.16
	Control unit			
	47 439 000	4005176811975		134.29
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000	4005176803895		134.29
	ditto, for inverted waterways, 1/2"			
	47 483 000	4005176815409		165.81
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000	4005176803901		165.81
	ditto, for inverted waterways, 3/4"			
	47 167 000	4005176010125		16.81
	Stop ring and regulating nut			







GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 364 000	4005176171819		73.89
	Aquadimmer for thermostatic mixers			
	07 146 000	4005176017261	chrome	17.34
	Headpart 1/2"			
	45 346 000	4005176104572	chrome	40.97
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000	4005176129865	chrome	40.97
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000	4005176189913	chrome	90.70
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000	4005176189876	chrome	25.03
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 882 000	4005176189883	chrome	38.96
Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand				
	45 883 000	4005176189890	chrome	38.96
Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand				
	45 887 000	4005176189937	chrome	55.32
Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90° stop: left-hand				
	45 888 000	4005176189944	chrome	64.95
Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°				
	07 025 000	4005176016929	chrome	26.80
Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"				
	45 203 000	4005176052842		16.81
Extension-set 200 mm for concealed valves, 1/2", 3/4"				
				












GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	12 001 000	4005176004339	chrome	21.36
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm GROHE StarLight chrome finish</p>				
 	12 400 000	4005176004582	chrome	35.55
<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>				
 	12 051 000	4005176213588	chrome	37.63
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for Euroeco Special and safety mixers Grotherm 3000 Grotherm Ergomix Europlus GROHE StarLight chrome finish</p>				
 	12 411 000	4005176004667	chrome	82.40
<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 1</p>				
 	12 952 000	4005176022692	chrome	34.51
<p>Wall union</p>				
 	18 862 000	4005176028120	chrome	50.63
<p>Wall union</p>				

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	18 121 000	4005176815812	chrome	64.02
Pillar union GROHE StarLight chrome finish				
 	18 978 000	4005176028809	chrome	153.73
Pillar union, 3/4", pair GROHE StarLight chrome finish				
 	12 428 000	4005176004759	chrome	124.84
Elbow union nut 1 1/4" x 1" male thread (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 2				
 	12 407 000	4005176004629	chrome	103.61
Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish				
 	12 432 000	4005176004773	chrome	140.08
Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish				
 	12 436 000	4005176004797	chrome	148.47
Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish				

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	12 444 000	4005176004834	chrome	147.43
<p>Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	12 417 000	4005176004681	chrome	64.49
<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	12 423 000	4005176004728	chrome	46.44
<p>Straight union nut 1" x 3/4" male thread</p>				
 	12 424 000	4005176004735	chrome	82.71
<p>Straight union, male 1 1/4", nut 1 1/2" nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
 	18 863 000	4005176028137	chrome	63.51
<p>Union</p>				
 	12 965 000	4005176022708	chrome	55.76
<p>Bulkhead union</p>				

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 928 000	4005176025365	chrome	11.21
	Flow restrictor 6 l/min internal thread flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish			
 	13 929 000	4005176025440	chrome	11.21
	Flow restrictor 6 l/min external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish			
 	13 955 000	4005176025808	chrome	8.75
	Flow straightener external thread M 24 x 1 flow class: X 8.3 l/min at 4.14 bar GROHE StarLight finish			
 	13 927 000	4005176005541	chrome	19.78
	Flow restrictor 6 l/min external thread M 28 x 1 flow class C 30 l/min. at 3 bar GROHE StarLight finish			
 	13 950 000	4005176025679	chrome	11.21
	Economy Mousseur internal thread flow class Z 9.0 l/min at 3 bar GROHE StarLight finish			
 	13 951 000	4005176025730	chrome	10.99
	Economy Mousseur external thread M 24 x 1 flow class Z 9.0 l/min at 3 bar GROHE StarLight finish			












GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 954 000	4005176025747	chrome	8.75
<p>Flow straightener internal thread M 22 x 1 (LP) flow class PCA 7.8 l/min. at 3.5 bar SpeedClean anti-limescale system GROHE StarLight finish</p>				
 	13 900 000	4005176005442	chrome	8.58
<p>Strainer jet regulator Sistra M24x1 internal thread M 22 x 1 (LP) no limitation of flow rate including metal connection nipple for better servicing GROHE StarLight finish</p>				
	13 905 000	4005176025099	chrome	8.75
ditto, M 24 x 1				
	13 907 000	4005176025129	chrome	19.78
ditto, M 28 x 1				
 	28 910 000	4005176603846	chrome	50.99
<p>Pop-up waste set 1 1/4" for basin/bidet fittings</p>				
 	28 900 000	4005176603822	chrome	79.47
<p>Pop-up waste set 1 1/4" for basins GROHE StarLight chrome finish</p>				
 	40 565 000	4005176912757	chrome	77.26
<p>Plug incl. cup GROHE StarLight chrome finish</p>				
 	40 824 000	4005176332975	chrome	12.30
<p>Waste set with push-open plug removable plug closable</p>				








GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	07 182 000	4005176017438	chrome	21.54
	Plug for pop-up waste set			
	07 341 000	4005176017728	chrome	32.92
	Extended horizontal pop-up rod			
	40 564 000	4005176912740	chrome	202.90
	Bottle trap for wash basin GROHE StarLight chrome finish brass body			
	28 912 000	4005176266751	chrome	193.48
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish			
	47 189 000	4005176010330	chrome	33.80
	Non-return valve GROHE StarLight chrome finish			
	14 159 000	4005176100710	chrome	15.11
	Double backflow preventer 3/4" for bath-fittings 3/4" for intrinsically safe against non-return after DIN 1988 GROHE StarLight chrome finish			






GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	47 727 000	4005176884160		23.69
Connection wire 2-pole cable length 3 m				
 	46 191 000	4005176119996	chrome	113.63
Extension set 25 mm for Rapido E 35 501 000				
 	46 343 000	4005176189791	chrome	161.98
Extension set 50 mm for Rapido E 35 501 000 33 961 000				
 	28 817 000	4005176602962	chrome	11.56
Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish				
 	28 708 000	4005176602375	chrome	73.85
Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wood screws GROHE StarLight chrome finish				
	07 264 00M	4005176228797	chrome	8.40
Filter multi-packaging: 2 pieces				

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 023 000	4005176006494		8.06
	Seat			
	07 587 000	4005176229015	chrome	14.19
	Slide			
	18 370 000	4005176885228	chrome	68.55
	Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud			
 	19 070 000	4005176029653		46.12
	Socket Spanner Wrench size 12 and 14 mm To disassemble/assemble the hot water seat of thermostats			
	19 332 000	4005176823695		62.48
	Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for dis-/assembly of 35 mm cartridge			
	48 021 000	4005176881435		5.44
	Disassembling key for mousseurs with housing: (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 377 000	4005176872204		34.85
	Special Spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of GROHE TurboStat thermostatic compact cartridge			
	19 017 000	4005176212024		34.15
	Mounting wrench SW 13 for installation of basin mixers with the Rapid system			
	48 166 000	4005176923197		12.79
	Grohclean Detergent for fittings and bathrooms 500 ml spray bottle in display box sales unit 10 pieces			
	43 544 000	4005176157738		6.36
	Outlet piston			

VISIT US ONLINE

Follow us



TRY GROHE BESTMATCH™ NOW!



GROHE now makes it easier than ever for you to find the perfect combination of washbasin and mixer – with the GROHE BestMatch™ website and app for iOS & Android. Regardless of whether you are looking for a washbasin to fit your desired GROHE mixer, or an exclusive GROHE mixer for your washbasin, with GROHE BestMatch™ you're guaranteed to find just the right combination.



GROHE.COM/BESTMATCH

GROHE UK Ltd
World Business Centre 2
Newall Road
London Heathrow Airport
Middlesex
TW6 2SF
Tel; 0871 200 3414
Fax; 0871 200 3415
email; info-uk@grohe.com

© 04/2016 – Copyright by GROHE

